

PANC

Ted Stevens Anchorage Intl


VHHH

Hong Kong Intl

2024/05/13 0334Z

PANC FFITZ ENM RUSOR TK LEMBA DITOR TUPNA TIMIT SESUR **R452** NISOR GK SANKO **A326** AKARA **A593** DUMET
LASAN **W13** BEGMO MAGOG VHHH

9171.27 nm / 16985.20 km



Notes

Requested: PANC FFITZ ENM B241 RUSOR G370 TK B237 LEMBA B962 DITOR B233 TUPNA B919 TIMIT R810 RISAB B355 SESUR R452

Unmatched points: B241 G370 B237 B962 B233 B919 R810 RISAB B355 PONIL B332 W114 M503 LAPUG R200 BEBEM A470

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
PANC	-	61.17411	0 ft	-	Ted Stevens Anchorage Intl
APT	-	-149.99598	0 m	-	
FFITZ	-	62.14772	0 ft	101	-
FIX	-	-152.89154	0 m	-	
ENM	-	62.78458	0 ft	323	EMMONAK VOR-DME
VOR	-	-164.48756	0 m	-	
RUSOR	-	61.23333	0 ft	338	-
FIX	-	-176.06667	0 m	-	
TK	-	60.36583	0 ft	525	TILICHIKI NDB
NDB	-	166.01361	0 m	-	
LEMBA	-	59.67361	0 ft	195	-
FIX	-	159.65556	0 m	-	
DITOR	-	49.18361	0 ft	874	-
FIX	-	142.08472	0 m	-	
TUPNA	-	46.68194	0 ft	185	-
FIX	-	139.37111	0 m	-	
TIMIT	-	46.62528	0 ft	29	-
FIX	-	138.65111	0 m	-	
SESUR	-	42.29167	0 ft	428	-
FIX	-	130.69167	0 m	-	
KICHA	R452	40.68417	0 ft	117	-
FIX	AWY-HI	129.19222	0 m	-	
HAMUN	R452	39.92167	0 ft	89	-
FIX	AWY-LO	127.51833	0 m	-	
WASAN	R452	39.72833	0 ft	23	-
FIX	AWY-LO	127.08389	0 m	-	
GG	R452	39.59667	0 ft	35	BUCHA NDB
NDB	AWY-HI	126.34500	0 m	-	
NISOR	R452	39.45333	0 ft	32	-
FIX	AWY-LO	125.67833	0 m	-	
GK	-	5.79806	0 ft	2379	GONG KEDAK NDB
NDB	-	102.49028	0 m	-	
SANKO	-	38.25000	0 ft	2232	-
FIX	-	122.45333	0 m	-	
DONVO	A326	37.56667	0 ft	58	-
FIX	AWY-LO	123.33333	0 m	-	
MUDAL	A326	36.85000	0 ft	43	-
FIX	AWY-LO	123.36667	0 m	-	
DOPNO	A326	35.00000	0 ft	111	-
FIX	AWY-HI	123.45000	0 m	-	
SURAK	A326	31.77333	0 ft	193	-
FIX	AWY-LO	123.49167	0 m	-	
AKARA	A326	31.50000	0 ft	16	-
FIX	AWY-LO	123.50000	0 m	-	
DUMET	A593	31.36167	0 ft	38	-
FIX	AWY-LO	122.77500	0 m	-	
LASAN	-	31.00000	0 ft	28	-
FIX	-	122.42500	0 m	-	
PONAB	W13	30.58667	0 ft	24	-
FIX	AWY-LO	122.40000	0 m	-	
HSN	W13	29.93167	0 ft	39	ZHOU SHAN VOR-DME
VOR	AWY-LO	122.36167	0 m	-	
TOGUG	W13	29.20000	0 ft	44	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	122.53333	0 m		
BEGMO	W13	28.00000	0 ft	80	-
FIX	AWY-HI	121.83333	0 m		
MAGOG	-	22.28833	0 ft	473	-
FIX	-	115.82333	0 m		
VHHH	-	22.30899	0 ft	106	Hong Kong Intl
APT	-	113.91461	0 m		

PANC

Region: USA (ALASKA)

Timezone: AMERICA/ANCHORAGE

Runways: 3

Elevation: 151 ft / 46 m

Location: 61.174300 -149.998000

Magnetic Var: 14.022 E

METAR

PANC 130253Z 23010KT 10SM FEW050 SCT075 SCT200 09/02 A2963

TAF

PANC 122328Z 1300/1406 21008G16KT P6SM VCSH FEW050 BKN090 FM130400 18014G22KT P6SM SCT070 BKN100 FM130900 15009KT

Frequencies

REC - 135.50 MHz - D-ATIS

GND - 121.90 MHz - ANCHORAGE GROUND

CLD - 119.40 MHz - CLEARANCE DELIVERY

APP - 118.60 MHz - ANCHORAGE APPROACH

APP - 123.80 MHz - ANCHORAGE APPROACH

DEP - 118.60 MHz - ANCHORAGE DEPARTURE

DEP - 123.80 MHz - ANCHORAGE DEPARTURE

COM - 122.95 MHz - UNICOM

TWR - 118.30 MHz - ANCHORAGE TOWER

CLD - 128.65 MHz - CLEARANCE DELIVERY

APP - 119.10 MHz - ANCHORAGE APPROACH

APP - 126.40 MHz - ANCHORAGE APPROACH

DEP - 119.10 MHz - ANCHORAGE DEPARTURE

DEP - 126.40 MHz - ANCHORAGE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	12,357 ft	89.84	ASPHALT	0 ft	0 ft
	61 m	3,767 m	75.82		0 m	0 m
25L	200 ft	12,357 ft	269.90	ASPHALT	0 ft	194 ft
	61 m	3,767 m	255.88		0 m	59 m
07L	150 ft	10,566 ft	89.88	ASPHALT	0 ft	387 ft
	46 m	3,221 m	75.86		0 m	118 m
25R	150 ft	10,566 ft	269.93	ASPHALT	0 ft	387 ft
	46 m	3,221 m	255.91		0 m	118 m
15	200 ft	10,847 ft	164.89	ASPHALT	0 ft	397 ft
	61 m	3,306 m	150.87		0 m	121 m
33	200 ft	10,847 ft	344.90	ASPHALT	463 ft	236 ft
	61 m	3,306 m	330.88		141 m	72 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	ITGN	109.90 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
07R	DME	IANC	111.30 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
15	DME	IBSC	111.75 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
07L	LOC-ILS	ITGN	109.90 MHz	18 nm	89.90	-	151 ft
				33 km	75.88		151 m
07R	LOC-ILS	IANC	111.30 MHz	18 nm	89.87	-	151 ft
				33 km	75.85		151 m
15	LOC-ILS	IBSC	111.75 MHz	18 nm	164.90	-	151 ft
				33 km	150.88		151 m
07L	GS	ITGN	109.90 MHz	10 nm	89.90	3.00	151 ft
				19 km	75.88		151 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	IANC	111.30 MHz	10 nm	89.87	3.00	151 ft
				19 km	75.85		151 m
15	GS	IBSC	111.75 MHz	10 nm	164.90	3.00	151 ft
				19 km	150.88		151 m

VHHH

Region: HONG KONG
Timezone: UNKNOWN
Runways: 2

Elevation: 27 ft / 8 m
Location: 22.308900 113.915000
Magnetic Var: 3.238 W

METAR

VHHH 130300Z 35009KT 9999 FEW012 29/21 Q1012 NOSIG

TAF

TAF VHHH 130200Z 1303/1409 33010KT 9000 FEW015 SCT025 TX30/1306Z TX29/1406Z TN24/1322Z BECMG 1306/1308 09010KT

Frequencies

REC - 128.20 MHz - D-ATIS	REC - 127.05 MHz - D-ATIS
GND - 121.60 MHz - HONG KONG GROUND	GND - 122.55 MHz - HONG KONG GROUND
GND - 121.87 MHz - HONG KONG GROUND	TWR - 118.20 MHz - HONG KONG TOWER
TWR - 118.40 MHz - HONG KONG TOWER	TWR - 118.70 MHz - HONG KONG TOWER
CLD - 124.65 MHz - HONG KONG CLEARANCE DELIVERY	CLD - 129.90 MHz - HONG KONG CLEARANCE DELIVERY
DEP - 122.00 MHz - HONG KONG DEPARTURE	DEP - 123.80 MHz - HONG KONG DEPARTURE
DEP - 124.05 MHz - HONG KONG DEPARTURE	APP - 119.10 MHz - HONG KONG APPROACH
APP - 119.35 MHz - HONG KONG APPROACH	APP - 119.55 MHz - HONG KONG DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	197 ft	12,462 ft	70.77	ASPHALT	554 ft	974 ft
	60 m	3,799 m	74.01		169 m	297 m
25R	197 ft	12,462 ft	250.79	ASPHALT	571 ft	978 ft
	60 m	3,799 m	254.02		174 m	298 m
07R	197 ft	12,463 ft	70.79	ASPHALT	518 ft	886 ft
	60 m	3,799 m	74.03		158 m	270 m
25L	197 ft	12,463 ft	250.80	ASPHALT	0 ft	981 ft
	60 m	3,799 m	254.04		0 m	299 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IZSL	111.10 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
07R	DME	ISR	109.30 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25L	DME	IFL	108.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25R	DME	ITFR	110.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
07L	LOC-ILS	IZSL	111.10 MHz	18 nm	70.78	-	27 ft
				33 km	74.02		27 m
07R	LOC-ILS	ISR	109.30 MHz	18 nm	70.79	-	27 ft
				33 km	74.03		27 m
25L	LOC-ILS	IFL	108.90 MHz	18 nm	250.79	-	27 ft
				33 km	254.03		27 m
25R	LOC-ILS	ITFR	110.90 MHz	18 nm	250.78	-	27 ft
				33 km	254.02		27 m
07L	GS	IZSL	111.10 MHz	10 nm	70.78	3.00	27 ft
				19 km	74.02		27 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	ISR	109.30 MHz	10 nm	70.79	3.00	27 ft
				19 km	74.03		27 m
25L	GS	IFL	108.90 MHz	10 nm	250.79	3.00	27 ft
				19 km	254.03		27 m
25R	GS	ITFR	110.90 MHz	10 nm	250.78	3.00	27 ft
				19 km	254.02		27 m