


2024/06/07 0053Z

EGHI KETIK LFRD

144.62 nm / 267.84 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGHI	-	50.95030	0 ft	-	Southampton
APT	-	-1.35679	0 m		
KETIK	-	49.32330	9,600 ft	99	-
FIX	-	-1.87306	2,926 m		
LFRD	-	48.58800	0 ft	44	Dinard Pleurtuit-St Malo
APT	-	-2.07992	0 m		

EGHI

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 41 ft / 12 m
Location: 50.950300 -1.356790
Magnetic Var: 0.132 E

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

REC - 130.85 MHz - SOUTHAMPTON INFO
APP - 122.85 MHz - SOUTHAMPTON APPROACH
TWR - 118.20 MHz - SOUTHAMPTON TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	121 ft	5,651 ft	19.36	ASPHALT	239 ft	66 ft
	37 m	1,722 m	19.22		73 m	20 m
20	121 ft	5,651 ft	199.36	ASPHALT	151 ft	0 ft
	37 m	1,722 m	199.23		46 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
20	DME	ISN	110.75 MHz	18 nm	-	-	54 ft
				33 km	-		54 m
20	LOC-ILS	ISN	110.75 MHz	18 nm	199.35	-	41 ft
				33 km	199.22		41 m
20	GS	ISN	110.75 MHz	10 nm	199.35	3.10	41 ft
				19 km	199.22		41 m

LFRD

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 216 ft / 66 m
Location: 48.588000 -2.079920
Magnetic Var: 0.101 E

METAR

LFRD 070030Z AUTO 31002KT 9999 FEW025 09/08 Q1021 NOSIG

TAF

TAF LFRD 062300Z 0700/0724 VRB03KT CAVOK PROB30 TEMPO 0703/0705 4000 BR BECMG 0710/0712 34008KT BECMG 0718/0720 VRB03KT

Frequencies

REC - 124.57 MHz - LFRD ATIS
APP - 124.90 MHz - RENNES APP

TWR - 120.15 MHz - DINARD TWR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	148 ft	7,199 ft	170.09	ASPHALT	0 ft	0 ft
	45 m	2,194 m	169.99		0 m	0 m
35	148 ft	7,199 ft	350.10	ASPHALT	0 ft	0 ft
	45 m	2,194 m	350.00		0 m	0 m
12	148 ft	4,909 ft	115.13	ASPHALT	0 ft	0 ft
	45 m	1,496 m	115.03		0 m	0 m
30	148 ft	4,909 ft	295.14	ASPHALT	669 ft	0 ft
	45 m	1,496 m	295.04		204 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
35	DME	DR	110.75 MHz	27 nm	-	-	216 ft
				50 km	-		216 m
35	LOC-ILS	DR	110.75 MHz	18 nm	350.08	-	216 ft
				33 km	349.98		216 m
35	GS	DR	110.75 MHz	10 nm	350.16	3.00	216 ft
				19 km	350.06		216 m