

# LFPO

Paris Orly


# VHHH

Hong Kong Intl

2024/05/13 0621Z

LFPO RANUX **UN858** LIMGO **UZ111** AMASI **UN858** SUBIX **N858** VTB VTB **N858** OGUTA **R800** FK **FK3T** SF **A930** RUSAK  
GINOT **W7** MB **R480** UW **R493** RD **G234** MGR **B935** TITUR **G111** ATBAN **A95** KRG **A368** FKG **W192** ESDEX **W191** DNC  
BESMI **B330** DOREX VENON **W504** GAO **B213** DS **W180** UNRIX **V50** LAGEX **G586** SJG **B330** GYA VHHH

5370.30 nm / 9945.80 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 10000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPO	-	48.72630	0 ft	-	Paris Orly
APT	-	2.36701	0 m	-	
RANUX	-	49.13890	10,000 ft	82	-
FIX	-	4.36167	3,048 m	-	-
MEDOX	UN858	49.33360	10,000 ft	31	-
FIX	AWY-HI	5.09694	3,048 m	-	-
VALEK	UN858	49.51440	10,000 ft	28	-
FIX	AWY-HI	5.78111	3,048 m	-	-
LIPNI	UN858	49.53000	10,000 ft	2	-
FIX	AWY-HI	5.84583	3,048 m	-	-
LIMGO	UN858	49.63720	10,000 ft	18	-
FIX	AWY-HI	6.28167	3,048 m	-	-
PITES	UZ111	49.72860	10,000 ft	10	-
FIX	AWY-HI	6.51936	3,048 m	-	-
OBIGA	UZ111	50.03080	10,000 ft	30	-
FIX	AWY-HI	7.13833	3,048 m	-	-
AMASI	UZ111	50.24030	10,000 ft	21	-
FIX	AWY-HI	7.60611	3,048 m	-	-
TESGA	UN858	50.44490	10,000 ft	40	-
FIX	AWY-HI	8.61887	3,048 m	-	-
SOGMI	UN858	50.52750	10,000 ft	11	-
FIX	AWY-HI	8.89917	3,048 m	-	-
MASEK	UN858	50.72920	10,000 ft	29	-
FIX	AWY-HI	9.59833	3,048 m	-	-
ERSIL	UN858	51.05060	10,000 ft	32	-
FIX	AWY-HI	10.28660	3,048 m	-	-
ESOBU	UN858	51.18310	10,000 ft	19	-
FIX	AWY-HI	10.75920	3,048 m	-	-
MITRU	UN858	51.29390	10,000 ft	16	-
FIX	AWY-HI	11.16190	3,048 m	-	-
IXUVU	UN858	51.32390	10,000 ft	4	-
FIX	AWY-HI	11.27220	3,048 m	-	-
GALMA	UN858	51.39810	10,000 ft	8	-
FIX	AWY-HI	11.45110	3,048 m	-	-
DESAR	UN858	51.64000	10,000 ft	26	-
FIX	AWY-HI	12.04280	3,048 m	-	-
LORBO	UN858	51.68940	10,000 ft	6	-
FIX	AWY-HI	12.20500	3,048 m	-	-
MOSEX	UN858	51.91920	10,000 ft	31	-
FIX	AWY-HI	12.97080	3,048 m	-	-
PEPOL	UN858	52.12620	10,000 ft	29	-
FIX	AWY-HI	13.68250	3,048 m	-	-
OBANI	UN858	52.24560	10,000 ft	17	-
FIX	AWY-HI	14.10310	3,048 m	-	-
SUBIX	UN858	52.37970	10,000 ft	19	-
FIX	AWY-HI	14.58560	3,048 m	-	-
DENKO	N858	52.81690	10,000 ft	52	-
FIX	AWY-HI	15.83250	3,048 m	-	-
DEKUT	N858	53.11610	10,000 ft	47	-
FIX	AWY-HI	17.03530	3,048 m	-	-
EBOGU	N858	53.37890	10,000 ft	43	-
FIX	AWY-HI	18.14970	3,048 m	-	-
GRUDA	N858	53.52110	10,000 ft	24	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	18.78140	3,048 m		
OSKUD	N858	53.71750	10,000 ft	36	-
FIX	AWY-HI	19.76190	3,048 m		
TUROL	N858	53.85860	10,000 ft	27	-
FIX	AWY-HI	20.50000	3,048 m		
BARGU	N858	53.99720	10,000 ft	27	-
FIX	AWY-HI	21.25310	3,048 m		
OTRIV	N858	54.16360	10,000 ft	34	-
FIX	AWY-HI	22.19780	3,048 m		
BOKSU	N858	54.30750	10,000 ft	31	-
FIX	AWY-HI	23.05920	3,048 m		
IRKAL	N858	54.48390	10,000 ft	41	-
FIX	AWY-HI	24.22000	3,048 m		
BILDI	N858	54.58790	10,000 ft	26	-
FIX	AWY-HI	24.94530	3,048 m		
LAVAR	N858	54.69140	10,000 ft	28	-
FIX	AWY-HI	25.73670	3,048 m		
SIVRU	N858	55.03170	10,000 ft	121	-
FIX	AWY-HI	29.18810	3,048 m		
VTB	N858	55.12500	10,000 ft	40	VITEBSK VOR-DME
DME	AWY-HI	30.35330	3,048 m		
VTB	-	55.12790	10,000 ft	0	VICIEBSK
VOR	-	30.35990	3,048 m		
OGUTA	N858	55.19170	10,000 ft	21	-
FIX	AWY-HI	30.96470	3,048 m		
KOLED	R800	55.45310	10,000 ft	97	-
FIX	AWY-HI	33.76640	3,048 m		
ADIRU	R800	55.49310	10,000 ft	16	-
FIX	AWY-HI	34.23810	3,048 m		
FK	R800	55.55530	10,000 ft	26	GAGARIN
NDB	AWY-HI	35.02190	3,048 m		
DINEL	FK3T	55.58670	10,000 ft	49	-
FIX	AWY-HI	36.48310	3,048 m		
LUKOS	FK3T	55.60000	10,000 ft	26	-
FIX	AWY-HI	37.27140	3,048 m		
BITSA	FK3T	55.56670	10,000 ft	11	-
FIX	AWY-HI	37.61470	3,048 m		
GEKLA	FK3T	55.65000	10,000 ft	9	-
FIX	AWY-HI	37.86810	3,048 m		
DAKLO	FK3T	55.61670	10,000 ft	25	-
FIX	AWY-HI	38.63140	3,048 m		
SF	FK3T	55.54830	10,000 ft	46	CHERUSTI
NDB	AWY-HI	39.99690	3,048 m		
INLOR	A930	55.57810	10,000 ft	42	-
FIX	AWY-HI	41.25030	3,048 m		
RUSAK	A930	55.60000	10,000 ft	68	-
FIX	AWY-HI	43.27470	3,048 m		
GINOT	-	55.56170	10,000 ft	2	-
FIX	-	43.30810	3,048 m		
MB	W7	55.60000	10,000 ft	16	CHERNUKHA
NDB	AWY-HI	43.78140	3,048 m		
UD	R480	55.56670	10,000 ft	38	BUTURLINO
NDB	AWY-HI	44.91470	3,048 m		
UW	R480	55.51670	10,000 ft	52	SHUMERLYA
NDB	AWY-HI	46.44810	3,048 m		
OGRUD	R493	55.08140	10,000 ft	87	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	48.89780	3,048 m		
RD	R493	54.88330	10,000 ft	37	BAZARNYYE
NDB	AWY-HI	49.91500	3,048 m		
ODLES	G234	54.71140	10,000 ft	53	-
FIX	AWY-HI	51.43060	3,048 m		
SONOT	G234	54.47670	10,000 ft	65	-
FIX	AWY-HI	53.26000	3,048 m		
OKTAP	G234	54.43330	10,000 ft	4	-
FIX	AWY-HI	53.38170	3,048 m		
OLKIM	G234	54.33000	10,000 ft	12	-
FIX	AWY-HI	53.69860	3,048 m		
GOPAR	G234	53.96690	10,000 ft	43	-
FIX	AWY-HI	54.78170	3,048 m		
BEROM	G234	53.74190	10,000 ft	62	-
FIX	AWY-HI	56.50030	3,048 m		
SINAD	G234	53.54030	10,000 ft	50	-
FIX	AWY-HI	57.87810	3,048 m		
RITKA	G234	53.50670	10,000 ft	8	-
FIX	AWY-HI	58.10170	3,048 m		
MGR	G234	53.40430	10,000 ft	24	MAGNITOGORSK
VOR	AWY-HI	58.75760	3,048 m		
BURIG	B935	53.40860	10,000 ft	32	-
FIX	AWY-HI	59.65190	3,048 m		
TITUR	B935	53.40170	10,000 ft	53	-
FIX	AWY-HI	61.15670	3,048 m		
KST	G111	53.18690	10,000 ft	87	KOSTANAY
VOR	AWY-HI	63.56260	3,048 m		
DOKUT	G111	52.80390	10,000 ft	63	-
FIX	AWY-HI	65.20830	3,048 m		
GITNA	G111	52.74970	10,000 ft	8	-
FIX	AWY-HI	65.42170	3,048 m		
LATKO	G111	52.41890	10,000 ft	52	-
FIX	AWY-HI	66.74080	3,048 m		
ATNON	G111	52.19690	10,000 ft	33	-
FIX	AWY-HI	67.56390	3,048 m		
ATBAN	G111	51.97330	10,000 ft	32	-
FIX	AWY-HI	68.36440	3,048 m		
KODOL	A95	51.27720	10,000 ft	72	-
FIX	AWY-HI	69.94750	3,048 m		
APTUS	A95	50.93280	10,000 ft	37	-
FIX	AWY-HI	70.76690	3,048 m		
LIGMO	A95	50.76080	10,000 ft	17	-
FIX	AWY-HI	71.14360	3,048 m		
BEDKA	A95	50.22170	10,000 ft	53	-
FIX	AWY-HI	72.26250	3,048 m		
KRG	A95	49.68660	10,000 ft	53	KARAGANDA
VOR	AWY-HI	73.36260	3,048 m		
DIMUT	A368	49.30780	10,000 ft	71	-
FIX	AWY-HI	75.09830	3,048 m		
ULKAP	A368	49.12470	10,000 ft	33	-
FIX	AWY-HI	75.89220	3,048 m		
GORBO	A368	49.05440	10,000 ft	12	-
FIX	AWY-HI	76.18330	3,048 m		
TAGAL	A368	48.94390	10,000 ft	19	-
FIX	AWY-HI	76.64030	3,048 m		
DODEM	A368	48.70330	10,000 ft	40	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	77.60390	3,048 m		
OSNER	A368	48.35530	10,000 ft	55	-
FIX	AWY-HI	78.90250	3,048 m		
AGZ	A368	47.93110	10,000 ft	67	AYAGUZ
VOR	AWY-HI	80.44970	3,048 m		
TOLKI	A368	47.57080	10,000 ft	39	-
FIX	AWY-HI	81.27780	3,048 m		
AGUSA	A368	47.23330	10,000 ft	37	-
FIX	AWY-HI	82.06060	3,048 m		
SARIN	A368	46.86560	10,000 ft	40	-
FIX	AWY-HI	82.88810	3,048 m		
TCH	A368	46.66830	10,000 ft	22	TACHENG
VOR	AWY-HI	83.34500	3,048 m		
SALMO	A368	45.69830	10,000 ft	97	-
FIX	AWY-HI	85.22170	3,048 m		
UGPEL	A368	44.55170	10,000 ft	111	-
FIX	AWY-HI	87.28670	3,048 m		
VARM	A368	44.33500	10,000 ft	21	-
FIX	AWY-HI	87.68500	3,048 m		
FKG	A368	44.17330	10,000 ft	16	FUKANG
VOR	AWY-HI	87.98330	3,048 m		
IBAKI	W192	43.12500	10,000 ft	121	-
FIX	AWY-HI	90.38000	3,048 m		
IPMUN	W192	42.51830	10,000 ft	68	-
FIX	AWY-HI	91.69500	3,048 m		
ESDEX	W192	41.63000	10,000 ft	53	-
FIX	AWY-HI	91.85170	3,048 m		
MOVBI	W191	40.75830	10,000 ft	95	-
FIX	AWY-HI	93.62000	3,048 m		
KARVI	W191	40.10330	10,000 ft	62	-
FIX	AWY-HI	94.69330	3,048 m		
TOSAP	W191	39.95670	10,000 ft	19	-
FIX	AWY-HI	95.08000	3,048 m		
VIKUP	W191	39.56330	10,000 ft	52	-
FIX	AWY-HI	96.10330	3,048 m		
MULRU	W191	38.94000	10,000 ft	81	-
FIX	AWY-HI	97.67000	3,048 m		
RUSAT	W191	37.65670	10,000 ft	161	-
FIX	AWY-HI	100.68000	3,048 m		
NODID	W191	37.29830	10,000 ft	45	-
FIX	AWY-HI	101.52500	3,048 m		
AVBUD	W191	37.11500	10,000 ft	39	-
FIX	AWY-HI	102.31500	3,048 m		
PANRA	W191	36.81670	10,000 ft	33	-
FIX	AWY-HI	102.91200	3,048 m		
DNC	W191	36.54040	10,000 ft	37	LANZHOU
VOR	AWY-HI	103.61900	3,048 m		
BESMI	-	35.77670	10,000 ft	52	-
FIX	-	104.15200	3,048 m		
ELPAN	B330	34.97670	10,000 ft	48	-
FIX	AWY-HI	104.19200	3,048 m		
OMBON	B330	33.35670	10,000 ft	97	-
FIX	AWY-HI	104.27200	3,048 m		
DOREX	B330	31.24670	10,000 ft	126	-
FIX	AWY-HI	104.37500	3,048 m		
VENON	-	31.07000	10,000 ft	19	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	-	104.70300	3,048 m		
GAO	W504	30.81000	10,000 ft	78	NANCHONG
VOR	AWY-HI	106.18800	3,048 m		
ANSAR	B213	30.65670	10,000 ft	12	-
FIX	AWY-HI	106.35700	3,048 m		
TOROD	B213	30.28670	10,000 ft	30	-
FIX	AWY-HI	106.75500	3,048 m		
DS	B213	30.20000	10,000 ft	6	HELIUSHUI
NDB	AWY-HI	106.84500	3,048 m		
OS	W180	29.84830	10,000 ft	21	TONGJINGCHANG
NDB	AWY-HI	106.84500	3,048 m		
XOLAL	W180	29.49330	10,000 ft	21	-
FIX	AWY-HI	106.88200	3,048 m		
UNRIX	W180	28.76670	10,000 ft	43	-
FIX	AWY-HI	106.91700	3,048 m		
OTLEK	V50	28.18830	10,000 ft	44	-
FIX	AWY-HI	107.44000	3,048 m		
TAXOR	V50	27.82830	10,000 ft	27	-
FIX	AWY-HI	107.77300	3,048 m		
XONID	V50	27.05670	10,000 ft	59	-
FIX	AWY-HI	108.46700	3,048 m		
LAGEX	V50	26.43000	10,000 ft	48	-
FIX	AWY-HI	109.02700	3,048 m		
SJG	G586	25.77670	10,000 ft	50	SANJIANG
VOR	AWY-HI	109.61000	3,048 m		
MAMSI	B330	25.20500	10,000 ft	47	-
FIX	AWY-HI	110.21200	3,048 m		
QP	B330	24.65670	10,000 ft	45	ERTANG
NDB	AWY-HI	110.79300	3,048 m		
MUBEL	B330	24.21000	10,000 ft	37	-
FIX	AWY-HI	111.27000	3,048 m		
GYA	B330	23.07000	10,000 ft	95	GAOYAO
VOR	AWY-HI	112.48700	3,048 m		
VHHH	-	22.30890	0 ft	91	Hong Kong Intl
APT	-	113.91500	0 m		

## LFPO

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 3

Elevation: 291 ft / 89 m  
Location: 48.726300 2.366980  
Magnetic Var: 1.451 E

## METAR

LFPO 130600Z 22008KT 9999 BKN012 BKN056 15/13 Q1012 NOSIG

## TAF

TAF LFPO 130500Z 1306/1412 22008KT 9999 BKN020 TEMPO 1306/1308 BKN012 BECMG 1315/1317 16010KT PROB40 TEMPO 1323/1

## Frequencies

REC - 126.50 MHz - ORLY ATIS	REC - 131.35 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT	GND - 121.70 MHz - ORLY GROUND
GND - 121.82 MHz - ORLY GROUND	TWR - 118.70 MHz - ORLY TOWER
TWR - 120.50 MHz - ORLY TOWER	APP - 118.85 MHz - PARIS APPROACH
APP - 123.87 MHz - PARIS APPROACH	APP - 124.45 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE	DEP - 127.75 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.33		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.37		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.89		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.92		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.85		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.86		0 m	150 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.86		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.35		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.91		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.35		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.91		291 m



Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm	74.37	-	291 ft
				33 km	72.92		291 m
02	GS	OLN	110.30 MHz	10 nm	18.31	3.00	291 ft
				19 km	16.86		291 m
06	GS	ORE	108.50 MHz	10 nm	61.80	3.00	291 ft
				19 km	60.35		291 m
07	GS	OLE	108.15 MHz	10 nm	74.36	3.00	291 ft
				19 km	72.91		291 m
24	GS	OLO	110.90 MHz	10 nm	241.80	3.00	291 ft
				19 km	240.35		291 m
25	GS	OLW	111.75 MHz	10 nm	254.36	3.00	291 ft
				19 km	252.91		291 m

## VHHH

Region: HONG KONG  
Timezone: UNKNOWN  
Runways: 2

Elevation: 27 ft / 8 m  
Location: 22.308900 113.915000  
Magnetic Var: 3.238 W

## METAR

VHHH 130600Z 32009KT 9999 FEW018 SCT030 29/21 Q1011 NOSIG

## TAF

TAF VHHH 130500Z 1306/1412 30010KT 9999 FEW015 SCT025 TX30/1306Z TX30/1406Z TN24/1322Z BECMG 1307/1309 09015KT BE

## Frequencies

REC - 128.20 MHz - D-ATIS	REC - 127.05 MHz - D-ATIS
GND - 121.60 MHz - HONG KONG GROUND	GND - 122.55 MHz - HONG KONG GROUND
GND - 121.87 MHz - HONG KONG GROUND	TWR - 118.20 MHz - HONG KONG TOWER
TWR - 118.40 MHz - HONG KONG TOWER	TWR - 118.70 MHz - HONG KONG TOWER
CLD - 124.65 MHz - HONG KONG CLEARANCE DELIVERY	CLD - 129.90 MHz - HONG KONG CLEARANCE DELIVERY
DEP - 122.00 MHz - HONG KONG DEPARTURE	DEP - 123.80 MHz - HONG KONG DEPARTURE
DEP - 124.05 MHz - HONG KONG DEPARTURE	APP - 119.10 MHz - HONG KONG APPROACH
APP - 119.35 MHz - HONG KONG APPROACH	APP - 119.55 MHz - HONG KONG DIRECT

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	197 ft	12,462 ft	70.77	ASPHALT	554 ft	974 ft
	60 m	3,799 m	74.01		169 m	297 m
25R	197 ft	12,462 ft	250.79	ASPHALT	571 ft	978 ft
	60 m	3,799 m	254.02		174 m	298 m
07R	197 ft	12,463 ft	70.79	ASPHALT	518 ft	886 ft
	60 m	3,799 m	74.03		158 m	270 m
25L	197 ft	12,463 ft	250.80	ASPHALT	0 ft	981 ft
	60 m	3,799 m	254.04		0 m	299 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IZSL	111.10 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
07R	DME	ISR	109.30 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25L	DME	IFL	108.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25R	DME	ITFR	110.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
07L	LOC-ILS	IZSL	111.10 MHz	18 nm	70.78	-	27 ft
				33 km	74.02		27 m
07R	LOC-ILS	ISR	109.30 MHz	18 nm	70.79	-	27 ft
				33 km	74.03		27 m
25L	LOC-ILS	IFL	108.90 MHz	18 nm	250.79	-	27 ft
				33 km	254.03		27 m
25R	LOC-ILS	ITFR	110.90 MHz	18 nm	250.78	-	27 ft
				33 km	254.02		27 m
07L	GS	IZSL	111.10 MHz	10 nm	70.78	3.00	27 ft
				19 km	74.02		27 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	ISR	109.30 MHz	10 nm	70.79	3.00	27 ft
				19 km	74.03		27 m
25L	GS	IFL	108.90 MHz	10 nm	250.79	3.00	27 ft
				19 km	254.03		27 m
25R	GS	ITFR	110.90 MHz	10 nm	250.78	3.00	27 ft
				19 km	254.02		27 m