


2024/05/13 0306Z

KSAF RESER DRO **V382** JNC **V187** OCS **V328** TUVOC KWYS

610.38 nm / 1130.42 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSAF APT	-	35.61704 -106.08957	0 ft 0 m	-	Santa Fe Muni
RESER FIX	-	36.91367 -107.49056	34,000 ft 10,363 m	103	-
DRO VOR	-	37.15325 -107.74961	34,000 ft 10,363 m	19	DURANGO VOR-DME
ETL VOR	V382 AWY-LO	38.04025 -108.25858	18,000 ft 5,486 m	58	CONES VOR-DME
ECNOF FIX	V382 AWY-LO	38.19471 -108.33846	18,000 ft 5,486 m	10	-
JNC DME	V382 AWY-LO	39.05957 -108.79257	18,000 ft 5,486 m	56	GRAND JUNCTION VOR-DME
LOMMA FIX	V187 AWY-LO	39.28082 -108.81121	18,000 ft 5,486 m	13	-
TESSY FIX	V187 AWY-LO	39.49620 -108.82982	18,000 ft 5,486 m	12	-
RACER FIX	V187 AWY-LO	40.10811 -108.88289	18,000 ft 5,486 m	36	-
RENAE FIX	V187 AWY-LO	40.42057 -108.91028	18,000 ft 5,486 m	18	-
OCS VOR	V187 AWY-LO	41.59022 -109.01533	18,000 ft 5,486 m	70	ROCK SPRINGS VOR-DME
SEYTO FIX	V328 AWY-LO	42.38725 -109.89306	18,000 ft 5,486 m	61	-
BPI VOR	V328 AWY-LO	42.57944 -110.10922	18,000 ft 5,486 m	14	BIG PINEY VOR-DME
IDECA FIX	V328 AWY-LO	42.85863 -110.27382	18,000 ft 5,486 m	18	-
TUVOC FIX	V328 AWY-LO	43.25268 -110.50888	18,000 ft 5,486 m	25	-
KWYS APT	-	44.68840 -111.11764	0 ft 0 m	90	Yellowstone

KSAF

Region: UNITED STATES
Timezone: AMERICA/DENVER
Runways: 3

Elevation: 6,348 ft / 1,935 m
Location: 35.617000 -106.090000
Magnetic Var: 7.715 E

METAR

KSAF 130153Z AUTO 02011KT 10SM OVC090 14/01 A2998 RMK A02 PK WND 02029/0054 SLP095 T01390011

TAF

TAF KSAF 122340Z 1300/1324 36011KT P6SM VCSH BKN090 TEMPO 1300/1303 VRB18G30KT -SHRA FM130300 02009KT P6SM BKN090

Frequencies

REC - 128.55 MHz - ATIS
COM - 122.95 MHz - UNICOM
TWR - 119.50 MHz -
COM - 119.50 MHz - CTAF
GND - 121.70 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	150 ft	8,374 ft	34.99	ASPHALT	0 ft	0 ft
	46 m	2,552 m	27.28		0 m	0 m
20	150 ft	8,374 ft	215.00	ASPHALT	0 ft	200 ft
	46 m	2,552 m	207.28		0 m	61 m
15	100 ft	6,319 ft	166.75	ASPHALT	0 ft	161 ft
	30 m	1,926 m	159.04		0 m	49 m
33	100 ft	6,319 ft	346.75	ASPHALT	0 ft	154 ft
	30 m	1,926 m	339.04		0 m	47 m
10	75 ft	6,292 ft	111.76	ASPHALT	0 ft	0 ft
	23 m	1,918 m	104.05		0 m	0 m
28	75 ft	6,292 ft	291.77	ASPHALT	0 ft	0 ft
	23 m	1,918 m	284.06		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	DME	ISGB	111.70 MHz	18 nm	-	-	6,326 ft
				33 km	-		6,326 m
02	LOC-ILS	ISGB	111.70 MHz	18 nm	35.00	-	6,348 ft
				33 km	27.28		6,348 m
02	GS	ISGB	111.70 MHz	10 nm	35.00	3.00	6,348 ft
				19 km	27.28		6,348 m

KWYS

Region: UNITED STATES
Timezone: AMERICA/DENVER
Runways: 1

Elevation: 6,644 ft / 2,025 m
Location: 44.688400 -111.118000
Magnetic Var: 10.987 E

METAR

KWYS 130235Z AUTO 22005KT 10SM BKN100 15/01 A2997 RMK A02

TAF

TAF KWYS 122320Z 1300/1324 24009KT P6SM FEW100 FM130800 VRB03KT P6SM FEW100 FM131700 23007KT P6SM SCT100

Frequencies

COM - 123.00 MHz - CTAF/UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	151 ft	8,407 ft	26.20	ASPHALT	0 ft	118 ft
	46 m	2,562 m	15.21		0 m	36 m
19	151 ft	8,407 ft	206.21	ASPHALT	0 ft	102 ft
	46 m	2,562 m	195.22		0 m	31 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	ILOW	110.70 MHz	18 nm	26.21	-	6,644 ft
				33 km	15.22		6,644 m
01	GS	ILOW	110.70 MHz	10 nm	26.21	3.00	6,644 ft
				19 km	15.22		6,644 m