

# RKSI

Incheon Intl

# GA879


2024/05/14 0916Z

# WIII

Jakarta Soekarno-Hatta Intl

RKSI BOPTA MOXID MANGI CHUJA CJU TOSAN RUGMA POTET ESBIS LESKA RUSAR LANCL NANCY AMMEK SAKON  
NIMOX BISIG BEDIP SARSI LIPER KABAN TELEN PR OSANU VJN VJN80 BUTAX UDERO ALEMO OKADA OMEGA EBONY  
OSUKA TRIBO KIBON RAFIS AMBOY DENDY DKI WIII

3001.50 nm / 5558.78 km



## Notes

Garuda Indonesia (GA/GIA)  
Boeing 777-3U3(ER) / B77W / B773 / B773ER  
2x GE90  
Range : 7,370 nm (13649 km)  
Length : 73.9 m  
Wingspan : 64.8 m  
Flight GA879/GIA879 (Indonesia 879 / Garuda 879)  
Member of Skyteam  
Step climbing : 30,000ft > 32,000ft > 34,000ft > 36,000ft  
Cruising Speed : Mach M 0.84  
Flight duration : 6 hours and 346 minutes  
fpl for #infiniteflight #garudaindonesia #infiniteflightglobal

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RKSI	-	37.46540	0 ft	-	Incheon Intl
APT	-	126.44300	0 m		
BOPTA	-	36.73500	0 ft	44	-
FIX	-	126.61600	0 m		
MOXID	-	36.38640	0 ft	21	-
FIX	-	126.73300	0 m		
MANGI	-	35.50310	0 ft	53	-
FIX	-	126.74200	0 m		
CHUJA	-	33.99650	0 ft	90	-
FIX	-	126.58300	0 m		
CJU	-	33.38470	0 ft	36	JEJU VORTAC
DME	-	126.62400	0 m		
TOSAN	-	33.00330	0 ft	24	-
FIX	-	126.77200	0 m		
RUGMA	-	32.50330	0 ft	31	-
FIX	-	126.96500	0 m		
POTET	-	32.28000	0 ft	13	-
FIX	-	127.04000	0 m		
ESBIS	-	31.25350	0 ft	64	-
FIX	-	127.38100	0 m		
LESKA	-	30.26590	0 ft	61	-
FIX	-	127.70700	0 m		
RUSAR	-	29.86500	0 ft	25	-
FIX	-	127.83700	0 m		
LANCL	-	27.20990	0 ft	159	-
FIX	-	127.71300	0 m		
NANCY	-	26.15510	0 ft	67	-
FIX	-	127.27600	0 m		
AMMEK	-	25.59820	0 ft	34	-
FIX	-	127.09400	0 m		
SAKON	-	24.12090	0 ft	91	-
FIX	-	126.69800	0 m		
NIMOX	-	22.91120	0 ft	78	-
FIX	-	126.14000	0 m		
BISIG	-	21.00000	0 ft	124	-
FIX	-	125.26700	0 m		
BEDIP	-	17.54300	0 ft	227	-
FIX	-	123.62500	0 m		
SARSI	-	16.72680	0 ft	53	-
FIX	-	123.24900	0 m		
LIPER	-	14.46320	0 ft	164	-
FIX	-	121.65000	0 m		
KABAN	-	14.15520	0 ft	21	-
FIX	-	121.45800	0 m		
TELEN	-	12.88830	0 ft	87	-
FIX	-	120.71400	0 m		
PR	-	9.74133	0 ft	221	PUERTO PRINCESA
VOR	-	118.75300	0 m		
OSANU	-	7.69000	0 ft	150	-
FIX	-	117.29300	0 m		
VJN	-	5.89967	0 ft	131	KOTA KINABALU VOR-DME
DME	-	116.03000	0 m		
VJN80	-	4.85139	0 ft	79	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	-	115.21100	0 m		
BUTAX	-	4.43694	0 ft	31	-
FIX	-	114.87600	0 m		
UDERO	-	3.93056	0 ft	38	-
FIX	-	114.49400	0 m		
ALEMO	-	2.76250	0 ft	89	-
FIX	-	113.57200	0 m		
OKADA	-	1.56667	0 ft	91	-
FIX	-	112.63300	0 m		
OMEGA	-	-0.38333	0 ft	148	-
FIX	-	111.12000	0 m		
EBONY	-	-0.90833	0 ft	40	-
FIX	-	110.70300	0 m		
OSUKA	-	-1.29167	0 ft	28	-
FIX	-	110.41200	0 m		
TRIBO	-	-1.68387	0 ft	29	-
FIX	-	110.11400	0 m		
KIBON	-	-1.83333	0 ft	11	-
FIX	-	110.00000	0 m		
RAFIS	-	-2.89269	0 ft	82	-
FIX	-	109.13600	0 m		
AMBOY	-	-4.13333	0 ft	94	-
FIX	-	108.16700	0 m		
DENDY	-	-5.19707	0 ft	72	-
FIX	-	107.60700	0 m		
DKI	-	-5.96119	0 ft	57	JAKARTA
VOR	-	107.03600	0 m		
WIII	-	-6.12569	0 ft	24	Jakarta Soekarno-Hatta Intl
APT	-	106.65700	0 m		

## RKSI

Region: SOUTH KOREA  
Timezone: UNKNOWN  
Runways: 3

Elevation: 22 ft / 7 m  
Location: 37.465400 126.443000  
Magnetic Var: 8.784 W

## METAR

RKSI 140900Z 22009KT CAVOK 19/05 Q1015 NOSIG

## TAF

TAF RKSI 140500Z 1406/1512 21010KT CAVOK TX21/1408Z TN13/1421Z TX16/1502Z BECMG 1414/1416 15006KT BECMG 1421/1423

## Frequencies

REC - 128.40 MHz - INCHEON ATIS  
TWR - 118.20 MHz - INCHEON TOWER  
DEP - 121.40 MHz - SEOUL DEPARTURE

GND - 121.75 MHz - INCHEON GROUND  
APP - 119.75 MHz - SEOUL APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	197 ft	13,131 ft	144.75	ASPHALT	0 ft	394 ft
	60 m	4,002 m	153.54		0 m	120 m
34	197 ft	13,131 ft	324.77	ASPHALT	0 ft	394 ft
	60 m	4,002 m	333.55		0 m	120 m
15R	197 ft	12,311 ft	144.78	ASPHALT	0 ft	397 ft
	60 m	3,752 m	153.56		0 m	121 m
33L	197 ft	12,311 ft	324.79	ASPHALT	0 ft	394 ft
	60 m	3,752 m	333.58		0 m	120 m
15L	197 ft	12,312 ft	144.77	ASPHALT	0 ft	397 ft
	60 m	3,753 m	153.56		0 m	121 m
33R	197 ft	12,312 ft	324.79	ASPHALT	0 ft	394 ft
	60 m	3,753 m	333.57		0 m	120 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15L	DME	ISLL	111.90 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
15R	DME	ISRR	109.10 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
33L	DME	INLL	109.30 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
33R	DME	INRR	108.90 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
15L	LOC-ILS	ISLL	111.90 MHz	18 nm	144.79	-	22 ft
				33 km	153.57		22 m
15R	LOC-ILS	ISRR	109.10 MHz	18 nm	144.79	-	22 ft
				33 km	153.57		22 m
16	LOC-ILS	IRKS	110.35 MHz	18 nm	144.77	-	22 ft
				33 km	153.55		22 m
33L	LOC-ILS	INLL	109.30 MHz	18 nm	324.79	-	22 ft
				33 km	333.57		22 m
33R	LOC-ILS	INRR	108.90 MHz	18 nm	324.79	-	22 ft
				33 km	333.57		22 m
34	LOC-ILS	IRKN	108.10 MHz	18 nm	324.77	-	22 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	333.55		22 m
15L	GS	ISLL	111.90 MHz	10 nm	144.79	3.00	22 ft
				19 km	153.57		22 m
15R	GS	ISRR	109.10 MHz	10 nm	144.79	3.00	22 ft
				19 km	153.57		22 m
16	GS	IRKS	110.35 MHz	10 nm	144.77	3.00	22 ft
				19 km	153.55		22 m
33L	GS	INLL	109.30 MHz	10 nm	324.79	3.00	22 ft
				19 km	333.57		22 m
33R	GS	INRR	108.90 MHz	10 nm	324.79	3.00	23 ft
				19 km	333.57		23 m
34	GS	IRKN	108.10 MHz	10 nm	324.77	3.00	22 ft
				19 km	333.55		22 m

## WIII

Region: INDONESIA  
Timezone: ASIA/JAKARTA  
Runways: 3

Elevation: 34 ft / 10 m  
Location: -6.119810 106.657000  
Magnetic Var: 0.529 E

## METAR

WIII 140900Z 01011KT 5000 HZ BKN020 29/25 Q1008 NOSIG

## TAF

TAF WIII 140500Z 1406/1512 01010KT 8000 SCT020 BECMG 1413/1415 19005KT 5000 HZ BECMG 1503/1505 04010KT 8000 NSW

## Frequencies

REC - 126.85 MHz - ATIS	CLD - 121.95 MHz -
CLD - 124.25 MHz -	SOEKARNO-HATTA CLEARANCE DELIVERY
SOEKARNO-HATTA CLEARANCE DELIVERY	CLD - 125.15 MHz -
GND - 121.60 MHz - SOEKARNO-HATTA GROUND	SOEKARNO-HATTA CLEARANCE DELIVERY
GND - 128.85 MHz - SOEKARNO-HATTA GROUND	GND - 121.00 MHz - SOEKARNO-HATTA GROUND
TWR - 118.20 MHz - SOEKARNO-HATTA TOWER	GND - 128.95 MHz - SOEKARNO-HATTA GROUND
TWR - 119.30 MHz - SOEKARNO-HATTA TOWER	TWR - 118.75 MHz - SOEKARNO-HATTA TOWER
APP - 124.20 MHz - JAKARTA ARRIVAL	TWR - 120.25 MHz - SOEKARNO-HATTA TOWER
APP - 119.75 MHz - JAKARTA DIRECTOR	APP - 125.45 MHz - JAKARTA ARRIVAL
APP - 124.55 MHz - JAKARTA DIRECTOR	APP - 123.75 MHz - JAKARTA DIRECTOR
APP - 125.05 MHz - JAKARTA DIRECTOR	APP - 124.95 MHz - JAKARTA DIRECTOR
APP - 124.15 MHz - JAKARTA RADAR	APP - 127.90 MHz - JAKARTA DIRECTOR
APP - 125.35 MHz - JAKARTA RADAR	APP - 124.35 MHz - JAKARTA RADAR
APP - 127.95 MHz - JAKARTA RADAR	APP - 126.45 MHz - JAKARTA RADAR
	APP - 130.10 MHz - JAKARTA RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	8,202 ft	68.13	ASPHALT	328 ft	846 ft
	46 m	2,500 m	67.61		100 m	258 m
24	150 ft	8,202 ft	248.13	ASPHALT	0 ft	0 ft
	46 m	2,500 m	247.60		0 m	0 m
07L	197 ft	11,820 ft	68.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	67.62		0 m	0 m
25R	197 ft	11,820 ft	248.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	247.62		0 m	0 m
07R	197 ft	12,015 ft	68.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	67.59		0 m	0 m
25L	197 ft	12,015 ft	248.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	247.59		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	ICHL	111.50 MHz	18 nm	68.13	-	21 ft
				33 km	67.60		21 m
07R	LOC-ILS	ICHR	110.50 MHz	18 nm	68.13	-	27 ft
				33 km	67.60		27 m
25L	LOC-ILS	ICGL	111.10 MHz	18 nm	248.12	-	34 ft
				33 km	247.59		34 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	LOC-ILS	ICGR	110.90 MHz	18 nm	248.13	-	29 ft
				33 km	247.60		29 m
07L	GS	ICHL	111.50 MHz	10 nm	68.25	3.00	29 ft
				19 km	67.72		29 m
07R	GS	ICHR	110.50 MHz	10 nm	68.24	3.00	34 ft
				19 km	67.71		34 m
25L	GS	ICGL	111.10 MHz	10 nm	248.24	3.00	27 ft
				19 km	247.71		27 m
25R	GS	ICGR	110.90 MHz	10 nm	248.25	3.00	21 ft
				19 km	247.72		21 m