

HDAM

DJIBOUTI AMBOULI


HECA

Cairo Intl

2024/05/13 0914Z

HDAM SB R775 JDW A411 KAMIS HECA

1318.53 nm / 2441.91 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 30000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
HDAM	-	11.54733	0 ft	-	DJIBOUTI AMBOULI
APT	-	43.15948	0 m		
SB	-	13.06667	34,300 ft	96	ASSAB NDB
NDB	-	42.64667	10,455 m		
SOLIR	R775	13.87333	34,000 ft	52	-
FIX	AWY-HI	42.32167	10,363 m		
PURAD	R775	14.91667	34,000 ft	67	-
FIX	AWY-HI	41.89833	10,363 m		
APDOS	R775	15.67667	34,000 ft	48	-
FIX	AWY-HI	41.64000	10,363 m		
DANAK	R775	16.13333	34,000 ft	28	-
FIX	AWY-HI	41.48333	10,363 m		
LABNI	R775	16.93889	34,000 ft	51	-
FIX	AWY-HI	41.15583	10,363 m		
ABKAR	R775	19.08639	34,000 ft	138	-
FIX	AWY-HI	40.27000	10,363 m		
NAPKI	R775	19.73917	34,000 ft	42	-
FIX	AWY-HI	39.99583	10,363 m		
VUXAB	R775	20.23806	34,000 ft	32	-
FIX	AWY-HI	39.78500	10,363 m		
SAMIR	R775	20.74833	34,000 ft	33	-
FIX	AWY-HI	39.56694	10,363 m		
JDW	R775	21.67914	34,000 ft	60	KING ABDULAZIZ VORTAC
VOR	AWY-HI	39.16625	10,363 m		
MOSIM	A411	22.60750	34,000 ft	60	-
FIX	AWY-HI	38.75722	10,363 m		
SABRI	A411	22.91667	34,000 ft	20	-
FIX	AWY-HI	38.62028	10,363 m		
PURGA	A411	23.61194	34,000 ft	45	-
FIX	AWY-HI	38.30806	10,363 m		
LABID	A411	24.14617	34,000 ft	34	-
FIX	AWY-HI	38.06500	10,363 m		
WEJ	A411	26.17933	34,000 ft	149	WEJH VORTAC
VOR	AWY-HI	36.48811	10,363 m		
PASAM	A411	27.51250	34,000 ft	115	-
FIX	AWY-HI	34.92833	10,363 m		
SHM	A411	27.99806	34,000 ft	39	SHARM EL SHEIKH VOR-DME
VOR	AWY-HI	34.41333	10,363 m		
KAMIS	A411	29.28361	16,100 ft	122	-
FIX	AWY-HI	32.60167	4,907 m		
HECA	-	30.12181	0 ft	80	Cairo Intl
APT	-	31.40610	0 m		

HDAM

Region: DJIBOUTI
Timezone: AFRICA/DJIBOUTI
Runways: 1

Elevation: 48 ft / 15 m
Location: 11.547300 43.159500
Magnetic Var: 2.142 E

METAR

UNKNOWN

TAF

TAF HDAM 130500Z 1306/1406 09010G15KT 9999 FEW023 FEW266 BECMG 1315/1321 13010KT SCT020 BECMG 1400/1406 22010FEW0

Frequencies

REC - 126.40 MHz - ATIS
TWR - 122.10 MHz - DJIBOUTI TOWER

GND - 118.10 MHz - DJIBOUTI GROUND
APP - 121.10 MHz - DJIBOUTI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	150 ft	10,312 ft	90.84	ASPHALT	0 ft	600 ft
	46 m	3,143 m	88.70		0 m	183 m
27	150 ft	10,312 ft	270.85	ASPHALT	712 ft	581 ft
	46 m	3,143 m	268.71		217 m	177 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	LOC-ILS	IDJ	110.30 MHz	18 nm	270.82	-	49 ft
				33 km	268.68		49 m
27	GS	IDJ	110.30 MHz	10 nm	271.64	2.50	49 ft
				19 km	269.49		49 m

HECA

Region: EGYPT
Timezone: AFRICA/CAIRO
Runways: 3

Elevation: 466 ft / 142 m
Location: 30.111400 31.413900
Magnetic Var: 4.952 E

METAR

HECA 130900Z 30007KT 9999 SCT025 23/10 Q1015 NOSIG

TAF

TAF HECA 122300Z 1300/1406 31008KT CAVOK PROB40 TEMPO 1300/1306 4000 BR NSC

Frequencies

REC - 122.60 MHz - ATIS
GND - 121.90 MHz - CAIRO GROUND NORTH
APP - 119.05 MHz - CAIRO APPROACH
GND - 120.40 MHz - CAIRO GROUND SOUTH
TWR - 118.10 MHz - CAIRO TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	197 ft	13,135 ft	49.04	ASPHALT	0 ft	217 ft
	60 m	4,004 m	44.09		0 m	66 m
23L	197 ft	13,135 ft	229.05	ASPHALT	0 ft	226 ft
	60 m	4,004 m	224.10		0 m	69 m
05C	197 ft	13,132 ft	49.04	ASPHALT	0 ft	217 ft
	60 m	4,003 m	44.09		0 m	66 m
23C	197 ft	13,132 ft	229.05	ASPHALT	0 ft	226 ft
	60 m	4,003 m	224.10		0 m	69 m
05L	197 ft	10,840 ft	49.29	ASPHALT	0 ft	184 ft
	60 m	3,304 m	44.34		0 m	56 m
23R	197 ft	10,840 ft	229.30	ASPHALT	0 ft	184 ft
	60 m	3,304 m	224.35		0 m	56 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05L	DME	CRL	110.90 MHz	18 nm	-	-	230 ft
				33 km	-		230 m
05R	DME	IROT	109.90 MHz	18 nm	-	-	430 ft
				33 km	-		430 m
23L	DME	ILOT	109.50 MHz	18 nm	-	-	420 ft
				33 km	-		420 m
23R	DME	CRR	110.30 MHz	18 nm	-	-	230 ft
				33 km	-		230 m
05L	LOC-ILS	IZFL	110.90 MHz	18 nm	49.30	-	466 ft
				33 km	44.35		466 m
05C	LOC-ILS	IZFC	109.90 MHz	18 nm	49.04	-	466 ft
				33 km	44.09		466 m
05R	LOC-ILS	IZFR	108.90 MHz	18 nm	49.05	-	466 ft
				33 km	44.10		466 m
23L	LOC-ILS	ITTL	108.70 MHz	18 nm	229.05	-	466 ft
				33 km	224.10		466 m
23C	LOC-ILS	ITTC	109.50 MHz	18 nm	229.04	-	466 ft
				33 km	224.09		466 m
23R	LOC-ILS	ITTR	110.30 MHz	18 nm	229.30	-	466 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	224.35		466 m
05L	GS	IZFL	110.90 MHz	10 nm	49.30	3.00	466 ft
				19 km	44.35		466 m
05C	GS	IZFC	109.90 MHz	10 nm	49.04	3.00	466 ft
				19 km	44.09		466 m
05R	GS	IZFR	108.90 MHz	10 nm	49.05	3.00	466 ft
				19 km	44.10		466 m
23L	GS	ITTL	108.70 MHz	10 nm	229.05	3.00	466 ft
				19 km	224.10		466 m
23C	GS	ITTC	109.50 MHz	10 nm	229.04	3.00	466 ft
				19 km	224.09		466 m
23R	GS	ITTR	110.30 MHz	10 nm	229.30	3.00	466 ft
				19 km	224.35		466 m