


2024/05/18 0124Z

KSSC SACKS KNBC

90.68 nm / 167.94 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 3000ft
- Cruise Speed: 180kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSSC	-	33.97270	0 ft	-	Shaw AFB
APT	-	-80.47040	0 m		
SACKS	-	33.12510	3,000 ft	51	-
FIX	-	-80.62740	914 m		
KNBC	-	32.47790	0 ft	39	BEAUFORT MCAS
APT	-	-80.72370	0 m		

KSSC

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 242 ft / 74 m
Location: 33.972700 -80.470400
Magnetic Var: 8.186 W

METAR

KSSC 180055Z 19004KT 7SM FEW070 SCT090 24/21 A2986 RMK AO2A SLP111 HZ PRSNT T02370208 \$

TAF

TAF KSSC 172300Z 1723/1905 16006KT 9999 VCSH SCT030 BKN050 OVC070 QNH2981INS TEMPO 1800/1803 8000 -SHRA BKN030 OVC050

Frequencies

REC - 132.12 MHz - ATIS
GND - 126.10 MHz - GROUND
APP - 125.40 MHz - APP/DEP
CLD - 121.80 MHz - DELIVERY
TWR - 126.65 MHz - TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04L	150 ft	10,035 ft	34.59	CONCRETE	0 ft	984 ft
	46 m	3,059 m	42.77		0 m	300 m
22R	150 ft	10,035 ft	214.60	CONCRETE	0 ft	1,001 ft
	46 m	3,059 m	222.79		0 m	305 m
04R	150 ft	8,011 ft	34.60	CONCRETE	0 ft	1,010 ft
	46 m	2,442 m	42.78		0 m	308 m
22L	150 ft	8,011 ft	214.61	CONCRETE	0 ft	1,017 ft
	46 m	2,442 m	222.79		0 m	310 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	LOC-ILS	ISSC	110.10 MHz	18 nm	34.60	-	242 ft
				33 km	42.79		242 m
22R	LOC-ILS	IJWU	108.70 MHz	18 nm	214.60	-	242 ft
				33 km	222.79		242 m
04L	GS	ISSC	110.10 MHz	10 nm	34.60	2.80	242 ft
				19 km	42.79		242 m
22R	GS	IJWU	108.70 MHz	10 nm	214.60	2.82	242 ft
				19 km	222.79		242 m