


2024/06/05 1209Z

EGPA ADN EGPD

107.75 nm / 199.56 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 10000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGPA	-	58.95810	0 ft	-	Kirkwall
APT	-	-2.90056	0 m		
ADN	-	57.31050	1,400 ft	100	ABERDEEN
VOR	-	-2.26721	427 m		
EGPD	-	57.20370	0 ft	6	Aberdeen Dyce
APT	-	-2.19913	0 m		

EGPA

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 50 ft / 15 m
Location: 58.958100 -2.900560
Magnetic Var: 1.434 W

METAR

EGPA 051120Z 28014G24KT 250V310 9999 VCSH FEW016 FEW018CB SCT027 11/05 Q1000

TAF

UNKNOWN

Frequencies

TWR - 118.30 MHz -

APP - 118.30 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	151 ft	4,748 ft	87.41	ASPHALT	551 ft	0 ft
	46 m	1,447 m	88.84		168 m	0 m
27	151 ft	4,748 ft	267.43	ASPHALT	135 ft	0 ft
	46 m	1,447 m	268.86		41 m	0 m
15	59 ft	2,224 ft	140.44	ASPHALT	0 ft	0 ft
	18 m	678 m	141.87		0 m	0 m
33	59 ft	2,224 ft	320.44	ASPHALT	397 ft	0 ft
	18 m	678 m	321.88		121 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	IORK	109.80 MHz	18 nm	-	-	38 ft
				33 km	-		38 m
27	DME	IKIR	109.80 MHz	18 nm	-	-	38 ft
				33 km	-		38 m
09	LOC-ILS	IORK	110.10 MHz	18 nm	87.42	-	38 ft
				33 km	88.85		38 m
27	LOC-ILS	IKIR	110.10 MHz	18 nm	267.39	-	38 ft
				33 km	268.82		38 m
09	GS	IORK	110.10 MHz	10 nm	87.84	3.50	38 ft
				19 km	89.27		38 m
27	GS	IKIR	110.10 MHz	10 nm	267.84	3.50	38 ft
				19 km	269.27		38 m

EGPD

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 4

Elevation: 213 ft / 65 m
Location: 57.204100 -2.199110
Magnetic Var: 0.896 W

METAR

EGPD 051120Z AUTO 29010KT 250V320 9999 BKN048 13/02 Q1003

TAF

TAF EGPD 051056Z 0512/0612 26012KT 9999 FEW030 PROB30 TEMPO 0512/0520 6000 SHRA PROB30 TEMPO 0512/0517 27015G25KT

Frequencies

REC - 121.85 MHz - ABERDEEN INFO
GND - 121.70 MHz - ABERDEEN GROUND
APP - 128.30 MHz - ABERDEEN DIRECTOR

TWR - 118.10 MHz - ABERDEEN TOWER
APP - 119.05 MHz - ABERDEEN APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	151 ft	6,414 ft	158.27	ASPHALT	0 ft	0 ft
	46 m	1,955 m	159.17		0 m	0 m
34	151 ft	6,414 ft	338.28	ASPHALT	0 ft	0 ft
	46 m	1,955 m	339.18		0 m	0 m
14	118 ft	1,908 ft	139.39	ASPHALT	0 ft	0 ft
	36 m	582 m	140.28		0 m	0 m
32	118 ft	1,908 ft	319.39	ASPHALT	0 ft	0 ft
	36 m	582 m	320.29		0 m	0 m
05	151 ft	1,563 ft	46.09	ASPHALT	0 ft	0 ft
	46 m	476 m	46.98		0 m	0 m
23	151 ft	1,563 ft	226.09	ASPHALT	0 ft	0 ft
	46 m	476 m	226.99		0 m	0 m
18	75 ft	1,868 ft	179.47	ASPHALT	0 ft	0 ft
	23 m	569 m	180.36		0 m	0 m
36	75 ft	1,868 ft	359.47	ASPHALT	0 ft	0 ft
	23 m	569 m	0.36		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	IAX	109.90 MHz	18 nm	-	-	215 ft
				33 km	-		215 m
34	DME	IABD	109.90 MHz	18 nm	-	-	215 ft
				33 km	-		215 m
16	LOC-ILS	IAX	109.90 MHz	18 nm	158.25	-	213 ft
				33 km	159.15		213 m
34	LOC-ILS	IABD	109.90 MHz	18 nm	338.25	-	213 ft
				33 km	339.15		213 m
16	GS	IAX	109.90 MHz	10 nm	158.25	3.00	213 ft
				19 km	159.15		213 m
34	GS	IABD	109.90 MHz	10 nm	338.25	3.00	213 ft
				19 km	339.15		213 m