


2024/05/13 1913Z

CYHU MAIRE CYQB

113.82 nm / 210.79 km



## Notes

Basic altitude profile:

- Ascent Rate: 500ft/min
- Ascent Speed: 85kts
- Cruise Altitude: 5500ft
- Cruise Speed: 110kts
- Descent Rate: 500ft/min
- Descent Speed: 100kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYHU	-	45.51430	0 ft	-	St Hubert
APT	-	-73.41640	0 m		
MAIRE	-	45.70840	4,600 ft	16	-
FIX	-	-73.12370	1,402 m		
CYQB	-	46.78960	0 ft	96	Quebec Jean Lesage Intl
APT	-	-71.39260	0 m		

## CYHU

Region: CANADA  
Timezone: AMERICA/MONTREAL  
Runways: 3

Elevation: 90 ft / 27 m  
Location: 45.514300 -73.416400  
Magnetic Var: 14.055 W

## METAR

CYHU 131900Z AUTO 18013G23KT 9SM -RA BKN100 BKN120 BKN140 18/07 A2987 RMK SLP117 DENSITY ALT 500FT

## TAF

TAF TAF CYHU 131740Z 1318/1418 17015G25KT P6SM SCT080 BKN100 TEMPO 1318/1322 P6SM -SHRA BKN080 OVC100 FM132200 170

## Frequencies

REC - 124.90 MHz - ATIS  
TWR - 118.40 MHz -  
GND - 126.40 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	150 ft	7,870 ft	46.95	ASPHALT	1,100 ft	0 ft
	46 m	2,399 m	61.01		335 m	0 m
24R	150 ft	7,870 ft	226.97	ASPHALT	0 ft	90 ft
	46 m	2,399 m	241.02		0 m	27 m
06R	100 ft	3,874 ft	47.16	ASPHALT	0 ft	0 ft
	30 m	1,181 m	61.21		0 m	0 m
24L	100 ft	3,874 ft	227.16	ASPHALT	0 ft	0 ft
	30 m	1,181 m	241.22		0 m	0 m
10	150 ft	2,787 ft	83.75	ASPHALT	0 ft	0 ft
	46 m	849 m	97.80		0 m	0 m
28	150 ft	2,787 ft	263.75	ASPHALT	0 ft	0 ft
	46 m	849 m	277.81		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	DME	IHU	111.10 MHz	18 nm	-	-	90 ft
				33 km	-		90 m
24R	LOC-ILS	IHU	111.10 MHz	18 nm	227.37	-	87 ft
				33 km	241.42		87 m
24R	GS	IHU	111.10 MHz	10 nm	227.75	3.00	87 ft
				19 km	241.81		87 m

## CYQB

Region: CANADA  
Timezone: AMERICA/MONTREAL  
Runways: 2

Elevation: 244 ft / 74 m  
Location: 46.789600 -71.392600  
Magnetic Var: 15.229 W

## METAR

CYQB 131900Z 26008KT 30SM FEW065 SCT085 BKN100 18/08 A2990 RMK CU1AC2AC4 SLP129 DENSITY ALT 700FT

## TAF

TAF CYQB 131740Z 1318/1418 22010G20KT P6SM SCT060 BKN090 TEMPO 1318/1320 P6SM -SHRA BKN060 OVC090 FM132000 21008KT

## Frequencies

REC - 134.60 MHz - ATIS  
TWR - 120.30 MHz -  
APP - 124.00 MHz - TRML CON

GND - 121.90 MHz -  
TWR - 118.65 MHz -  
APP - 127.85 MHz - TRML CON

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	8,962 ft	44.60	ASPHALT	0 ft	0 ft
	46 m	2,732 m	59.83		0 m	0 m
24	150 ft	8,962 ft	224.62	ASPHALT	0 ft	0 ft
	46 m	2,732 m	239.85		0 m	0 m
11	150 ft	5,690 ft	97.70	ASPHALT	0 ft	0 ft
	46 m	1,734 m	112.93		0 m	0 m
29	150 ft	5,690 ft	277.72	ASPHALT	0 ft	0 ft
	46 m	1,734 m	292.95		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	IQB	109.50 MHz	18 nm	44.62	-	244 ft
				33 km	59.85		244 m
06	GS	IQB	109.50 MHz	10 nm	44.62	3.00	244 ft
				19 km	59.85		244 m