

LFPO
Paris Orly


—

LFBD
Bordeaux Merignac

2024/05/12 2151Z

LFPO +48.69_+002.22 +48.68_+002.20 +48.67_+002.18 +48.66_+002.17 +48.65_+002.15 +48.64_+002.14
+48.62_+002.13 +48.61_+002.12 +47.49_+001.26 +46.36_+000.44 +44.99_+000.51 +44.98_+000.52
+44.96_+000.53 +44.95_+000.54 +44.94_+000.56 LFBD

265.54 nm / 491.77 km



Notes

Departing runway 24 LFPO. Arriving runway 4 LFBD.

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPO	-	48.71997	0 ft	-	-
APT	-	2.31693	0 m		
+48.69_+002.22	-	48.68574	810 ft	4	-
DME	-	2.22031	247 m		
+48.68_+002.20	-	48.67782	1,140 ft	0	-
DME	-	2.20197	347 m		
+48.67_+002.18	-	48.66887	1,510 ft	0	-
DME	-	2.18475	460 m		
+48.66_+002.17	-	48.65896	1,920 ft	0	-
DME	-	2.16877	585 m		
+48.65_+002.15	-	48.64817	2,340 ft	0	-
DME	-	2.15417	713 m		
+48.64_+002.14	-	48.63658	5,500 ft	0	-
DME	-	2.14104	1,676 m		
+48.62_+002.13	-	48.62428	5,500 ft	0	-
DME	-	2.12950	1,676 m		
+48.61_+002.12	-	48.61137	5,500 ft	0	-
DME	-	2.11963	1,676 m		
+47.49_+001.26	-	47.48918	5,500 ft	75	-
DME	-	1.26231	1,676 m		
+46.36_+000.44	-	46.36230	5,500 ft	75	-
DME	-	0.44098	1,676 m		
+44.99_+000.51	-	44.98865	4,390 ft	91	-
DME	-	-0.51125	1,338 m		
+44.98_+000.52	-	44.97557	4,020 ft	0	-
DME	-	-0.52002	1,225 m		
+44.96_+000.53	-	44.96308	3,630 ft	0	-
DME	-	-0.53037	1,106 m		
+44.95_+000.54	-	44.95128	3,200 ft	0	-
DME	-	-0.54221	975 m		
+44.94_+000.56	-	44.94026	2,770 ft	0	-
DME	-	-0.55546	844 m		
LFBD	-	44.83869	0 ft	8	-
APT	-	-0.70100	0 m		

LFPO

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 3

Elevation: 291 ft / 89 m
Location: 48.726300 2.366980
Magnetic Var: 1.451 E

METAR

LFPO 122130Z AUTO 22005KT CAVOK 17/14 Q1013 TEMPO 4000 -SHRA BKN020TCU

TAF

TAF LFPO 121700Z 1218/1324 23005KT CAVOK PROB40 TEMPO 1219/1223 4000 -SHRA BKN020TCU PROB30 TEMPO 1219/1221 -TSRA

Frequencies

REC - 126.50 MHz - ORLY ATIS	REC - 131.35 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT	GND - 121.70 MHz - ORLY GROUND
GND - 121.82 MHz - ORLY GROUND	TWR - 118.70 MHz - ORLY TOWER
TWR - 120.50 MHz - ORLY TOWER	APP - 118.85 MHz - PARIS APPROACH
APP - 123.87 MHz - PARIS APPROACH	APP - 124.45 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE	DEP - 127.75 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.33		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.37		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.89		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.92		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.85		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.86		0 m	150 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.86		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.35		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.91		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.35		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.91		291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm	74.37	-	291 ft
				33 km	72.92		291 m
02	GS	OLN	110.30 MHz	10 nm	18.31	3.00	291 ft
				19 km	16.86		291 m
06	GS	ORE	108.50 MHz	10 nm	61.80	3.00	291 ft
				19 km	60.35		291 m
07	GS	OLE	108.15 MHz	10 nm	74.36	3.00	291 ft
				19 km	72.91		291 m
24	GS	OLO	110.90 MHz	10 nm	241.80	3.00	291 ft
				19 km	240.35		291 m
25	GS	OLW	111.75 MHz	10 nm	254.36	3.00	291 ft
				19 km	252.91		291 m

LFBD

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 166 ft / 51 m
Location: 44.828700 -0.714790
Magnetic Var: 0.739 E

METAR

LFBD 122130Z AUTO 24004KT 9999 BKN039 14/12 Q1017 NOSIG

TAF

TAF LFBD 121700Z 1218/1324 26010KT 9999 BKN020 TX25/1315Z TN10/1305Z BECMG 1302/1303 14005KT PROB40 TEMPO 1303/1304 20005KT

Frequencies

REC - 131.15 MHz - ATIS MERIGNAC
TWR - 118.30 MHz - MERIGNAC TOWER
APP - 121.20 MHz - MERIGNAC APPROACH
GND - 121.90 MHz - MERIGNAC GROUND
APP - 129.87 MHz - AQUITAINE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	7,927 ft	106.46	ASPHALT	0 ft	1,204 ft
	45 m	2,416 m	105.72		0 m	367 m
29	148 ft	7,927 ft	286.48	ASPHALT	0 ft	1,204 ft
	45 m	2,416 m	285.74		0 m	367 m
05	148 ft	10,181 ft	45.35	ASPHALT	0 ft	1,161 ft
	45 m	3,103 m	44.61		0 m	354 m
23	148 ft	10,181 ft	225.37	ASPHALT	0 ft	1,289 ft
	45 m	3,103 m	224.63		0 m	393 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
23	DME	BD	110.30 MHz	18 nm	-	-	207 ft
				33 km	-		207 m
29	DME	BEI	111.15 MHz	18 nm	-	-	214 ft
				33 km	-		214 m
23	LOC-ILS	BD	110.30 MHz	18 nm	225.36	-	166 ft
				33 km	224.62		166 m
29	LOC-ILS	BEI	111.15 MHz	18 nm	286.47	-	166 ft
				33 km	285.73		166 m
23	GS	BD	110.30 MHz	10 nm	225.36	3.00	166 ft
				19 km	224.62		166 m
29	GS	BEI	111.15 MHz	10 nm	286.47	3.00	166 ft
				19 km	285.73		166 m