


2024/04/28 0117Z

LFPO PIMUP **UM975** LIRKO MOREG GVA **UM135** LURAG **M135** TOP **L50** ELB LIRF

610.86 nm / 1131.32 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPO	-	48.72630	0 ft	-	Paris Orly
APT	-	2.36701	0 m		
PIMUP	-	47.54030	29,300 ft	82	-
FIX	-	3.38750	8,931 m		
PIXIS	UM975	46.94030	35,000 ft	39	-
FIX	AWY-HI	3.75389	10,668 m		
PIBAT	UM975	46.80580	35,000 ft	22	-
FIX	AWY-HI	4.25917	10,668 m		
LUSAR	UM975	46.66890	35,000 ft	38	-
FIX	AWY-HI	5.17944	10,668 m		
SAUNI	UM975	46.62360	35,000 ft	12	-
FIX	AWY-HI	5.47778	10,668 m		
LIRKO	UM975	46.57090	35,000 ft	14	-
FIX	AWY-HI	5.81431	10,668 m		
MOREG	-	46.39310	35,000 ft	13	-
FIX	-	6.00722	10,668 m		
GVA	-	46.25390	35,000 ft	9	GENEVA
VOR	-	6.13222	10,668 m		
MOBLO	UM135	45.80970	35,000 ft	36	-
FIX	AWY-HI	6.72278	10,668 m		
LURAG	UM135	45.52780	35,000 ft	22	-
FIX	AWY-HI	7.08889	10,668 m		
VEROB	M135	45.29560	35,000 ft	18	-
FIX	AWY-HI	7.38944	10,668 m		
TOP	M135	44.92540	35,000 ft	29	TORINO
VOR	AWY-HI	7.86167	10,668 m		
NEDED	L50	44.69390	35,000 ft	18	-
FIX	AWY-HI	8.14056	10,668 m		
LAGEN	L50	44.39420	35,000 ft	23	-
FIX	AWY-HI	8.49806	10,668 m		
ANAKI	L50	44.20110	35,000 ft	15	-
FIX	AWY-HI	8.72556	10,668 m		
IXITO	L50	44.13470	35,000 ft	5	-
FIX	AWY-HI	8.80361	10,668 m		
UNITA	L50	43.94440	35,000 ft	14	-
FIX	AWY-HI	9.02500	10,668 m		
TIDKA	L50	43.80000	35,000 ft	11	-
FIX	AWY-HI	9.19194	10,668 m		
KONER	L50	43.50470	34,100 ft	23	-
FIX	AWY-HI	9.53000	10,394 m		
BAKRO	L50	43.18810	28,800 ft	24	-
FIX	AWY-HI	9.88750	8,778 m		
ELB	L50	42.73070	21,200 ft	35	ELBA
VOR	AWY-HI	10.39570	6,462 m		
LIRF	-	41.81080	0 ft	99	Leonardo da Vinci-Fiumicino
APT	-	12.25090	0 m		

LFPO

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 3

Elevation: 291 ft / 89 m
Location: 48.726300 2.366980
Magnetic Var: 1.446 E

METAR

LFPO 280100Z AUTO 18009KT 9999 FEW019 SCT027 BKN034 10/09 Q1001 TEMPO BKN008 BECMG 20015G25KT

TAF

TAF LFPO 272300Z 2800/2906 16010KT CAVOK PROB40 TEMPO 2800/2803 BKN008 BECMG 2802/2804 20015G25KT PROB40 TEMPO 28

Frequencies

REC - 126.50 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT
GND - 121.82 MHz - ORLY GROUND
TWR - 120.50 MHz - ORLY TOWER
APP - 123.87 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE

REC - 131.35 MHz - ORLY ATIS
GND - 121.70 MHz - ORLY GROUND
TWR - 118.70 MHz - ORLY TOWER
APP - 118.85 MHz - PARIS APPROACH
APP - 124.45 MHz - PARIS APPROACH
DEP - 127.75 MHz - PARIS DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.34		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.37		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.90		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.93		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.86		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.86		0 m	150 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.86		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.35		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.91		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.35		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.91		291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm	74.37	-	291 ft
				33 km	72.93		291 m
02	GS	OLN	110.30 MHz	10 nm	18.31	3.00	291 ft
				19 km	16.86		291 m
06	GS	ORE	108.50 MHz	10 nm	61.80	3.00	291 ft
				19 km	60.35		291 m
07	GS	OLE	108.15 MHz	10 nm	74.36	3.00	291 ft
				19 km	72.91		291 m
24	GS	OLO	110.90 MHz	10 nm	241.80	3.00	291 ft
				19 km	240.35		291 m
25	GS	OLW	111.75 MHz	10 nm	254.36	3.00	291 ft
				19 km	252.91		291 m

LIRF

Region: ITALY
Timezone: EUROPE/ROME
Runways: 3

Elevation: 13 ft / 4 m
Location: 41.810800 12.250900
Magnetic Var: 3.662 E

METAR

LIRF 280050Z AUTO 08005KT 9999 NCD 10/07 Q1017

TAF

TAF LIRF 272300Z 2800/2906 08006KT 9999 FEW030 BECMG 2809/2811 24010KT BECMG 2816/2818 VRB05KT

Frequencies

REC - 120.17 MHz - ATIS ARRIVAL
REC - 121.85 MHz - ATIS DEPARTURE
GND - 121.72 MHz - FIUME APRON
GND - 121.90 MHz - FIUME GROUND
TWR - 127.62 MHz - FIUME TOWER
TWR - 118.70 MHz - FIUME TOWER
DEP - 131.10 MHz - ROMA DEPARTURE
APP - 125.50 MHz - ROMA ARRIVAL
APP - 131.25 MHz - ROMA DIRECT

REC - 126.12 MHz - ATIS ARRIVAL
CLD - 121.80 MHz - CLEARANCE DELIVERY
GND - 121.67 MHz - FIUME GROUND
GND - 122.12 MHz - FIUME GROUND
TWR - 123.72 MHz - FIUME TOWER
DEP - 130.90 MHz - ROMA DEPARTURE
APP - 127.95 MHz - ROMA ARRIVAL
APP - 119.20 MHz - ROMA DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,859 ft	69.68	ASPHALT	1,348 ft	0 ft
	45 m	3,310 m	66.02		411 m	0 m
25	148 ft	10,859 ft	249.71	ASPHALT	0 ft	0 ft
	45 m	3,310 m	246.04		0 m	0 m
16R	197 ft	12,814 ft	162.66	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.00		0 m	0 m
34L	197 ft	12,814 ft	342.67	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.01		0 m	0 m
16L	197 ft	12,814 ft	162.68	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.02		0 m	0 m
34R	197 ft	12,814 ft	342.69	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.03		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	FEE	110.15 MHz	25 nm	-	-	25 ft
				46 km	-		25 m
34L	DME	ISW	108.90 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
34R	DME	FSS	111.55 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
16L	LOC-ILS	IFLL	108.10 MHz	18 nm	162.69	-	13 ft
				33 km	159.03		13 m
16R	LOC-ILS	IFRR	109.75 MHz	18 nm	162.67	-	13 ft
				33 km	159.01		13 m
25	LOC-ILS	FEE	110.15 MHz	18 nm	249.69	-	13 ft
				33 km	246.03		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34L	LOC-ILS	IFSW	108.90 MHz	18 nm	342.67	-	13 ft
				33 km	339.01		13 m
34R	LOC-ILS	FSS	111.55 MHz	18 nm	342.69	-	13 ft
				33 km	339.03		13 m
16L	GS	IFLL	108.10 MHz	10 nm	162.69	3.00	13 ft
				19 km	159.03		13 m
16R	GS	IFRR	109.75 MHz	10 nm	162.67	3.00	13 ft
				19 km	159.01		13 m
25	GS	FEE	110.15 MHz	10 nm	249.69	3.00	13 ft
				19 km	246.03		13 m
34L	GS	IFSW	108.90 MHz	10 nm	342.67	3.00	13 ft
				19 km	339.01		13 m
34R	GS	FSS	111.55 MHz	10 nm	342.69	3.00	13 ft
				19 km	339.03		13 m