


2024/05/21 0243Z

VYYY NIVOG **G463** DAC **W3** SDP VQPR

778.93 nm / 1442.58 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 340ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VYYY	-	16.91080	0 ft	-	YANGON INTL
APT	-	96.13570	0 m		
NIVOG	-	18.45120	300 ft	100	-
FIX	-	95.44660	91 m		
DORLI	G463	19.25750	300 ft	64	-
FIX	AWY-HI	94.70420	91 m		
27BGO	G463	21.37120	300 ft	172	-
FIX	AWY-HI	92.64040	91 m		
AVLED	G463	21.66750	300 ft	24	-
FIX	AWY-HI	92.34690	91 m		
TANAP	G463	21.94080	300 ft	21	-
FIX	AWY-HI	92.11030	91 m		
CTG	G463	22.25770	300 ft	24	CHITTAGONG
VOR	AWY-HI	91.82750	91 m		
ONEKA	G463	22.58000	300 ft	25	-
FIX	AWY-HI	91.53720	91 m		
DAC75	G463	22.86150	300 ft	21	-
FIX	AWY-HI	91.28720	91 m		
ADMIL	G463	23.18080	300 ft	25	-
FIX	AWY-HI	90.99060	91 m		
KANDI	G463	23.50360	300 ft	25	-
FIX	AWY-HI	90.70140	91 m		
DAC	G463	23.82430	300 ft	24	DHAKA
VOR	AWY-HI	90.41290	91 m		
MEXIV	W3	24.04500	300 ft	23	-
FIX	AWY-HI	90.05140	91 m		
TEGAK	W3	24.17830	300 ft	14	-
FIX	AWY-HI	89.83470	91 m		
BELKU	W3	24.33330	300 ft	15	-
FIX	AWY-HI	89.61670	91 m		
SDP	W3	25.76440	300 ft	94	SAIDPUR
VOR	AWY-HI	88.90940	91 m		
VQPR	-	27.40330	0 ft	102	Paro Intl.
APT	-	89.42470	0 m		

VYYY

Region: MYANMAR
Timezone: ASIA/RANGOON
Runways: 1

Elevation: 110 ft / 34 m
Location: 16.910800 96.135700
Magnetic Var: 0.471 W

METAR

VYYY 210230Z 24008KT 7000 SCT020 31/27 Q1006 NOSIG

TAF

TAF TAF VYYY 202300Z 2100/2124 18006KT 7000 SCT020 FEW025CB BKN110 TEMPO 2100/2106 16005KT 5000 DZ SCT020 FEW025CB

Frequencies

REC - 128.40 MHz - ATIS
TWR - 118.10 MHz - MINGALADON TOWER
GND - 121.90 MHz - MINGALADON GROUND
APP - 119.70 MHz - MINGALADON APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	200 ft	11,259 ft	33.12	ASPHALT	0 ft	0 ft
	61 m	3,432 m	33.59		0 m	0 m
21	200 ft	11,259 ft	213.13	ASPHALT	0 ft	190 ft
	61 m	3,432 m	213.60		0 m	58 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	DME	IYGN	109.90 MHz	18 nm	-	-	50 ft
				33 km	-		50 m
21	LOC-ILS	IYGN	109.90 MHz	18 nm	213.13	-	110 ft
				33 km	213.60		110 m
21	GS	IYGN	109.90 MHz	10 nm	213.13	3.00	110 ft
				19 km	213.60		110 m