


2024/05/11 1354Z

EGGP MIKEL EGAC

131.90 nm / 244.29 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGGP	-	53.33363	0 ft	-	Liverpool
APT	-	-2.84977	0 m		
MIKEL	-	54.27500	8,700 ft	91	-
FIX	-	-4.86278	2,652 m		
EGAC	-	54.61811	0 ft	40	Belfast City
APT	-	-5.87258	0 m		

## EGGP

Region: UNITED KINGDOM  
Timezone: EUROPE/LONDON  
Runways: 1

Elevation: 81 ft / 25 m  
Location: 53.333600 -2.849780  
Magnetic Var: 0.666 W

## METAR

EGGP 111320Z 12009KT 9999 FEW037 23/10 Q1020

## TAF

TAF EGGP 111103Z 1112/1212 13012KT 9999 FEW030= TAF EGNM 111104Z 1112/1212 12007KT 9999 FEW045 PROB30 TEMPO 1114/

## Frequencies

APP - 119.85 MHz - LIVERPOOL APPROACH  
GND - 121.95 MHz - LIVERPOOL GROUND

TWR - 126.35 MHz - LIVERPOOL TOWER  
REC - 124.32 MHz - LIVERPOOL INFORMATION

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	7,478 ft	85.58	ASPHALT	194 ft	0 ft
	45 m	2,279 m	86.24		59 m	0 m
27	148 ft	7,478 ft	265.61	ASPHALT	0 ft	82 ft
	45 m	2,279 m	266.27		0 m	25 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	ILVR	111.75 MHz	18 nm	-	-	88 ft
				33 km	-		88 m
27	DME	ILQ	111.75 MHz	18 nm	-	-	88 ft
				33 km	-		88 m
09	LOC-ILS	ILVR	111.75 MHz	18 nm	85.61	-	77 ft
				33 km	86.28		77 m
27	LOC-ILS	ILQ	111.75 MHz	18 nm	265.05	-	55 ft
				33 km	265.71		55 m
09	GS	ILVR	111.75 MHz	10 nm	86.20	3.00	80 ft
				19 km	86.87		80 m
27	GS	ILQ	111.75 MHz	10 nm	266.20	3.00	80 ft
				19 km	266.87		80 m

## EGAC

Region: UNITED KINGDOM  
Timezone: EUROPE/LONDON  
Runways: 1

Elevation: 15 ft / 5 m  
Location: 54.618100 -5.872440  
Magnetic Var: 2.013 W

## METAR

EGAC 111320Z AUTO 17010KT 9999 NCD 21/13 Q1018

## TAF

UNKNOWN

## Frequencies

APP - 130.85 MHz - BELFAST APPROACH  
REC - 134.80 MHz - BELFAST RADAR

TWR - 122.82 MHz - BELFAST TOWER  
REC - 136.62 MHz - BELFAST INFORMATION

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	150 ft	5,946 ft	34.69	ASPHALT	256 ft	0 ft
	46 m	1,812 m	36.70		78 m	0 m
22	150 ft	5,946 ft	214.70	ASPHALT	0 ft	0 ft
	46 m	1,812 m	216.71		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	HBD	108.10 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
22	DME	IBFH	108.10 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
22	LOC-ILS	IBFH	108.10 MHz	18 nm	214.70	-	15 ft
				33 km	216.71		15 m
04	LOC-ILS	IHBD	108.10 MHz	18 nm	34.70	-	15 ft
				33 km	36.71		15 m
22	GS	IBFH	108.10 MHz	10 nm	216.70	3.00	15 ft
				19 km	218.71		15 m
04	GS	IHBD	108.10 MHz	10 nm	34.70	3.00	15 ft
				19 km	36.71		15 m