

# S03

Ashland Muni Sumner Parker Fld


# KCEC

Crescent City - Jack Mc Namara Fld

2024/05/02 2209Z

S03 BAYTS KCEC

74.54 nm / 138.05 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
S03	-	42.19030	0 ft	-	Ashland Muni	Sumner Parker Fld
APT	-	-122.66100	0 m			
BAYTS	-	42.07760	7,500 ft	21	-	
FIX	-	-123.10900	2,286 m			
KCEC	-	41.78020	0 ft	53	Crescent City - Jack Mc Namara Fld	
APT	-	-124.23700	0 m			

## KCEC

Region: UNITED STATES  
Timezone: AMERICA/LOS\_ANGELES  
Runways: 2

Elevation: 57 ft / 17 m  
Location: 41.780200 -124.237000  
Magnetic Var: 13.936 E

## METAR

KCEC 022056Z AUTO 32007KT 10SM CLR 14/10 A3013 RMK A02 SLP202 60001 T01390100 51003

## TAF

TAF AMD KCEC 022141Z 0222/0318 23007KT 6SM BR SCT030 FM030000 VRB04KT 5SM BR VCSH SCT015 BKN025 OVC040 FM030500 36

## Frequencies

REC - 119.92 MHz - ASOS  
COM - 122.80 MHz - UNICOM

COM - 122.80 MHz - CTAF

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	150 ft	5,000 ft	133.28	ASPHALT	0 ft	0 ft
	46 m	1,524 m	119.34		0 m	0 m
29	150 ft	5,000 ft	313.29	ASPHALT	0 ft	0 ft
	46 m	1,524 m	299.35		0 m	0 m
17	150 ft	5,008 ft	193.14	ASPHALT	0 ft	0 ft
	46 m	1,526 m	179.20		0 m	0 m
35	150 ft	5,008 ft	13.14	ASPHALT	0 ft	0 ft
	46 m	1,526 m	359.20		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	ICEC	108.70 MHz	18 nm	133.30	-	44 ft
				33 km	119.36		44 m
11	GS	ICEC	108.70 MHz	10 nm	133.57	3.00	56 ft
				19 km	119.63		56 m