


2024/05/15 2016Z

EIWF CRK EICK

56.26 nm / 104.19 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 5000ft
- Cruise Speed: 120kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EIWF	-	52.18720	0 ft	-	Waterford
APT	-	-7.08696	0 m		
CRK	-	51.84060	100 ft	56	CORK
VOR	-	-8.49427	30 m		
EICK	-	51.84290	0 ft	0	Cork International
APT	-	-8.48930	0 m		

EIWF

Region: IRELAND
Timezone: EUROPE/DUBLIN
Runways: 1

Elevation: 119 ft / 36 m
Location: 52.187200 -7.086960
Magnetic Var: 2.096 W

METAR

EIWF 151930Z 11007KT 9999 FEW040 14/10 Q1004

TAF

UNKNOWN

Frequencies

REC - 121.15 MHz - WATERFORD ATIS
TWR - 129.85 MHz - WATERFORD TOWER

GND - 121.60 MHz - WATERFORD GROUND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	98 ft	4,696 ft	20.95	ASPHALT	292 ft	0 ft
	30 m	1,431 m	23.04		89 m	0 m
21	98 ft	4,696 ft	200.95	ASPHALT	459 ft	0 ft
	30 m	1,431 m	203.05		140 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	DME	IWD	110.90 MHz	18 nm	-	-	29 ft
				33 km	-		29 m
21	LOC-ILS	IWD	110.90 MHz	18 nm	201.10	-	86 ft
				33 km	203.19		86 m
21	GS	IWD	110.90 MHz	10 nm	201.92	3.20	29 ft
				19 km	204.02		29 m

EICK

Region: IRELAND
Timezone: EUROPE/DUBLIN
Runways: 2

Elevation: 501 ft / 153 m
Location: 51.842800 -8.489330
Magnetic Var: 2.577 W

METAR

EICK 152000Z 08007KT 9999 FEW012 BKN060 12/10 Q1004 NOSIG

TAF

TAF EICK 151700Z 1518/1618 10013KT 8000 FEW015 BKN030 BECMG 1518/1520 05006KT PROB30 TEMPO 1615/1618 4000 SHRA SCT

Frequencies

REC - 120.92 MHz - CORK ATIS
TWR - 119.30 MHz - CORK TOWER

GND - 121.85 MHz - CORK GROUND
APP - 119.90 MHz - CORK APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	150 ft	6,992 ft	159.93	ASPHALT	0 ft	0 ft
	46 m	2,131 m	162.51		0 m	0 m
34	150 ft	6,992 ft	339.94	ASPHALT	0 ft	0 ft
	46 m	2,131 m	342.51		0 m	0 m
07	148 ft	4,250 ft	62.54	CONCRETE	0 ft	0 ft
	45 m	1,295 m	65.12		0 m	0 m
25	148 ft	4,250 ft	242.55	CONCRETE	0 ft	0 ft
	45 m	1,295 m	245.13		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	LOC-ILS	ICS	109.90 MHz	18 nm	159.94	-	501 ft
				33 km	162.52		501 m
34	LOC-ILS	ICN	109.15 MHz	18 nm	339.94	-	501 ft
				33 km	342.52		501 m
16	GS	ICS	109.90 MHz	10 nm	159.94	3.00	501 ft
				19 km	162.52		501 m
34	GS	ICN	109.15 MHz	10 nm	339.94	3.00	501 ft
				19 km	342.52		501 m