

# SUMU

Montevideo Carrasco Intl


# SABE

Aeroparque Jorge Newbery

2024/05/04 0932Z

SUMU SARGO TIGRE DORVO SABE

142.90 nm / 264.64 km



## Notes

Requested: SUMU SARGO TIGRE DORVO SABE

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SUMU APT	-	-34.83489 -56.02773	0 ft 0 m	-	Montevideo Carrasco Intl
SARGO FIX	-	-34.98278 -56.88389	0 ft 0 m	43 -	
TIGRE FIX	-	-34.78139 -56.71556	0 ft 0 m	14 -	
DORVO FIX	-	-34.71611 -57.51722	0 ft 0 m	39 -	
SABE APT	-	-34.55941 -58.41575	0 ft 0 m	45	Aeroparque Jorge Newbery

## SUMU

Region: URUGUAY  
Timezone: AMERICA/MONTEVIDEO  
Runways: 2

Elevation: 104 ft / 32 m  
Location: -34.833600 -56.028400  
Magnetic Var: 11.869 W

## METAR

SUMU 040900Z 00000KT CAVOK 10/07 Q1015 NOSIG

## TAF

TAF SUMU 040530Z 0406/0506 03008KT CAVOK TX20/0418Z TN07/0410Z PROB30 TEMPO 0408/0411 5000 BR NSC BECMG 0418/0421

## Frequencies

TWR - 118.10 MHz - CARRASCO TOWER  
APP - 119.20 MHz - CARRASCO APPROACH  
COM - 122.80 MHz - UNICOM

TWR - 121.80 MHz - CARRASCO TOWER  
APP - 120.20 MHz - CARRASCO APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	10,493 ft	53.43	ASPHALT	1,148 ft	194 ft
	45 m	3,198 m	65.30		350 m	59 m
24	148 ft	10,493 ft	233.42	ASPHALT	489 ft	194 ft
	45 m	3,198 m	245.29		149 m	59 m
01	148 ft	7,397 ft	359.40	ASPHALT	0 ft	194 ft
	45 m	2,255 m	11.27		0 m	59 m
19	148 ft	7,397 ft	179.40	ASPHALT	0 ft	197 ft
	45 m	2,255 m	191.27		0 m	60 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19	DME	IMVD	111.10 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
19	LOC-ILS	IMVD	111.10 MHz	18 nm	179.40	-	104 ft
				33 km	191.27		104 m
24	LOC-ILS	ICAR	109.90 MHz	18 nm	233.42	-	104 ft
				33 km	245.29		104 m
19	GS	IMVD	111.10 MHz	10 nm	179.40	3.00	104 ft
				19 km	191.27		104 m
24	GS	ICAR	109.90 MHz	10 nm	233.42	3.00	104 ft
				19 km	245.29		104 m

## SABE

Region: ARGENTINA  
Timezone: UNKNOWN  
Runways: 1

Elevation: 18 ft / 5 m  
Location: -34.559200 -58.415700  
Magnetic Var: 10.070 W

## METAR

SABE 040900Z 06011KT CAVOK 15/10 Q1014 NOSIG

## TAF

TAF SABE 040500Z 0406/0506 03005KT CAVOK TX18/0418Z TN12/0410Z TEMPO 0412/0414 01015KT SCT025 BECMG 0418/0420 090

## Frequencies

REC - 127.60 MHz - AEROPARQUE ATIS  
TWR - 118.85 MHz - AEROPARQUE TWR

GND - 121.90 MHz - AEROPARQUE GRD  
APP - 120.60 MHz - AEROPARQUE APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	131 ft	6,881 ft	124.10	CONCRETE	0 ft	791 ft
	40 m	2,097 m	134.17		0 m	241 m
31	131 ft	6,881 ft	304.09	CONCRETE	430 ft	505 ft
	40 m	2,097 m	314.16		131 m	154 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	DME	AE	109.50 MHz	18 nm	-	-	17 ft
				33 km	-		17 m
13	LOC-ILS	AE	109.50 MHz	18 nm	124.09	-	18 ft
				33 km	134.16		18 m
13	GS	AE	109.50 MHz	10 nm	124.09	3.00	18 ft
				19 km	134.16		18 m