


2024/05/13 0541Z

EHEH DLN EEL AAL EKYT

380.69 nm / 705.03 km



Notes

Requested: EHEH DLN EEL ESB AAL EKYT

Unmatched points: ESB

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EHEH APT	-	51.45013 5.37451	0 ft 0 m	-	Eindhoven
DLN VOR	-	52.05723 5.87278	0 ft 0 m	40	Deelen VORTAC
EEL VOR	-	53.16391 6.66667	0 ft 0 m	72	EELDE VOR-DME
AAL VOR	-	57.10372 9.99558	0 ft 0 m	262	AALBORG VOR-DME
EKYT APT	-	57.09419 9.85574	0 ft 0 m	4	Aalborg

EHEH

Region: NETHERLANDS
Timezone: EUROPE/AMSTERDAM
Runways: 1

Elevation: 144 ft / 44 m
Location: 51.450000 5.374440
Magnetic Var: 2.257 E

METAR

EHEH 130525Z AUTO 17005KT 130V220 9999 OVC100 17/14 Q1011 BLU TEMPO SCT008 BKN012

TAF

TAF EHEH 122332Z 1300/1406 20005KT CAVOK PROB40 TEMPO 1306/1308 SCT008 BKN012 TEMPO 1311/1319 4000 SHRA SCT028CB B

Frequencies

REC - 126.02 MHz - INFORMATION	GND - 121.92 MHz - GROUND
TWR - 122.10 MHz - TOWER	TWR - 131.00 MHz - TOWER
APP - 123.10 MHz - RAPCON SOUTH	APP - 124.50 MHz - ARRIVAL
APP - 122.10 MHz - ARRIVAL	APP - 132.50 MHz - ARRIVAL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	9,833 ft	34.92	ASPHALT	820 ft	0 ft
	45 m	2,997 m	32.66		250 m	0 m
21	148 ft	9,833 ft	214.94	ASPHALT	797 ft	0 ft
	45 m	2,997 m	212.68		243 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	EHZ	109.75 MHz	18 nm	-	-	74 ft
				33 km	-		74 m
21	DME	EHO	109.75 MHz	18 nm	-	-	74 ft
				33 km	-		74 m
03	LOC-ILS	EHZ	109.75 MHz	18 nm	34.94	-	74 ft
				33 km	32.68		74 m
21	LOC-ILS	EHO	109.75 MHz	18 nm	214.94	-	74 ft
				33 km	212.68		74 m
03	GS	EHZ	109.75 MHz	10 nm	34.94	3.00	74 ft
				19 km	32.68		74 m
21	GS	EHO	109.75 MHz	10 nm	214.94	3.00	74 ft
				19 km	212.68		74 m

EKYT

Region: DENMARK / FAROE ISLANDS
Timezone: EUROPE/COPENHAGEN
Runways: 2

Elevation: 9 ft / 3 m
Location: 57.094200 9.855740
Magnetic Var: 3.794 E

METAR

EKYT 130520Z AUTO 11009KT 9999 NCD 12/07 Q1021

TAF

TAF EKYT 130219Z 1303/1403 11010KT 9999 FEW200 TEMPO 1310/1317 13015G25KT

Frequencies

APP - 123.97 MHz -
TWR - 118.30 MHz -
GND - 131.55 MHz -

APP - 120.70 MHz - ARR
REC - 120.47 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	8,674 ft	83.22	ASPHALT	0 ft	892 ft
	45 m	2,644 m	79.42		0 m	272 m
26R	148 ft	8,674 ft	263.25	ASPHALT	0 ft	728 ft
	45 m	2,644 m	259.46		0 m	222 m
08R	75 ft	8,344 ft	83.22	ASPHALT	0 ft	489 ft
	23 m	2,543 m	79.43		0 m	149 m
26L	75 ft	8,344 ft	263.26	ASPHALT	0 ft	489 ft
	23 m	2,543 m	259.47		0 m	149 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	AE	109.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
26R	DME	YT	109.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
08L	LOC-ILS	AE	109.90 MHz	18 nm	83.27	-	10 ft
				33 km	79.48		10 m
26R	LOC-ILS	YT	109.91 MHz	18 nm	263.19	-	10 ft
				33 km	259.40		10 m
08L	GS	AE	109.90 MHz	10 nm	83.44	2.75	10 ft
				19 km	79.65		10 m
26R	GS	YT	109.90 MHz	10 nm	263.44	2.75	10 ft
				19 km	259.65		10 m