

OEAB

ABHA


OETB

Prince S. Bin Abdula

2024/05/13 1614Z

OEAB RABGO **B544** JDW JDW **L677** WEJ **V54** LABUN OETB

736.96 nm / 1364.85 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OEAB	-	18.24040	0 ft	-	ABHA
APT	-	42.65650	0 m		
RABGO	-	19.24780	35,000 ft	100	-
FIX	-	41.24780	10,668 m		
QUN	B544	19.36980	35,000 ft	12	QUNFIDAH
VOR	AWY-HI	41.07480	10,668 m		
TORBI	B544	19.92060	35,000 ft	56	-
FIX	AWY-HI	40.26940	10,668 m		
LOVIL	B544	20.26470	35,000 ft	35	-
FIX	AWY-HI	39.76030	10,668 m		
BOSUT	B544	20.78460	35,000 ft	33	-
FIX	AWY-HI	39.53280	10,668 m		
JDW	B544	21.67910	35,000 ft	57	KING ABDULAZIZ VORTAC
DME	AWY-HI	39.16620	10,668 m		
JDW	-	21.71230	35,000 ft	3	KING ABDULAZIZ (JEDDAH)
VOR	-	39.12310	10,668 m		
MIGDA	L677	22.64140	35,000 ft	60	-
FIX	AWY-HI	38.71480	10,668 m		
RIDEP	L677	23.64640	35,000 ft	65	-
FIX	AWY-HI	38.26610	10,668 m		
YEN	L677	24.14950	35,000 ft	32	YENBO
VOR	AWY-HI	38.03860	10,668 m		
MUVAT	L677	25.63190	35,000 ft	108	-
FIX	AWY-HI	36.91280	10,668 m		
WEJ	L677	26.17930	28,200 ft	40	WEJH
VOR	AWY-HI	36.48810	8,595 m		
LABUN	V54	26.66560	21,900 ft	29	-
FIX	AWY-HI	36.51500	6,675 m		
OETB	-	28.37180	0 ft	102	Prince S. Bin Abdula
APT	-	36.63000	0 m		

OEAB

Region: SAUDI ARABIA
Timezone: ASIA/RIYADH
Runways: 1

Elevation: 6,857 ft / 2,090 m
Location: 18.240400 42.656500
Magnetic Var: 3.066 E

METAR

OEAB 131600Z 20005KT 9999 FEW020 22/14 Q1022 NOSIG

TAF

TAF OEAB 131100Z 1312/1418 21012KT 9999 FEW020 TEMPO 1312/1318 6000 TSRA SCT020 FEW025CB BECMG 1318/1320 VRB03KT E

Frequencies

GND - 121.70 MHz - ABHA GROUND
APP - 124.50 MHz - ABHA APPROACH
APP - 130.50 MHz - ABHA APPROACH

TWR - 118.10 MHz - ABHA TOWER
APP - 125.80 MHz - ABHA APPROACH
REC - 128.65 MHz - ABHA ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	150 ft	11,001 ft	129.19	ASPHALT	0 ft	397 ft
	46 m	3,353 m	126.13		0 m	121 m
31	150 ft	11,001 ft	309.20	ASPHALT	0 ft	463 ft
	46 m	3,353 m	306.13		0 m	141 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	DME	IABH	109.90 MHz	18 nm	-	-	6,858 ft
				33 km	-		6,858 m
13	LOC-ILS	IABH	109.90 MHz	18 nm	129.20	-	6,857 ft
				33 km	126.13		6,857 m
13	GS	IABH	109.90 MHz	10 nm	129.20	3.00	6,857 ft
				19 km	126.13		6,857 m

OETB

Region: SAUDI ARABIA
Timezone: ASIA/RIYADH
Runways: 3

Elevation: 2,552 ft / 778 m
Location: 28.371800 36.630000
Magnetic Var: 4.764 E

METAR

OETB 131600Z 36008KT CAVOK 29/M02 Q1009 NOSIG

TAF

TAF OETB 131100Z 1312/1418 30010KT CAVOK BECMG 1318/1320 VRB03KT BECMG 1410/1412 36008KT

Frequencies

REC - 128.20 MHz - ATIS	TWR - 125.90 MHz -
GND - 126.30 MHz -	GND - 287.90 MHz -
CLD - 128.75 MHz - CLNC DEL	APP - 119.70 MHz -
APP - 125.50 MHz -	APP - 285.50 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	151 ft	10,003 ft	132.35	ASPHALT	0 ft	978 ft
	46 m	3,049 m	127.58		0 m	298 m
31	151 ft	10,003 ft	312.36	ASPHALT	0 ft	997 ft
	46 m	3,049 m	307.60		0 m	304 m
06R	150 ft	8,835 ft	64.84	ASPHALT	0 ft	1,033 ft
	46 m	2,693 m	60.08		0 m	315 m
24L	150 ft	8,835 ft	244.86	ASPHALT	0 ft	997 ft
	46 m	2,693 m	240.09		0 m	304 m
06	148 ft	10,983 ft	64.89	ASPHALT	0 ft	1,142 ft
	45 m	3,348 m	60.12		0 m	348 m
24	148 ft	10,983 ft	244.90	ASPHALT	0 ft	1,148 ft
	45 m	3,348 m	240.14		0 m	350 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31	DME	IPKS	111.90 MHz	18 nm	-	-	2,551 ft
				33 km	-		2,551 m
31	LOC-ILS	IPKS	111.90 MHz	18 nm	312.35	-	2,551 ft
				33 km	307.58		2,551 m
31	GS	IPKS	111.90 MHz	10 nm	313.09	3.00	2,533 ft
				19 km	308.32		2,533 m