


EKCH
Kastrup

VTBS
Bangkok Suvarnabhumi Intl

2024/05/07 0622Z

EKCH LBWN LTAR OIZC VABB VTBS

5291.93 nm / 9800.65 km



Notes

Requested: EKCH LBWN LTAR OIZC VABB VTBS

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
EKCH	-	55.61790	0 ft	-	Kastrup	
APT	-	12.65600	0 m			
LBWN	-	43.23200	0 ft	946	Varna Airport	
APT	-	27.82530	0 m			
LTAR	-	39.81400	0 ft	456	SIVAS	
APT	-	36.90350	0 m			
OIZC	-	25.44340	0 ft	1460	Chabahr Konarak Airport	
APT	-	60.38210	0 m			
VABB	-	19.08910	0 ft	791	Mumbai Chhatrapati Shivaji Intl	
APT	-	72.86560	0 m			
VTBS	-	13.68080	0 ft	1637	Bangkok Suvarnabhumi Intl	
APT	-	100.74800	0 m			

EKCH

Region: DENMARK / FAROE ISLANDS
Timezone: EUROPE/COPENHAGEN
Runways: 3

Elevation: 17 ft / 5 m
Location: 55.617900 12.656000
Magnetic Var: 4.670 E

METAR

EKCH 070550Z AUTO 05007KT 020V080 9999 NCD 08/03 Q1020 NOSIG

TAF

TAF EKCH 070501Z 0706/0806 06010KT 9999 BKN020 BECMG 0712/0715 18008KT

Frequencies

REC - 122.75 MHz - KASTRUP ARRIVAL INFORMATION	REC - 122.85 MHz - KASTRUP DEPARTURE INFORMATION
CLD - 119.90 MHz - CLEARANCE DELIVERY	GND - 121.62 MHz - APRON
GND - 121.72 MHz - APRON	GND - 121.90 MHz - APRON
TWR - 118.10 MHz - TOWER (ARRIVAL)	TWR - 118.57 MHz - TOWER
TWR - 118.70 MHz - TOWER (VFR)	TWR - 119.35 MHz - TOWER (DEPARTURE)
APP - 120.20 MHz - FINAL	APP - 119.80 MHz - COPENHAGEN APPROACH
DEP - 120.25 MHz - DEPARTURE	DEP - 124.95 MHz - DEPARTURE
APP - 118.45 MHz - ARRIVAL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04L	148 ft	11,695 ft	41.13	ASPHALT	0 ft	0 ft
	45 m	3,565 m	36.46		0 m	0 m
22R	148 ft	11,695 ft	221.16	ASPHALT	1,870 ft	0 ft
	45 m	3,565 m	216.49		570 m	0 m
04R	148 ft	10,814 ft	41.14	ASPHALT	0 ft	0 ft
	45 m	3,296 m	36.47		0 m	0 m
22L	148 ft	10,814 ft	221.17	ASPHALT	0 ft	0 ft
	45 m	3,296 m	216.50		0 m	0 m
12	148 ft	10,046 ft	123.21	ASPHALT	2,306 ft	0 ft
	45 m	3,062 m	118.54		703 m	0 m
30	148 ft	10,046 ft	303.24	ASPHALT	886 ft	0 ft
	45 m	3,062 m	298.57		270 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	CH	110.50 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
12	DME	KA	109.90 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
22L	DME	OXS	109.50 MHz	18 nm	-	-	7 ft
				33 km	-		7 m
22R	DME	KLK	110.90 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
30	DME	OY	108.90 MHz	18 nm	-	-	9 ft
				33 km	-		9 m
04L	LOC-ILS	CH	110.50 MHz	18 nm	41.16	-	17 ft
				33 km	36.49		17 m
04R	LOC-ILS	NE	109.30 MHz	18 nm	41.18	-	17 ft
				33 km	36.51		17 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	KA	109.90 MHz	18 nm	123.25	-	17 ft
				33 km	118.58		17 m
22L	LOC-ILS	OXS	109.50 MHz	18 nm	221.14	-	17 ft
				33 km	216.47		17 m
22R	LOC-ILS	KLK	110.90 MHz	18 nm	221.14	-	17 ft
				33 km	216.47		17 m
30	LOC-ILS	OY	108.90 MHz	18 nm	303.23	-	17 ft
				33 km	298.56		17 m
04L	GS	CH	110.50 MHz	10 nm	41.32	3.00	17 ft
				19 km	36.65		17 m
04R	GS	NE	109.30 MHz	10 nm	41.32	3.00	17 ft
				19 km	36.65		17 m
12	GS	KA	109.90 MHz	10 nm	123.46	3.00	17 ft
				19 km	118.79		17 m
22L	GS	OXS	109.50 MHz	10 nm	221.32	3.00	17 ft
				19 km	216.65		17 m
22R	GS	KLK	110.90 MHz	10 nm	221.32	3.00	17 ft
				19 km	216.65		17 m
30	GS	OY	108.90 MHz	10 nm	303.46	3.00	17 ft
				19 km	298.79		17 m

VTBS

Region: THAILAND
Timezone: ASIA/BANGKOK
Runways: 2

Elevation: 4 ft / 1 m
Location: 13.680800 100.748000
Magnetic Var: 0.535 W

METAR

VTBS 070600Z 14010KT 110V170 9999 -RA FEW020CB SCT030 25/23 Q1012 RETS NOSIG

TAF

TAF VTBS 070500Z 0706/0812 18008KT 9000 FEW020 SCT040 BECMG 0720/0722 10005KT 4000 BR BECMG 0801/0803 18008KT 9999

Frequencies

REC - 133.60 MHz - ATIS	TWR - 119.00 MHz - SUVARNABHUMI TOWER
TWR - 118.20 MHz - SUVARNABHUMI TOWER	GND - 121.95 MHz - SUVARNABHUMI GROUND
GND - 121.65 MHz - SUVARNABHUMI GROUND	GND - 121.75 MHz - SUVARNABHUMI GROUND
CLD - 135.80 MHz - BANGKOK CLEARANCE DELIVERY	CLD - 128.70 MHz - BANGKOK CLEARANCE DELIVERY
CLD - 120.80 MHz - BANGKOK CLEARANCE DELIVERY	CLD - 125.80 MHz - DON MUEANG CLEARANCE DELIVERY
CLD - 133.80 MHz - BANGKOK CLEARANCE DELIVERY	APP - 124.35 MHz - BANGKOK ARRIVAL
APP - 125.20 MHz - BANGKOK ARRIVAL	APP - 122.35 MHz - BANGKOK ARRIVAL
APP - 120.30 MHz - BANGKOK APPROACH	APP - 119.10 MHz - BANGKOK APPROACH
APP - 121.70 MHz - BANGKOK ARRIVAL	APP - 126.30 MHz - SUVARNABHUMI ARRIVAL
APP - 133.60 MHz - SUVARNABHUMI ARRIVAL	APP - 121.10 MHz - SUVARNABHUMI ARRIVAL
APP - 133.40 MHz - SUVARNABHUMI ARRIVAL	DEP - 119.25 MHz - SUVARNABHUMI DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01R	197 ft	13,189 ft	14.33	ASPHALT	0 ft	394 ft
	60 m	4,020 m	14.86		0 m	120 m
19L	197 ft	13,189 ft	194.33	ASPHALT	0 ft	394 ft
	60 m	4,020 m	194.86		0 m	120 m
01L	197 ft	12,201 ft	14.32	ASPHALT	0 ft	394 ft
	60 m	3,719 m	14.86		0 m	120 m
19R	197 ft	12,201 ft	194.32	ASPHALT	0 ft	397 ft
	60 m	3,719 m	194.86		0 m	121 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01L	DME	ISWS	109.10 MHz	18 nm	-	-	5 ft
				33 km	-		5 m
01R	DME	ISES	110.10 MHz	18 nm	-	-	5 ft
				33 km	-		5 m
19L	DME	ISEN	110.50 MHz	18 nm	-	-	5 ft
				33 km	-		5 m
19R	DME	ISWN	109.50 MHz	18 nm	-	-	5 ft
				33 km	-		5 m
01L	LOC-ILS	ISWS	109.10 MHz	18 nm	14.32	-	4 ft
				33 km	14.85		4 m
01R	LOC-ILS	ISES	110.10 MHz	18 nm	14.33	-	4 ft
				33 km	14.86		4 m
19L	LOC-ILS	ISEN	110.50 MHz	18 nm	194.33	-	4 ft
				33 km	194.86		4 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19R	LOC-ILS	ISWN	109.50 MHz	18 nm 33 km	194.32 194.85	-	4 ft 4 m
01L	GS	ISWS	109.10 MHz	10 nm 19 km	14.32 14.85	3.00	4 ft 4 m
01R	GS	ISES	110.10 MHz	10 nm 19 km	14.33 14.86	3.00	4 ft 4 m
19L	GS	ISEN	110.50 MHz	10 nm 19 km	194.33 194.86	3.00	4 ft 4 m
19R	GS	ISWN	109.50 MHz	10 nm 19 km	194.32 194.85	3.00	4 ft 4 m