

KDFW

Dallas Fort Worth Intl


KJFK

John F Kennedy

2024/05/05 0249Z

KDFW YOTUB V124 LIT J6 HVQ V4 ESL V166 EMI V419 MXE KJFK

1211.51 nm / 2243.72 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KDFW APT	-	32.89720 -97.03770	0 ft 0 m	-	Dallas Fort Worth Intl
YOTUB FIX	-	33.61580 -95.26910	35,000 ft 10,668 m	98	-
DEENS FIX	V124 AWY-LO	34.00740 -94.29800	35,000 ft 10,668 m	53	-
NEPRE FIX	V124 AWY-LO	34.26710 -93.63800	35,000 ft 10,668 m	36	-
HOT VOR	V124 AWY-LO	34.47860 -93.09060	35,000 ft 10,668 m	29	HOT SPRINGS
LONNS FIX	V124 AWY-LO	34.53750 -92.82490	35,000 ft 10,668 m	13	-
TAYUV FIX	V124 AWY-LO	34.56320 -92.70800	35,000 ft 10,668 m	5	-
BEGAN FIX	V124 AWY-LO	34.58470 -92.61000	35,000 ft 10,668 m	5	-
JENAN FIX	V124 AWY-LO	34.63170 -92.39370	35,000 ft 10,668 m	11	-
LIT VOR	V124 AWY-LO	34.67770 -92.18050	35,000 ft 10,668 m	10	LITTLE ROCK
SOPIE FIX	J6 AWY-HI	36.14370 -88.56330	35,000 ft 10,668 m	197	-
LAJUG FIX	J6 AWY-HI	36.61210 -87.31590	35,000 ft 10,668 m	66	-
BWG VOR	J6 AWY-HI	36.92870 -86.44340	35,000 ft 10,668 m	46	BOWLING GREEN
RYANS FIX	J6 AWY-HI	37.38800 -85.01700	35,000 ft 10,668 m	73	-
UNCKL FIX	J6 AWY-HI	37.48140 -84.71630	35,000 ft 10,668 m	15	-
YOCKY FIX	J6 AWY-HI	37.65410 -84.15620	35,000 ft 10,668 m	28	-
SPAYD FIX	J6 AWY-HI	38.19350 -82.32460	35,000 ft 10,668 m	92	-
HVQ VOR	J6 AWY-HI	38.34970 -81.76990	35,000 ft 10,668 m	27	CHARLESTON
CAMMA FIX	V4 AWY-LO	38.49050 -81.36210	35,000 ft 10,668 m	20	-
ITALY FIX	V4 AWY-LO	38.53370 -81.23600	35,000 ft 10,668 m	6	-
FILES FIX	V4 AWY-LO	38.72700 -80.66460	35,000 ft 10,668 m	29	-
REACH FIX	V4 AWY-LO	38.81620 -80.39680	35,000 ft 10,668 m	13	-
EKN VOR	V4 AWY-LO	38.91440 -80.09930	35,000 ft 10,668 m	15	ELKINS
OMIYO FIX	V4 AWY-LO	39.14190 -79.29250	35,000 ft 10,668 m	40	-
ESL VOR	V4 AWY-LO	39.22550 -78.98950	35,000 ft 10,668 m	14	KESSEL
CAPON FIX	V166 AWY-LO	39.30550 -78.42980	35,000 ft 10,668 m	26	-
MEPEW	V166	39.33420	35,000 ft	9	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	-78.22370	10,668 m		
MRB	V166	39.38560	35,000 ft	17	MARTINSBURG
VOR	AWY-LO	-77.84840	10,668 m		
RUANE	V166	39.44610	35,000 ft	22	-
FIX	AWY-LO	-77.37400	10,668 m		
EMI	V166	39.49500	34,800 ft	18	WESTMINSTER
VOR	AWY-LO	-76.97860	10,607 m		
HERES	V419	39.55360	32,800 ft	8	-
FIX	AWY-LO	-76.80010	9,997 m		
MXE	V419	39.91810	20,700 ft	56	MODENA
VOR	AWY-LO	-75.67080	6,309 m		
KJFK	-	40.63990	0 ft	96	John F Kennedy
APT	-	-73.77870	0 m		

KDFW

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 7

Elevation: 604 ft / 184 m
Location: 32.897200 -97.037700
Magnetic Var: 2.733 E

METAR

KDFW 050153Z 12008KT 10SM SCT050 OVC095 24/19 A2986 RMK A02 LTG DSNT SW SLP104 T02440189

TAF

TAF AMD KDFW 050233Z 0503/0606 13008KT P6SM VCTS SCT030CB OVC070 TEMPO 0503/0505 3SM -TSRA BKN025CB FM050500 13008KT

Frequencies

REC - 123.77 MHz - ATIS ARRIVAL
COM - 122.95 MHz - UNICOM
GND - 121.65 MHz - RGNL GND EAST 1
GND - 121.85 MHz - RGNL GND WEST
TWR - 127.50 MHz - RGNL TWR EAST 2
TWR - 124.15 MHz - RGNL TWR WEST 2
APP - 133.52 MHz - RGNL APP EAST 3
APP - 119.87 MHz - RGNL APP WEST 2
DEP - 124.82 MHz - RGNL DEP NORTH 1
DEP - 126.47 MHz - RGNL DEP WEST 1

REC - 135.92 MHz - ATIS DEPARTURE
CLD - 128.25 MHz - CLNC DEL
GND - 121.80 MHz - RGNL GND EAST 2
TWR - 126.55 MHz - RGNL TWR EAST 1
TWR - 134.90 MHz - RGNL TWR WEST 1
APP - 125.02 MHz - RGNL APP EAST 1
APP - 133.62 MHz - RGNL APP WEST 1
DEP - 118.55 MHz - RGNL DEP EAST 1
DEP - 125.12 MHz - RGNL DEP SOUTH 1

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17C	151 ft	13,440 ft	180.26	CONCRETE	0 ft	413 ft
	46 m	4,097 m	177.53		0 m	126 m
35C	151 ft	13,440 ft	0.26	CONCRETE	0 ft	299 ft
	46 m	4,097 m	357.53		0 m	91 m
17L	151 ft	8,523 ft	180.25	CONCRETE	0 ft	400 ft
	46 m	2,598 m	177.52		0 m	122 m
35R	151 ft	8,523 ft	0.25	CONCRETE	0 ft	407 ft
	46 m	2,598 m	357.52		0 m	124 m
18R	151 ft	13,439 ft	180.25	CONCRETE	0 ft	404 ft
	46 m	4,096 m	177.52		0 m	123 m
36L	151 ft	13,439 ft	0.25	CONCRETE	0 ft	299 ft
	46 m	4,096 m	357.52		0 m	91 m
17R	200 ft	13,439 ft	180.26	CONCRETE	0 ft	400 ft
	61 m	4,096 m	177.53		0 m	122 m
35L	200 ft	13,439 ft	0.26	CONCRETE	0 ft	400 ft
	61 m	4,096 m	357.53		0 m	122 m
18L	200 ft	13,439 ft	180.25	CONCRETE	0 ft	404 ft
	61 m	4,096 m	177.52		0 m	123 m
36R	200 ft	13,439 ft	0.25	CONCRETE	0 ft	394 ft
	61 m	4,096 m	357.52		0 m	120 m
13R	151 ft	9,309 ft	139.18	CONCRETE	0 ft	397 ft
	46 m	2,837 m	136.45		0 m	121 m
31L	151 ft	9,309 ft	319.19	CONCRETE	0 ft	400 ft
	46 m	2,837 m	316.46		0 m	122 m
13L	200 ft	9,010 ft	135.41	CONCRETE	630 ft	299 ft
	61 m	2,746 m	132.68		192 m	91 m
31R	200 ft	9,010 ft	315.42	CONCRETE	0 ft	299 ft
	61 m	2,746 m	312.69		0 m	91 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13R	DME	ILWN	109.50 MHz	18 nm	-	-	590 ft
				33 km	-		590 m
17C	DME	IFLQ	110.30 MHz	18 nm	-	-	575 ft
				33 km	-		575 m
17L	DME	IPPZ	111.75 MHz	18 nm	-	-	603 ft
				33 km	-		603 m
17R	DME	IJHZ	111.35 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
18L	DME	ICIX	110.55 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
18R	DME	IVYN	111.90 MHz	18 nm	-	-	584 ft
				33 km	-		584 m
31R	DME	IRRA	110.90 MHz	18 nm	-	-	548 ft
				33 km	-		548 m
35C	DME	IPKQ	110.30 MHz	18 nm	-	-	603 ft
				33 km	-		603 m
35L	DME	IUWX	111.35 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
35R	DME	IAJQ	111.75 MHz	18 nm	-	-	603 ft
				33 km	-		603 m
36L	DME	IBXN	111.90 MHz	18 nm	-	-	584 ft
				33 km	-		584 m
36R	DME	IFJN	110.55 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
13R	LOC-ILS	ILWN	109.50 MHz	18 nm	139.19	-	577 ft
				33 km	136.45		577 m
17C	LOC-ILS	IFLQ	110.30 MHz	18 nm	180.26	-	563 ft
				33 km	177.53		563 m
17L	LOC-ILS	IPPZ	111.75 MHz	18 nm	180.27	-	570 ft
				33 km	177.54		570 m
17R	LOC-ILS	IJHZ	111.35 MHz	18 nm	180.26	-	558 ft
				33 km	177.53		558 m
18L	LOC-ILS	ICIX	110.55 MHz	18 nm	180.25	-	570 ft
				33 km	177.51		570 m
18R	LOC-ILS	IVYN	111.90 MHz	18 nm	180.25	-	580 ft
				33 km	177.52		580 m
31R	LOC-ILS	IRRA	110.90 MHz	18 nm	315.40	-	552 ft
				33 km	312.67		552 m
35C	LOC-ILS	IPKQ	110.30 MHz	18 nm	0.26	-	558 ft
				33 km	357.53		558 m
35L	LOC-ILS	IUWX	111.35 MHz	18 nm	0.26	-	607 ft
				33 km	357.53		607 m
35R	LOC-ILS	IAJQ	111.75 MHz	18 nm	0.27	-	607 ft
				33 km	357.54		607 m
36L	LOC-ILS	IBXN	111.90 MHz	18 nm	0.25	-	598 ft
				33 km	357.52		598 m
36R	LOC-ILS	IFJN	110.55 MHz	18 nm	0.25	-	595 ft
				33 km	357.51		595 m
13R	GS	ILWN	109.50 MHz	10 nm	139.37	3.00	589 ft
				19 km	136.64		589 m
17C	GS	IFLQ	110.30 MHz	10 nm	180.53	3.00	562 ft
				19 km	177.80		562 m
17L	GS	IPPZ	111.75 MHz	10 nm	180.54	3.00	532 ft
				19 km	177.80		532 m
17R	GS	IJHZ	111.35 MHz	10 nm	180.52	3.00	567 ft
				19 km	177.79		567 m
18L	GS	ICIX	110.55 MHz	10 nm	180.49	3.00	594 ft
				19 km	177.76		594 m
18R	GS	IVYN	111.90 MHz	10 nm	180.50	3.00	601 ft
				19 km	177.76		601 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	177.77		601 m
31R	GS	IRRA	110.90 MHz	10 nm	315.80	3.00	513 ft
				19 km	313.07		513 m
35C	GS	IPKQ	110.30 MHz	10 nm	0.52	3.00	563 ft
				19 km	357.79		563 m
35L	GS	IUWX	111.35 MHz	10 nm	0.52	3.00	564 ft
				19 km	357.79		564 m
35R	GS	IAJQ	111.75 MHz	10 nm	0.54	3.00	565 ft
				19 km	357.80		565 m
36L	GS	IBXN	111.90 MHz	10 nm	0.50	3.00	584 ft
				19 km	357.77		584 m
36R	GS	IFJN	110.55 MHz	10 nm	0.49	3.00	577 ft
				19 km	357.76		577 m

KJFK

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 12 ft / 4 m
Location: 40.640100 -73.776500
Magnetic Var: 12.820 W

METAR

KJFK 050151Z 12011KT 10SM BKN017 OVC055 11/07 A3034 RMK A02 SLP275 T01060067

TAF

TAF KJFK 042322Z 0500/0606 12011KT P6SM VCSH FEW025 BKN080 FM050300 11010KT P6SM OVC020 FM050500 10010KT P6SM OVC020

Frequencies

REC - 115.40 MHz - D-ATIS	REC - 117.70 MHz - D-ATIS
REC - 128.72 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 135.05 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - KENNEDY GROUND
GND - 121.65 MHz - KENNEDY GROUND	TWR - 119.10 MHz - KENNEDY TOWER
TWR - 123.90 MHz - KENNEDY TOWER	APP - 125.70 MHz - NEW YORK APPROACH
APP - 128.12 MHz - NEW YORK APPROACH	APP - 118.40 MHz - NEW YORK APPROACH
APP - 123.70 MHz - NEW YORK APPROACH	APP - 126.80 MHz - NEW YORK APPROACH
APP - 132.40 MHz - NEW YORK APPROACH	APP - 134.35 MHz - NEW YORK APPROACH
DEP - 135.90 MHz - NEW YORK DEPARTURE	DEP - 123.70 MHz - NEW YORK DEPARTURE
DEP - 124.75 MHz - NEW YORK DEPARTURE	DEP - 134.35 MHz - NEW YORK DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	200 ft	14,526 ft	120.83	CONCRETE	2,057 ft	390 ft
	61 m	4,428 m	133.65		627 m	119 m
31L	200 ft	14,526 ft	300.86	CONCRETE	3,271 ft	495 ft
	61 m	4,428 m	313.68		997 m	151 m
13L	151 ft	10,010 ft	120.85	CONCRETE	912 ft	387 ft
	46 m	3,051 m	133.67		278 m	118 m
31R	151 ft	10,010 ft	300.87	CONCRETE	1,037 ft	177 ft
	46 m	3,051 m	313.69		316 m	54 m
04R	200 ft	8,407 ft	30.67	ASPHALT	0 ft	440 ft
	61 m	2,562 m	43.49		0 m	134 m
22L	200 ft	8,407 ft	210.68	ASPHALT	0 ft	505 ft
	61 m	2,562 m	223.50		0 m	154 m
04L	200 ft	12,091 ft	30.67	CONCRETE	459 ft	200 ft
	61 m	3,685 m	43.49		140 m	61 m
22R	200 ft	12,091 ft	210.68	CONCRETE	3,425 ft	407 ft
	61 m	3,685 m	223.50		1,044 m	124 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IHIQ	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04R	DME	IJFK	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
13L	DME	ITLK	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
22L	DME	IIWY	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22R	DME	IJOC	109.50 MHz	18 nm 33 km	- -	-	13 ft 13 m
31R	DME	IRTH	111.50 MHz	18 nm 33 km	- -	-	13 ft 13 m
04L	LOC-ILS	IHIQ	110.90 MHz	18 nm 33 km	30.68 43.50	-	12 ft 12 m
04R	LOC-ILS	IJFK	109.50 MHz	18 nm 33 km	30.67 43.49	-	12 ft 12 m
13L	LOC-ILS	ITLK	111.50 MHz	18 nm 33 km	120.87 133.69	-	12 ft 12 m
22L	LOC-ILS	IIWY	110.90 MHz	18 nm 33 km	210.67 223.49	-	12 ft 12 m
22R	LOC-ILS	IJOC	109.50 MHz	18 nm 33 km	210.68 223.50	-	12 ft 12 m
31L	LOC-ILS	IMOH	111.35 MHz	18 nm 33 km	300.84 313.66	-	12 ft 12 m
31R	LOC-ILS	IRTH	111.50 MHz	18 nm 33 km	300.87 313.69	-	12 ft 12 m
04L	GS	IHIQ	110.90 MHz	10 nm 19 km	30.68 43.50	3.00	12 ft 12 m
04R	GS	IJFK	109.50 MHz	10 nm 19 km	30.67 43.49	3.00	12 ft 12 m
13L	GS	ITLK	111.50 MHz	10 nm 19 km	120.87 133.69	3.00	12 ft 12 m
22L	GS	IIWY	110.90 MHz	10 nm 19 km	210.67 223.49	3.00	12 ft 12 m
22R	GS	IJOC	109.50 MHz	10 nm 19 km	210.68 223.50	3.00	12 ft 12 m
31L	GS	IMOH	111.35 MHz	10 nm 19 km	300.84 313.66	3.00	12 ft 12 m
31R	GS	IRTH	111.50 MHz	10 nm 19 km	300.87 313.69	3.00	12 ft 12 m