


2024/05/01 2024Z

EKBI BEBUL GIGUT ABINO TESPI **N603** TNO EKCH

124.35 nm / 230.30 km



Notes

Requested: EKBI BEBUL GIGUT ABINO TESPI N603 TNO EKCH

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EKBI APT	-	55.74050 9.15708	0 ft 0 m	-	Billund
BEBUL FIX	-	55.81280 9.25583	0 ft 0 m	5	-
GIGUT FIX	-	55.92890 9.80417	0 ft 0 m	19	-
ABINO FIX	-	55.96830 9.99444	0 ft 0 m	6	-
TESPI FIX	-	55.89830 10.53110	0 ft 0 m	18	-
ROSKI FIX	N603 AWY-HI	55.84940 10.93190	0 ft 0 m	13	-
INPUN FIX	N603 AWY-HI	55.78440 11.36970	0 ft 0 m	15	-
TNO VOR	N603 AWY-HI	55.77410 11.43920	0 ft 0 m	2	TRANO
EKCH APT	-	55.61790 12.65600	0 ft 0 m	42	Kastrup

EKBI

Region: DENMARK / FAROE ISLANDS
Timezone: EUROPE/COPENHAGEN
Runways: 1

Elevation: 247 ft / 75 m
Location: 55.740500 9.157080
Magnetic Var: 3.487 E

METAR

EKBI 011950Z AUTO 07014KT 9999 NCD 17/09 Q1013

TAF

TAF EKBI 011709Z 0118/0218 08015KT CAVOK TEMPO 0210/0215 09018G28KT

Frequencies

REC - 118.77 MHz - ATIS
TWR - 119.00 MHz - BILLUND TOWER
APP - 119.25 MHz - BILLUND ARRIVAL
GND - 131.90 MHz - BILLUND HANDLING
APP - 127.57 MHz - BILLUND APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	10,180 ft	86.84	ASPHALT	492 ft	0 ft
	45 m	3,103 m	83.36		150 m	0 m
27	148 ft	10,180 ft	266.88	ASPHALT	492 ft	0 ft
	45 m	3,103 m	263.40		150 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	DME	LEL	110.70 MHz	18 nm	-	-	246 ft
				33 km	-		246 m
09	LOC-ILS	BIL	111.70 MHz	18 nm	86.85	-	247 ft
				33 km	83.36		247 m
27	LOC-ILS	LEL	110.70 MHz	18 nm	266.86	-	247 ft
				33 km	263.37		247 m
09	GS	BIL	111.70 MHz	10 nm	87.70	3.00	247 ft
				19 km	84.21		247 m
27	GS	LEL	110.70 MHz	10 nm	267.70	3.00	247 ft
				19 km	264.21		247 m

EKCH

Region: DENMARK / FAROE ISLANDS
Timezone: EUROPE/COPENHAGEN
Runways: 3

Elevation: 17 ft / 5 m
Location: 55.617900 12.656000
Magnetic Var: 4.667 E

METAR

EKCH 011950Z AUTO 07016KT 9999 SCT083/// 14/07 Q1015 NOSIG

TAF

TAF EKCH 011709Z 0118/0218 08015KT CAVOK

Frequencies

REC - 122.75 MHz - KASTRUP ARRIVAL INFORMATION	REC - 122.85 MHz - KASTRUP DEPARTURE INFORMATION
CLD - 119.90 MHz - CLEARANCE DELIVERY	GND - 121.62 MHz - APRON
GND - 121.72 MHz - APRON	GND - 121.90 MHz - APRON
TWR - 118.10 MHz - TOWER (ARRIVAL)	TWR - 118.57 MHz - TOWER
TWR - 118.70 MHz - TOWER (VFR)	TWR - 119.35 MHz - TOWER (DEPARTURE)
APP - 120.20 MHz - FINAL	APP - 119.80 MHz - COPENHAGEN APPROACH
DEP - 120.25 MHz - DEPARTURE	DEP - 124.95 MHz - DEPARTURE
APP - 118.45 MHz - ARRIVAL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04L	148 ft	11,695 ft	41.13	ASPHALT	0 ft	0 ft
	45 m	3,565 m	36.46		0 m	0 m
22R	148 ft	11,695 ft	221.16	ASPHALT	1,870 ft	0 ft
	45 m	3,565 m	216.49		570 m	0 m
04R	148 ft	10,814 ft	41.14	ASPHALT	0 ft	0 ft
	45 m	3,296 m	36.48		0 m	0 m
22L	148 ft	10,814 ft	221.17	ASPHALT	0 ft	0 ft
	45 m	3,296 m	216.50		0 m	0 m
12	148 ft	10,046 ft	123.21	ASPHALT	2,306 ft	0 ft
	45 m	3,062 m	118.54		703 m	0 m
30	148 ft	10,046 ft	303.24	ASPHALT	886 ft	0 ft
	45 m	3,062 m	298.58		270 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	CH	110.50 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
12	DME	KA	109.90 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
22L	DME	OXS	109.50 MHz	18 nm	-	-	7 ft
				33 km	-		7 m
22R	DME	KLK	110.90 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
30	DME	OY	108.90 MHz	18 nm	-	-	9 ft
				33 km	-		9 m
04L	LOC-ILS	CH	110.50 MHz	18 nm	41.16	-	17 ft
				33 km	36.49		17 m
04R	LOC-ILS	NE	109.30 MHz	18 nm	41.18	-	17 ft
				33 km	36.51		17 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	KA	109.90 MHz	18 nm	123.25	-	17 ft
				33 km	118.58		17 m
22L	LOC-ILS	OXS	109.50 MHz	18 nm	221.14	-	17 ft
				33 km	216.47		17 m
22R	LOC-ILS	KLK	110.90 MHz	18 nm	221.14	-	17 ft
				33 km	216.48		17 m
30	LOC-ILS	OY	108.90 MHz	18 nm	303.23	-	17 ft
				33 km	298.56		17 m
04L	GS	CH	110.50 MHz	10 nm	41.32	3.00	17 ft
				19 km	36.66		17 m
04R	GS	NE	109.30 MHz	10 nm	41.32	3.00	17 ft
				19 km	36.65		17 m
12	GS	KA	109.90 MHz	10 nm	123.46	3.00	17 ft
				19 km	118.79		17 m
22L	GS	OXS	109.50 MHz	10 nm	221.32	3.00	17 ft
				19 km	216.65		17 m
22R	GS	KLK	110.90 MHz	10 nm	221.32	3.00	17 ft
				19 km	216.66		17 m
30	GS	OY	108.90 MHz	10 nm	303.46	3.00	17 ft
				19 km	298.79		17 m