


2024/05/16 0145Z

URMN KTS ODILI **N37** SARPI **UG67** TBN **UW706** SIV **UA285** GEM GEM **UA285** MUT **UR55** KETEK LTAI

755.23 nm / 1398.69 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
URMN	-	43.51290	0 ft	-	NALCHIK
APT	-	43.63660	0 m		
KTS	-	42.17350	34,200 ft	95	KUTAIISI VOR-DME
DME	-	42.45610	10,424 m		
ODILI	-	41.72140	35,000 ft	31	-
FIX	-	42.09440	10,668 m		
LU	N37	41.60130	35,000 ft	22	BATUMI
NDB	AWY-HI	41.61410	10,668 m		
SARPI	N37	41.54890	35,000 ft	8	-
FIX	AWY-HI	41.44970	10,668 m		
ATPUM	UG67	41.19330	35,000 ft	52	-
FIX	AWY-HI	40.37590	10,668 m		
TBN	UG67	40.99530	35,000 ft	28	TRABZON
VOR	AWY-HI	39.79560	10,668 m		
BAMLA	UW706	40.64030	35,000 ft	45	-
FIX	AWY-HI	38.90280	10,668 m		
SEHER	UW706	40.50610	35,000 ft	17	-
FIX	AWY-HI	38.57360	10,668 m		
GULRA	UW706	40.37970	35,000 ft	15	-
FIX	AWY-HI	38.27940	10,668 m		
ODALI	UW706	40.32780	35,000 ft	6	-
FIX	AWY-HI	38.15000	10,668 m		
ASVOD	UW706	40.08220	35,000 ft	30	-
FIX	AWY-HI	37.57280	10,668 m		
SIV	UW706	39.78970	35,000 ft	35	SIVAS
VOR	AWY-HI	36.89340	10,668 m		
ADVOK	UA285	39.50350	35,000 ft	24	-
FIX	AWY-HI	36.50110	10,668 m		
GEM	UA285	39.15530	35,000 ft	30	GEMEREK VOR-DME
DME	AWY-HI	36.02920	10,668 m		
GEM	-	39.15380	35,000 ft	0	GEMEREK
VOR	-	36.02850	10,668 m		
TIRMA	UA285	38.94220	35,000 ft	17	-
FIX	AWY-HI	35.76500	10,668 m		
ERHAN	UA285	38.52390	35,000 ft	35	-
FIX	AWY-HI	35.22890	10,668 m		
TEVDA	UA285	38.37280	35,000 ft	11	-
FIX	AWY-HI	35.06670	10,668 m		
ERCIS	UA285	38.27030	35,000 ft	8	-
FIX	AWY-HI	34.94360	10,668 m		
SELVI	UA285	37.89890	35,000 ft	30	-
FIX	AWY-HI	34.49940	10,668 m		
MUT	UA285	36.86300	25,600 ft	84	MUT
VOR	AWY-HI	33.29180	7,803 m		
KETEK	UR55	36.88780	17,200 ft	39	-
FIX	AWY-HI	32.47830	5,243 m		
LTAI	-	36.89960	0 ft	80	Antalya International Airport
APT	-	30.79750	0 m		

## URMN

Region: RUSSIA  
Timezone: EUROPE/MOSCOW  
Runways: 1

Elevation: 1,461 ft / 445 m  
Location: 43.512900 43.636600  
Magnetic Var: 7.727 E

## METAR

URMN 160100Z 25002MPS 9999 OVC052 09/08 Q1019 R24//////// NOSIG RMK QFE727

## TAF

UNKNOWN

## Frequencies

TWR - 118.30 MHz - NALCHIK TOWER  
COM - 128.80 MHz - NALCHIK UNICOM

APP - 126.90 MHz - NALCHIK APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	138 ft	7,226 ft	62.74	ASPHALT	0 ft	0 ft
	42 m	2,202 m	55.01		0 m	0 m
24	138 ft	7,226 ft	242.76	ASPHALT	0 ft	0 ft
	42 m	2,202 m	235.03		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	LOC-ILS	INF	111.50 MHz	18 nm	242.75	-	1,461 ft
				33 km	235.02		1,461 m
24	GS	INF	111.50 MHz	10 nm	242.75	2.70	1,461 ft
				19 km	235.02		1,461 m

## LTAI

Region: TURKEY  
Timezone: EUROPE/ISTANBUL  
Runways: 3

Elevation: 175 ft / 53 m  
Location: 36.899600 30.797500  
Magnetic Var: 5.666 E

## METAR

LTAI 160120Z VRB02KT CAVOK 15/09 Q1016 NOSIG RMK RWY18C 34003KT RWY36R 32002KT RWY18L 32003KT

## TAF

TAF LTAI 152240Z 1600/1624 34006KT CAVOK BECMG 1606/1609 17012KT FEW030 BKN180 BECMG 1615/1618 VRB02KT

## Frequencies

CLD - 120.20 MHz - ANTALYA DELIVERY  
REC - 136.12 MHz - ANTALYA ATIS  
APP - 119.02 MHz - ANTALYA APPROACH  
APP - 124.42 MHz - ANTALYA APPROACH  
TWR - 119.80 MHz - ANTALYA TOWER  
TWR - 126.10 MHz - ANTALYA TOWER  
GND - 121.75 MHz - ANTALYA GROUND  
GND - 121.90 MHz - ANTALYA GROUND

TWR - 121.65 MHz - ANTALYA DELIVERY  
REC - 118.27 MHz - ANTALYA ATIS  
APP - 124.35 MHz - ANTALYA APPROACH  
TWR - 125.00 MHz - ANTALYA TOWER  
TWR - 120.12 MHz - ANTALYA TOWER  
GND - 119.85 MHz - ANTALYA GROUND  
GND - 121.70 MHz - ANTALYA GROUND

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18L	148 ft	11,165 ft	186.29	CONCRETE	0 ft	197 ft
	45 m	3,403 m	180.62		0 m	60 m
36R	148 ft	11,165 ft	6.29	CONCRETE	0 ft	197 ft
	45 m	3,403 m	0.62		0 m	60 m
18C	148 ft	11,165 ft	186.25	CONCRETE	0 ft	197 ft
	45 m	3,403 m	180.58		0 m	60 m
36C	148 ft	11,165 ft	6.24	CONCRETE	0 ft	197 ft
	45 m	3,403 m	0.58		0 m	60 m
18R	148 ft	9,819 ft	186.25	CONCRETE	0 ft	295 ft
	45 m	2,993 m	180.59		0 m	90 m
36L	148 ft	9,819 ft	6.25	CONCRETE	0 ft	295 ft
	45 m	2,993 m	0.58		0 m	90 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36C	DME	IAYT	110.30 MHz	18 nm	-	-	54 ft
				33 km	-		54 m
18C	LOC-ILS	IATY	108.70 MHz	18 nm	186.24	-	175 ft
				33 km	180.57		175 m
36C	LOC-ILS	IAYT	110.30 MHz	18 nm	6.24	-	175 ft
				33 km	0.57		175 m
36R	LOC-ILS	IALY	108.10 MHz	18 nm	6.29	-	175 ft
				33 km	0.62		175 m
18L	LOC-LOC	ILRA	109.75 MHz	18 nm	186.29	-	175 ft
				33 km	180.62		175 m
18C	GS	IATY	108.70 MHz	10 nm	186.24	3.00	175 ft
				19 km	180.57		175 m
36C	GS	IAYT	110.30 MHz	10 nm	6.24	3.00	175 ft
				19 km	0.57		175 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36R	GS	IALY	108.10 MHz	10 nm	6.29	3.00	175 ft
				19 km	0.62		175 m