

# LFPG

Paris Charles De Gaulle


# TNCM

St Maarten - Princess Juliana Intl

2024/05/06 2207Z

LFPG LGL **UN491** RUSIB **UN484** REGHI **UN480** ETIKI **K** +43.000\_--40.000 +42.000\_--40.000 L BALOO ASAKU  
GRANN **A312** ODKAM TNCM

4131.66 nm / 7651.83 km



## Notes

Using NAT tracks from 6/8/2016

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: no
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG APT	-	49.00974 2.56262	0 ft 0 m	-	Paris Charles De Gaulle
LGL VOR	-	48.79061 0.53028	28,000 ft 8,534 m	81	L AIGLE VOR
GALBO FIX	UN491 AWY-HI	48.83806 -0.25000	34,000 ft 10,363 m	30	-
KOKOS FIX	UN491 AWY-HI	48.90694 -1.67611	34,000 ft 10,363 m	56	-
BETUV FIX	UN491 AWY-HI	48.95444 -3.12222	34,000 ft 10,363 m	57	-
RUSIB FIX	UN491 AWY-HI	48.97694 -3.80861	34,000 ft 10,363 m	27	-
REGHI FIX	UN484 AWY-HI	48.00000 -8.00000	34,000 ft 10,363 m	176	-
ETIKI FIX	UN480 AWY-HI	48.00000 -8.75000	34,000 ft 10,363 m	30	-
+48.000_--15.000 LATLON	K NAT	48.00000 -15.00000	35,000 ft 10,668 m	251	-
+47.000_--20.000 LATLON	K NAT	47.00000 -20.00000	35,000 ft 10,668 m	211	-
+45.000_--30.000 LATLON	K NAT	45.00000 -30.00000	35,000 ft 10,668 m	433	-
+43.000_--40.000 LATLON	K NAT	43.00000 -40.00000	35,000 ft 10,668 m	448	-
+42.000_--40.000 LATLON	- -	42.00000 -40.00000	34,000 ft 10,363 m	60	-
+39.000_--50.000 LATLON	L NAT	39.00000 -50.00000	35,000 ft 10,668 m	490	-
+35.000_--60.000 LATLON	L NAT	35.00000 -60.00000	35,000 ft 10,668 m	536	-
BALOO FIX	L NAT	34.40517 -62.13717	35,000 ft 10,668 m	111	-
ASAKU FIX	- -	27.00000 -65.00000	34,000 ft 10,363 m	468	-
GRANN FIX	- -	23.50000 -65.80000	34,000 ft 10,363 m	214	-
ODKAM FIX	A312 AWY-HI	17.86464 -62.21500	11,100 ft 3,383 m	393	-
TNCM APT	- -	18.04089 -63.10897	0 ft 0 m	52	St Maarten - Princess Juliana Intl

## LFPG

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 4

Elevation: 392 ft / 119 m  
Location: 49.009700 2.562570  
Magnetic Var: 1.494 E

## METAR

LFPG 062130Z VRB06KT CAVOK 13/09 Q1012 NOSIG

## TAF

TAF LFPG 061700Z 0618/0724 22012KT 9999 SCT030 TX19/0715Z TN09/0705Z TEMPO 0618/0620 4000 -SHRA SCT030TCU PROB30

## Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.86		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.85		597 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.84		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.85		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.84		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.83		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.85		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.84		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.83		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.84		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.84		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.85		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.84		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.83		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.85		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.84		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.83		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.84		392 m