


2024/05/14 1247Z

KSHN ELMAA KHQM

35.90 nm / 66.48 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSHN	-	47.23356	0 ft	-	SANDERSON FLD
APT	-	-123.14754	0 m		
ELMAA	-	47.14804	4,200 ft	11	-
FIX	-	-123.40955	1,280 m		
KHQM	-	46.97120	0 ft	24	BOWERMAN
APT	-	-123.93656	0 m		

KHQM

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 1

Elevation: 18 ft / 5 m
Location: 46.971200 -123.937000
Magnetic Var: 14.934 E

METAR

KHQM 141153Z AUTO 00000KT 10SM CLR 07/06 A3019 RMK A02 SLP225 T00670056 10100 20061 51005

TAF

TAF KHQM 141120Z 1412/1512 VRB03KT P6SM SCT020 SCT250 TEMPO 1412/1416 OVC015 FM141700 26008KT P6SM SCT025 SCT250

Frequencies

REC - 135.77 MHz - ASOS

COM - 122.70 MHz - CTAF/UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	151 ft	5,009 ft	79.83	ASPHALT	0 ft	0 ft
	46 m	1,527 m	64.89		0 m	0 m
24	151 ft	5,009 ft	259.84	ASPHALT	0 ft	0 ft
	46 m	1,527 m	244.91		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	DME	IHQM	108.70 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
24	LOC-ILS	IHQM	108.70 MHz	18 nm	259.79	-	18 ft
				33 km	244.86		18 m
24	GS	IHQM	108.70 MHz	10 nm	260.60	3.00	18 ft
				19 km	245.67		18 m