


2024/05/09 0602Z

VVTS LATHA L643 CS VVCS

125.60 nm / 232.61 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 19000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VVTS	-	10.81875	0 ft	-	TAN SON NHAT INTL
APT	-	106.65173	0 m		
LATHA	-	10.14167	14,500 ft	40	-
FIX	-	106.64333	4,420 m		
CS	L643	8.72972	7,000 ft	84	CONSON NDB
NDB	AWY-LO	106.63194	2,134 m		
VVCS	-	8.73183	0 ft	0	CONSON
APT	-	106.63259	0 m		

VVTS

Region: VIETNAM
Timezone: ASIA/HO_CHI_MINH
Runways: 2

Elevation: 33 ft / 10 m
Location: 10.818700 106.652000
Magnetic Var: 0.666 W

METAR

VVTS 090530Z 15009KT 120V180 9999 SCT020 FEW023CB 34/23 Q1008 TEMPO FM0545 TL0615 5000 SHRA

TAF

TAF VVTS 082300Z 0900/1006 13010KT 9999 SCT017 SCT040 TEMPO 0904/0910 13015G26KT 3000 TSRA SCT013 SCT015CB

Frequencies

REC - 128.00 MHz - TAN SON NHAT ATIS	TWR - 118.70 MHz - TAN SON NHAT TOWER
TWR - 130.00 MHz - TAN SON NHAT TOWER	GND - 121.60 MHz - TAN SON NHAT GROUND
GND - 121.75 MHz - TAN SON NHAT GROUND	GND - 121.90 MHz - TAN SON NHAT GROUND
GND - 121.97 MHz - TAN SON NHAT GROUND	CLD - 123.60 MHz -
CLD - 121.80 MHz -	TAN SON NHAT CLEARANCE DELIVERY
TAN SON NHAT CLEARANCE DELIVERY	APP - 126.35 MHz - TAN SON NHAT APPROACH
APP - 125.50 MHz - TAN SON NHAT APPROACH	GND - 125.50 MHz -
GND - 124.07 MHz -	TAN SON NHAT TERMINAL CONTROL AREA
TAN SON NHAT TERMINAL CONTROL AREA	APP - 127.72 MHz - TAN SON NHAT ARRIVAL
APP - 126.35 MHz - TAN SON NHAT ARRIVAL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	148 ft	12,541 ft	68.98	CONCRETE	2,513 ft	853 ft
	45 m	3,822 m	69.64		766 m	260 m
25L	148 ft	12,541 ft	248.98	CONCRETE	0 ft	1,030 ft
	45 m	3,822 m	249.65		0 m	314 m
07L	148 ft	10,009 ft	68.96	CONCRETE	0 ft	1,030 ft
	45 m	3,051 m	69.63		0 m	314 m
25R	148 ft	10,009 ft	248.97	CONCRETE	0 ft	1,033 ft
	45 m	3,051 m	249.63		0 m	315 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25L	DME	SGN	108.30 MHz	18 nm	-	-	33 ft
				33 km	-		33 m
25R	DME	HCM	110.50 MHz	18 nm	-	-	33 ft
				33 km	-		33 m
07R	LOC-ILS	ITS	111.70 MHz	18 nm	68.98	-	33 ft
				33 km	69.65		33 m
25L	LOC-ILS	SGN	108.30 MHz	18 nm	248.98	-	33 ft
				33 km	249.65		33 m
25R	LOC-ILS	HCM	110.50 MHz	18 nm	248.97	-	33 ft
				33 km	249.64		33 m
07R	GS	ITS	111.70 MHz	10 nm	68.98	3.00	33 ft
				19 km	69.65		33 m
25L	GS	SGN	108.30 MHz	10 nm	248.98	3.00	33 ft
				19 km	249.65		33 m
25R	GS	HCM	110.50 MHz	10 nm	248.97	3.00	33 ft
				19 km	249.64		33 m