


2024/05/23 0549Z

OMDB IMLOT **A791** LATEM **N894** TELEM **G210** VASLA **G472** AAE **W40** BODAR **G472** NNP NNP **L524** IBETO VTBS

2653.28 nm / 4913.87 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OMDB	-	25.25110	0 ft	-	Dubai Intl
APT	-	55.37110	0 m		
IMLOT	-	25.28560	34,200 ft	95	-
FIX	-	57.13440	10,424 m		
KATUS	A791	25.26670	35,000 ft	35	-
FIX	AWY-HI	57.78330	10,668 m		
PEDEX	A791	25.20310	35,000 ft	85	-
FIX	AWY-HI	59.35860	10,668 m		
KINOX	A791	25.16250	35,000 ft	43	-
FIX	AWY-HI	60.16170	10,668 m		
EGPIC	A791	25.13640	35,000 ft	25	-
FIX	AWY-HI	60.62500	10,668 m		
EGRON	A791	25.07890	35,000 ft	50	-
FIX	AWY-HI	61.54580	10,668 m		
JI	A791	25.06380	35,000 ft	13	JIWANI
VOR	AWY-HI	61.79540	10,668 m		
LATEM	A791	24.52890	35,000 ft	168	-
FIX	AWY-HI	64.82890	10,668 m		
DALDA	N894	24.31640	35,000 ft	119	-
FIX	AWY-HI	66.99860	10,668 m		
TELEM	N894	24.11720	35,000 ft	97	-
FIX	AWY-HI	68.76670	10,668 m		
VASLA	G210	23.52140	35,000 ft	127	-
FIX	AWY-HI	70.99970	10,668 m		
AAE	G472	23.06820	35,000 ft	93	AHMEDABAD
VOR	AWY-HI	72.62910	10,668 m		
BODAR	W40	22.60530	35,000 ft	92	-
FIX	AWY-HI	74.22140	10,668 m		
MONPI	G472	22.07060	35,000 ft	103	-
FIX	AWY-HI	75.99890	10,668 m		
LIPDU	G472	21.89190	35,000 ft	31	-
FIX	AWY-HI	76.53830	10,668 m		
DULAR	G472	21.60810	35,000 ft	50	-
FIX	AWY-HI	77.38220	10,668 m		
UPTAR	G472	21.51170	35,000 ft	17	-
FIX	AWY-HI	77.68190	10,668 m		
ATMUV	G472	21.18310	35,000 ft	62	-
FIX	AWY-HI	78.73560	10,668 m		
NNP	G472	21.11160	35,000 ft	16	NAGPUR VOR-DME
DME	AWY-HI	79.01990	10,668 m		
NNP	-	21.08130	35,000 ft	2	NAGPUR
VOR	-	79.05610	10,668 m		
ELBAB	L524	20.22580	35,000 ft	173	-
FIX	AWY-HI	81.99830	10,668 m		
NIPUX	L524	19.89890	35,000 ft	54	-
FIX	AWY-HI	82.90420	10,668 m		
DORIL	L524	19.42580	35,000 ft	79	-
FIX	AWY-HI	84.21470	10,668 m		
ISMON	L524	19.11780	35,000 ft	62	-
FIX	AWY-HI	85.26440	10,668 m		
SANUG	L524	18.92640	35,000 ft	35	-
FIX	AWY-HI	85.85530	10,668 m		
LAMBU	L524	18.28560	35,000 ft	119	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	87.83390	10,668 m		
AVDOS	L524	17.82360	35,000 ft	85	-
FIX	AWY-HI	89.25920	10,668 m		
DABEN	L524	17.40690	35,000 ft	77	-
FIX	AWY-HI	90.54580	10,668 m		
BORBU	L524	16.89610	35,000 ft	88	-
FIX	AWY-HI	92.00000	10,668 m		
KAMKO	L524	16.11060	35,000 ft	135	-
FIX	AWY-HI	94.21060	10,668 m		
KAKIP	L524	14.67610	35,000 ft	230	-
FIX	AWY-HI	97.90410	10,668 m		
NURDA	L524	14.41410	29,000 ft	41	-
FIX	AWY-HI	98.55620	8,839 m		
MIGAR	L524	14.30630	23,400 ft	25	-
FIX	AWY-HI	98.98520	7,132 m		
IBETO	L524	14.17670	16,800 ft	30	-
FIX	AWY-HI	99.49600	5,121 m		
VTBS	-	13.68080	0 ft	78	Bangkok Suvarnabhumi Intl
APT	-	100.74800	0 m		

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.354 E

METAR

OMDB 230500Z 16006KT 110V190 CAVOK 36/09 Q1003 NOSIG

TAF

TAF OMDB 222300Z 2300/2406 16005KT CAVOK BECMG 2305/2307 30012KT BECMG 2316/2318 21005KT BECMG 2404/2406 27012KT

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.14		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m

VTBS

Region: THAILAND
Timezone: ASIA/BANGKOK
Runways: 2

Elevation: 4 ft / 1 m
Location: 13.680800 100.748000
Magnetic Var: 0.534 W

METAR

VTBS 230530Z 14007KT 100V190 9999 SCT020 31/24 Q1007 NOSIG

TAF

TAF VTBS 222300Z 2300/2406 18010KT 9000 SCT020 TEMPO 2304/2307 VRB15KT 4000 TSRA FEW018CB SCT030 BKN080 TEMPO 2312/2315

Frequencies

REC - 133.60 MHz - ATIS	TWR - 119.00 MHz - SUVARNABHUMI TOWER
TWR - 118.20 MHz - SUVARNABHUMI TOWER	GND - 121.95 MHz - SUVARNABHUMI GROUND
GND - 121.65 MHz - SUVARNABHUMI GROUND	GND - 121.75 MHz - SUVARNABHUMI GROUND
CLD - 135.80 MHz - BANGKOK CLEARANCE DELIVERY	CLD - 128.70 MHz - BANGKOK CLEARANCE DELIVERY
CLD - 120.80 MHz - BANGKOK CLEARANCE DELIVERY	CLD - 125.80 MHz - DON MUEANG CLEARANCE DELIVERY
CLD - 133.80 MHz - BANGKOK CLEARANCE DELIVERY	APP - 124.35 MHz - BANGKOK ARRIVAL
APP - 125.20 MHz - BANGKOK ARRIVAL	APP - 122.35 MHz - BANGKOK ARRIVAL
APP - 120.30 MHz - BANGKOK APPROACH	APP - 119.10 MHz - BANGKOK APPROACH
APP - 121.70 MHz - BANGKOK ARRIVAL	APP - 126.30 MHz - SUVARNABHUMI ARRIVAL
APP - 133.60 MHz - SUVARNABHUMI ARRIVAL	APP - 121.10 MHz - SUVARNABHUMI ARRIVAL
APP - 133.40 MHz - SUVARNABHUMI ARRIVAL	DEP - 119.25 MHz - SUVARNABHUMI DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01R	197 ft	13,189 ft	14.33	ASPHALT	0 ft	394 ft
	60 m	4,020 m	14.86		0 m	120 m
19L	197 ft	13,189 ft	194.33	ASPHALT	0 ft	394 ft
	60 m	4,020 m	194.86		0 m	120 m
01L	197 ft	12,201 ft	14.32	ASPHALT	0 ft	394 ft
	60 m	3,719 m	14.86		0 m	120 m
19R	197 ft	12,201 ft	194.32	ASPHALT	0 ft	397 ft
	60 m	3,719 m	194.86		0 m	121 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01L	DME	ISWS	109.10 MHz	18 nm	-	-	5 ft
				33 km	-		5 m
01R	DME	ISES	110.10 MHz	18 nm	-	-	5 ft
				33 km	-		5 m
19L	DME	ISEN	110.50 MHz	18 nm	-	-	5 ft
				33 km	-		5 m
19R	DME	ISWN	109.50 MHz	18 nm	-	-	5 ft
				33 km	-		5 m
01L	LOC-ILS	ISWS	109.10 MHz	18 nm	14.32	-	4 ft
				33 km	14.85		4 m
01R	LOC-ILS	ISES	110.10 MHz	18 nm	14.33	-	4 ft
				33 km	14.86		4 m
19L	LOC-ILS	ISEN	110.50 MHz	18 nm	194.33	-	4 ft
				33 km	194.86		4 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19R	LOC-ILS	ISWN	109.50 MHz	18 nm 33 km	194.32 194.85	-	4 ft 4 m
01L	GS	ISWS	109.10 MHz	10 nm 19 km	14.32 14.85	3.00	4 ft 4 m
01R	GS	ISES	110.10 MHz	10 nm 19 km	14.33 14.86	3.00	4 ft 4 m
19L	GS	ISEN	110.50 MHz	10 nm 19 km	194.33 194.86	3.00	4 ft 4 m
19R	GS	ISWN	109.50 MHz	10 nm 19 km	194.32 194.85	3.00	4 ft 4 m