


2024/05/11 0909Z

OMAA UGTB ULLI ENVA 60N20 59N30 58N40 TAFFY ASPEN PLYMM PARCH HESIP ROSLY KJFK

6185.91 nm / 11456.30 km



## Notes

Decoded

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OMAA	-	24.44439	0 ft	-	-
APT	-	54.63521	0 m		
UGTB	-	41.67691	0 ft	1142	-
APT	-	44.94389	0 m		
ULLI	-	59.80973	0 ft	1217	-
APT	-	30.24537	0 m		
ENVA	-	63.46455	0 ft	590	Vaernes
APT	-	10.92316	0 m		
60N20	-	60.00000	0 ft	894	-
FIX	-	-20.00000	0 m		
59N30	-	59.00000	0 ft	310	-
FIX	-	-30.00000	0 m		
58N40	-	58.00000	0 ft	319	-
FIX	-	-40.00000	0 m		
TAFFY	-	47.37338	0 ft	1168	-
FIX	-	-67.30390	0 m		
ASPEN	-	42.81599	0 ft	313	-
FIX	-	-70.91150	0 m		
PLYMM	-	42.04375	0 ft	51	-
FIX	-	-70.42691	0 m		
PARCH	-	41.09922	0 ft	94	-
FIX	-	-72.12075	0 m		
HESIP	-	40.78579	0 ft	68	-
FIX	-	-73.56483	0 m		
ROSLY	-	40.79717	0 ft	3	-
FIX	-	-73.63567	0 m		
KJFK	-	40.62537	0 ft	12	-
APT	-	-73.77035	0 m		

## OMAA

Region: UNITED ARAB EMIRATES  
Timezone: ASIA/DUBAI  
Runways: 2

Elevation: 83 ft / 25 m  
Location: 24.443400 54.652700  
Magnetic Var: 2.281 E

## METAR

OMAA 110800Z 29006KT 250V330 CAVOK 32/19 Q1009 NOSIG

## TAF

TAF OMAA 110500Z 1106/1212 30012KT 8000 NSC BECMG 1118/1120 VRB02KT PROB40 1122/1205 4000 HZ PROB30 TEMPO 1201/1205

## Frequencies

APP - 124.40 MHz -	APP - 124.62 MHz -
ABU DHABI RADAR CENTRAL PRIMARY	ABU DHABI RADAR CENTRAL SECONDARY
APP - 128.10 MHz - ABU DHABI RADAR WEST PRIMARY	APP - 124.65 MHz - ABU DHABI RADAR WEST SECONDARY
APP - 135.15 MHz - ABU DHABI RADAR NORTH PRIMARY	APP - 135.35 MHz -
APP - 118.42 MHz -	ABU DHABI RADAR NORTH SECONDARY
ABU DHABI DIRECTOR NORTH PRIMARY	APP - 121.15 MHz -
APP - 118.00 MHz -	ABU DHABI DIRECTOR NORTH SECONDARY
ABU DHABI DIRECTOR SOUTH PRIMARY	APP - 121.15 MHz -
APP - 133.55 MHz - ABU DHABI RADAR EAST PRIMARY	ABU DHABI DIRECTOR SOUTH SECONDARY
APP - 135.35 MHz - ABU DHABI RADAR EAST SECONDARY	APP - 132.67 MHz - ABU DHABI RADAR EAST PRIMARY
REC - 124.62 MHz -	REC - 127.50 MHz - ABU DHABI INFORMATION PRIMARY
ABU DHABI INFORMATION SECONDARY	TWR - 119.20 MHz - ABU DHABI TOWER SOUTH PRIMARY
TWR - 120.42 MHz -	TWR - 118.67 MHz - ABU DHABI TOWER NORTH PRIMARY
ABU DHABI TOWER SOUTH SECONDARY	GND - 121.95 MHz - ABU DHABI GROUND NORTH
GND - 123.97 MHz - ABU DHABI GROUND SOUTH	CLD - 125.10 MHz - ABU DHABI DELIVERY
GND - 119.42 MHz - ABU DHABI GROUND SECONDARY	REC - 119.67 MHz - ABU DHABI ATIS (DEP)
REC - 119.97 MHz - ABU DHABI ATIS (ARR)	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	197 ft	13,478 ft	127.99	ASPHALT	0 ft	394 ft
	60 m	4,108 m	125.71		0 m	120 m
31L	197 ft	13,478 ft	308.01	ASPHALT	0 ft	397 ft
	60 m	4,108 m	305.73		0 m	121 m
13L	197 ft	13,460 ft	127.99	ASPHALT	0 ft	397 ft
	60 m	4,103 m	125.71		0 m	121 m
31R	197 ft	13,460 ft	308.01	ASPHALT	0 ft	387 ft
	60 m	4,103 m	305.73		0 m	118 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	IAE	108.90 MHz	18 nm	-	-	98 ft
				33 km	-		98 m
31R	DME	IAW	109.30 MHz	18 nm	-	-	96 ft
				33 km	-		96 m
13R	DME	IAE	108.90 MHz	18 nm	-	-	98 ft
				33 km	-		98 m
31L	DME	IAW	109.30 MHz	18 nm	-	-	96 ft
				33 km	-		96 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	LOC-ILS	IAS	110.30 MHz	18 nm	128.00	-	83 ft
				33 km	125.72		83 m
13R	LOC-ILS	IAE	109.15 MHz	18 nm	128.00	-	83 ft
				33 km	125.72		83 m
31L	LOC-ILS	IAW	109.30 MHz	18 nm	308.00	-	83 ft
				33 km	305.72		83 m
31R	LOC-ILS	IAN	108.75 MHz	18 nm	308.00	-	83 ft
				33 km	305.72		83 m
13L	GS	IAS	110.30 MHz	10 nm	128.00	3.00	83 ft
				19 km	125.72		83 m
13R	GS	IAE	109.15 MHz	10 nm	128.00	3.00	83 ft
				19 km	125.72		83 m
31L	GS	IAW	109.30 MHz	10 nm	308.00	3.00	83 ft
				19 km	305.72		83 m
31R	GS	IAN	108.75 MHz	10 nm	308.00	3.00	83 ft
				19 km	305.72		83 m

## KJFK

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 4

Elevation: 12 ft / 4 m  
Location: 40.640100 -73.776500  
Magnetic Var: 12.819 W

## METAR

KJFK 110751Z 35007KT 10SM BKN130 09/07 A2984 RMK AO2 SLP106 T00890067

## TAF

TAF AMD KJFK 110837Z 1109/1212 01007KT P6SM SCT020 BKN120 FM111000 03007KT P6SM SCT070 SCT120 FM111200 05010KT P6SM

## Frequencies

REC - 115.40 MHz - D-ATIS	REC - 117.70 MHz - D-ATIS
REC - 128.72 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 135.05 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - KENNEDY GROUND
GND - 121.65 MHz - KENNEDY GROUND	TWR - 119.10 MHz - KENNEDY TOWER
TWR - 123.90 MHz - KENNEDY TOWER	APP - 125.70 MHz - NEW YORK APPROACH
APP - 128.12 MHz - NEW YORK APPROACH	APP - 118.40 MHz - NEW YORK APPROACH
APP - 123.70 MHz - NEW YORK APPROACH	APP - 126.80 MHz - NEW YORK APPROACH
APP - 132.40 MHz - NEW YORK APPROACH	APP - 134.35 MHz - NEW YORK APPROACH
DEP - 135.90 MHz - NEW YORK DEPARTURE	DEP - 123.70 MHz - NEW YORK DEPARTURE
DEP - 124.75 MHz - NEW YORK DEPARTURE	DEP - 134.35 MHz - NEW YORK DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	200 ft	14,526 ft	120.83	CONCRETE	2,057 ft	390 ft
	61 m	4,428 m	133.65		627 m	119 m
31L	200 ft	14,526 ft	300.86	CONCRETE	3,271 ft	495 ft
	61 m	4,428 m	313.68		997 m	151 m
13L	151 ft	10,010 ft	120.85	CONCRETE	912 ft	387 ft
	46 m	3,051 m	133.67		278 m	118 m
31R	151 ft	10,010 ft	300.87	CONCRETE	1,037 ft	177 ft
	46 m	3,051 m	313.69		316 m	54 m
04R	200 ft	8,407 ft	30.67	ASPHALT	0 ft	440 ft
	61 m	2,562 m	43.49		0 m	134 m
22L	200 ft	8,407 ft	210.68	ASPHALT	0 ft	505 ft
	61 m	2,562 m	223.50		0 m	154 m
04L	200 ft	12,091 ft	30.67	CONCRETE	459 ft	200 ft
	61 m	3,685 m	43.49		140 m	61 m
22R	200 ft	12,091 ft	210.68	CONCRETE	3,425 ft	407 ft
	61 m	3,685 m	223.50		1,044 m	124 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IHIQ	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04R	DME	IJFK	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
13L	DME	ITLK	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
22L	DME	IIWY	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22R	DME	IJOC	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
31R	DME	IRTH	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04L	LOC-ILS	IHIQ	110.90 MHz	18 nm	30.68	-	12 ft
				33 km	43.50		12 m
04R	LOC-ILS	IJFK	109.50 MHz	18 nm	30.67	-	12 ft
				33 km	43.49		12 m
13L	LOC-ILS	ITLK	111.50 MHz	18 nm	120.87	-	12 ft
				33 km	133.69		12 m
22L	LOC-ILS	IIWY	110.90 MHz	18 nm	210.67	-	12 ft
				33 km	223.49		12 m
22R	LOC-ILS	IJOC	109.50 MHz	18 nm	210.68	-	12 ft
				33 km	223.50		12 m
31L	LOC-ILS	IMOH	111.35 MHz	18 nm	300.84	-	12 ft
				33 km	313.66		12 m
31R	LOC-ILS	IRTH	111.50 MHz	18 nm	300.87	-	12 ft
				33 km	313.69		12 m
04L	GS	IHIQ	110.90 MHz	10 nm	30.68	3.00	12 ft
				19 km	43.50		12 m
04R	GS	IJFK	109.50 MHz	10 nm	30.67	3.00	12 ft
				19 km	43.49		12 m
13L	GS	ITLK	111.50 MHz	10 nm	120.87	3.00	12 ft
				19 km	133.69		12 m
22L	GS	IIWY	110.90 MHz	10 nm	210.67	3.00	12 ft
				19 km	223.49		12 m
22R	GS	IJOC	109.50 MHz	10 nm	210.68	3.00	12 ft
				19 km	223.50		12 m
31L	GS	IMOH	111.35 MHz	10 nm	300.84	3.00	12 ft
				19 km	313.66		12 m
31R	GS	IRTH	111.50 MHz	10 nm	300.87	3.00	12 ft
				19 km	313.69		12 m