


2024/05/10 0440Z

EGSS SITET **UN859** LOMRA **UN727** ROCAN **UN859** GARBI LEPA

755.46 nm / 1399.11 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGSS	-	51.88510	0 ft	-	London Stansted
APT	-	0.23496	0 m		
SITET	-	50.10000	34,000 ft	107	-
FIX	-	0.00000	10,363 m		
ETRAT	UN859	49.68333	35,000 ft	25	-
FIX	AWY-HI	0.16333	10,668 m		
DVL	UN859	49.31075	35,000 ft	23	DEAUVILLE SAINT GATIEN VOR
VOR	AWY-HI	0.31272	10,668 m		
LGL	UN859	48.79061	35,000 ft	32	L AIGLE VOR
VOR	AWY-HI	0.53028	10,668 m		
SORAP	UN859	48.52222	35,000 ft	16	-
FIX	AWY-HI	0.63528	10,668 m		
BENAR	UN859	48.25306	35,000 ft	16	-
FIX	AWY-HI	0.74444	10,668 m		
VANAD	UN859	47.83722	35,000 ft	25	-
FIX	AWY-HI	0.90722	10,668 m		
AMB	UN859	47.42892	35,000 ft	25	AMBOISE VOR-DME
VOR	AWY-HI	1.06444	10,668 m		
BALAN	UN859	46.51611	34,000 ft	54	-
FIX	AWY-HI	1.03333	10,363 m		
BEBIX	UN859	45.94917	35,000 ft	37	-
FIX	AWY-HI	1.39972	10,668 m		
OBUBA	UN859	45.57944	35,000 ft	22	-
FIX	AWY-HI	1.47972	10,668 m		
TUGLI	UN859	45.37722	35,000 ft	12	-
FIX	AWY-HI	1.52444	10,668 m		
NARAK	UN859	44.29528	35,000 ft	65	-
FIX	AWY-HI	1.74889	10,668 m		
GAI	UN859	43.95406	35,000 ft	20	GAILLAC-Castelneau de Montmira
VOR	AWY-HI	1.82417	10,668 m		
LOMRA	UN859	43.34417	35,000 ft	36	-
FIX	AWY-HI	1.88306	10,668 m		
ROCAN	UN727	42.67333	35,000 ft	40	-
FIX	AWY-HI	1.94667	10,668 m		
PUMAL	UN859	42.36681	35,000 ft	18	-
FIX	AWY-HI	2.00846	10,668 m		
BCN	UN859	41.30712	23,500 ft	63	BARCELONA VOR-DME
VOR	AWY-HI	2.10781	7,163 m		
GARBI	UN859	40.80292	23,500 ft	31	-
FIX	AWY-HI	2.28674	7,163 m		
LEPA	-	39.55254	0 ft	77	Palma De Mallorca
APT	-	2.73496	0 m		

EGSS

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 348 ft / 106 m
Location: 51.885100 0.234989
Magnetic Var: 0.578 E

METAR

EGSS 100420Z AUTO 16002KT 4700 HZ NCD 10/09 Q1024

TAF

TAF AMD EGSS 100321Z 1003/1106 VRB03KT 9999 FEW045 TEMPO 1003/1009 6000 PROB30 TEMPO 1003/1007 4000 BR TEMPO 1021/

Frequencies

DEP - 120.62 MHz - ESSEX RADAR	APP - 120.62 MHz - ESSEX RADAR
APP - 132.05 MHz - STANSTED APPROACH	CLD - 121.95 MHz - STANSTED CLEARANCE DELIVERY
GND - 121.72 MHz - STANSTED GROUND	TWR - 123.80 MHz - STANSTED TOWER
TWR - 125.55 MHz - STANSTED TOWER	APP - 136.20 MHz - STANSTED DIRECT
REC - 114.55 MHz - ATIS	REC - 127.17 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	151 ft	9,984 ft	42.78	ASPHALT	974 ft	0 ft
	46 m	3,043 m	42.21		297 m	0 m
22	151 ft	9,984 ft	222.81	ASPHALT	0 ft	0 ft
	46 m	3,043 m	222.23		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	ISED	110.50 MHz	18 nm	-	-	348 ft
				33 km	-		348 m
22	DME	ISX	110.50 MHz	18 nm	-	-	348 ft
				33 km	-		348 m
04	LOC-ILS	ISED	110.50 MHz	18 nm	42.80	-	348 ft
				33 km	42.22		348 m
22	LOC-ILS	ISX	110.50 MHz	18 nm	222.80	-	348 ft
				33 km	222.22		348 m
04	GS	ISED	110.50 MHz	10 nm	42.80	3.00	348 ft
				19 km	42.22		348 m
22	GS	ISX	110.50 MHz	10 nm	222.80	3.00	348 ft
				19 km	222.22		348 m

LEPA

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 2

Elevation: 24 ft / 7 m
Location: 39.551700 2.738890
Magnetic Var: 1.678 E

METAR

LEPA 100430Z 00000KT CAVOK 10/09 Q1018 NOSIG

TAF

TAF LEPA 092300Z 1000/1024 06006KT 9999 FEW025 TX26/1012Z TN11/1005Z BECMG 1009/1012 21012KT BECMG 1019/1021 0500

Frequencies

APP - 118.95 MHz - PALMA APPROACH	APP - 119.15 MHz - PALMA APPROACH
APP - 119.40 MHz - PALMA APPROACH	APP - 369.42 MHz - PALMA MILITARY
TWR - 118.30 MHz - PALMA TOWER	TWR - 118.45 MHz - PALMA TOWER
TWR - 122.10 MHz - PALMA MILITARY TOWER	GND - 121.70 MHz - PALMA GROUND
GND - 121.90 MHz - PALMA GROUND	REC - 119.25 MHz - PALMA ATIS
CLD - 123.80 MHz - PALMA DELIVERY	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06R	148 ft	9,829 ft	58.48	ASPHALT	1,332 ft	0 ft
	45 m	2,996 m	56.81		406 m	0 m
24L	148 ft	9,829 ft	238.50	ASPHALT	0 ft	0 ft
	45 m	2,996 m	236.82		0 m	0 m
06L	148 ft	10,713 ft	58.46	ASPHALT	0 ft	256 ft
	45 m	3,265 m	56.78		0 m	78 m
24R	148 ft	10,713 ft	238.48	ASPHALT	226 ft	0 ft
	45 m	3,265 m	236.80		69 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	PLM	110.90 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
24L	DME	IPAL	109.30 MHz	18 nm	-	-	56 ft
				33 km	-		56 m
06L	LOC-ILS	PLM	110.90 MHz	18 nm	58.47	-	24 ft
				33 km	56.79		24 m
24L	LOC-ILS	IPAL	109.30 MHz	18 nm	238.50	-	24 ft
				33 km	236.82		24 m
24R	LOC-ILS	PAA	109.90 MHz	18 nm	238.47	-	24 ft
				33 km	236.79		24 m
06L	GS	PLM	110.90 MHz	10 nm	58.47	3.00	24 ft
				19 km	56.79		24 m
24L	GS	IPAL	109.30 MHz	10 nm	238.50	3.00	24 ft
				19 km	236.82		24 m
24R	GS	PAA	109.90 MHz	10 nm	238.47	3.00	24 ft
				19 km	236.79		24 m