


2024/05/07 0301Z

OPIS INDEK OPLH

146.03 nm / 270.45 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OPIS	-	33.54910	0 ft	-	Islamabad
APT	-	72.82570	0 m		
INDEK	-	32.76670	18,500 ft	51	-
FIX	-	73.26610	5,639 m		
OPLH	-	31.49480	0 ft	94	WALTON
APT	-	74.34620	0 m		

OPIS

Region: PAKISTAN
Timezone: ASIA/KARACHI
Runways: 2

Elevation: 1,761 ft / 537 m
Location: 33.549100 72.825700
Magnetic Var: 2.987 E

METAR

OPIS 070230Z 23008KT 7000 NSC 27/14 Q1008 NOSIG

TAF

TAF OPIS 062300Z 0700/0806 27010KT 6000 NSC TEMPO 0706/0712 27010G25KT

Frequencies

TWR - 122.15 MHz - ISLAMABAD TOWER
TWR - 118.55 MHz - ISLAMABAD DEPARTURE
REC - 126.20 MHz - ISLAMABAD ATIS
GND - 130.60 MHz - ISLAMABAD GROUND
APP - 124.65 MHz - ISLAMABAD APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10R	197 ft	11,995 ft	100.64	ASPHALT	0 ft	413 ft
	60 m	3,656 m	97.65		0 m	126 m
28L	197 ft	11,995 ft	280.66	ASPHALT	0 ft	381 ft
	60 m	3,656 m	277.67		0 m	116 m
10L	148 ft	11,994 ft	100.63	ASPHALT	0 ft	413 ft
	45 m	3,656 m	97.64		0 m	126 m
28R	148 ft	11,994 ft	280.65	ASPHALT	0 ft	387 ft
	45 m	3,656 m	277.66		0 m	118 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10R	LOC-ILS	IBAP	111.30 MHz	18 nm	100.65	-	1,761 ft
				33 km	97.66		1,761 m
28L	LOC-ILS	IBBA	108.10 MHz	18 nm	280.65	-	1,761 ft
				33 km	277.66		1,761 m
28R	LOC-ILS	IBIP	110.70 MHz	18 nm	280.64	-	1,761 ft
				33 km	277.65		1,761 m
10R	GS	IBAP	111.30 MHz	10 nm	100.65	3.00	1,761 ft
				19 km	97.66		1,761 m
28L	GS	IBBA	108.10 MHz	10 nm	280.65	3.00	1,761 ft
				19 km	277.66		1,761 m
28R	GS	IBIP	110.70 MHz	10 nm	280.64	3.00	1,761 ft
				19 km	277.65		1,761 m