


2024/05/07 0814Z

KSHV AWLAR KDAL

154.94 nm / 286.95 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 280kts
- Cruise Altitude: 18000ft
- Cruise Speed: 510kts
- Descent Rate: 2000ft/min
- Descent Speed: 420kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSHV	-	32.44696	0 ft	-	SHREVEPORT RGNL
APT	-	-93.82541	0 m		
AWLAR	-	32.63906	18,700 ft	62	-
FIX	-	-95.04534	5,700 m		
KDAL	-	32.84753	0 ft	92	Dallas Love Fld
APT	-	-96.85186	0 m		

KSHV

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 2

Elevation: 256 ft / 78 m
Location: 32.447000 -93.825400
Magnetic Var: 0.729 E

METAR

KSHV 070756Z 16004KT 10SM BKN014 OVC022 25/22 A2971 RMK SLPNO

TAF

KSHV 070543Z 0706/0806 18010KT P6SM BKN015 FM071600 20012G18KT P6SM BKN030 FM071800 20011G17KT P6SM BKN035 FM072300 20008G15KT P6SM BKN040

Frequencies

REC - 128.45 MHz - ATIS	GND - 121.90 MHz - SHREVEPORT GROUND
TWR - 121.40 MHz - SHREVEPORT TOWER	APP - 119.90 MHz - SHREVEPORT APPROACH
DEP - 119.90 MHz - SHREVEPORT DEPARTURE	CLD - 124.65 MHz - CLEARANCE DELIVERY
COM - 122.95 MHz - SHREVEPORT UNICOM	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	6,207 ft	60.78	ASPHALT	0 ft	92 ft
	45 m	1,892 m	60.05		0 m	28 m
24	148 ft	6,207 ft	240.79	ASPHALT	0 ft	98 ft
	45 m	1,892 m	240.06		0 m	30 m
14	197 ft	8,358 ft	142.84	ASPHALT	0 ft	102 ft
	60 m	2,547 m	142.11		0 m	31 m
32	197 ft	8,358 ft	322.85	ASPHALT	371 ft	102 ft
	60 m	2,547 m	322.12		113 m	31 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IMWP	109.10 MHz	18 nm	-	-	258 ft
				33 km	-		258 m
14	DME	ISHV	110.70 MHz	18 nm	-	-	258 ft
				33 km	-		258 m
14	LOC-ILS	ISHV	110.70 MHz	18 nm	142.85	-	257 ft
				33 km	142.12		257 m
32	LOC-ILS	IFOG	110.30 MHz	18 nm	322.84	-	270 ft
				33 km	322.11		270 m
06	LOC-LOC	IMWP	109.10 MHz	18 nm	60.79	-	256 ft
				33 km	60.06		256 m
14	GS	ISHV	110.70 MHz	10 nm	143.69	3.00	251 ft
				19 km	142.96		251 m
32	GS	IFOG	110.30 MHz	10 nm	323.69	3.00	219 ft
				19 km	322.96		219 m

KDAL

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 2

Elevation: 485 ft / 148 m
Location: 32.846200 -96.850700
Magnetic Var: 2.618 E

METAR

KDAL 070753Z 18012G19KT 10SM BKN018 24/21 A2963 RMK A02 PK WND 18028/0655 SLP027 T02390211

TAF

KDAL 070525Z 0706/0806 19015G25KT P6SM FEW250 FM070800 20015KT P6SM BKN018 FM071200 27011KT P6SM BKN018 FM071400

Frequencies

REC - 133.40 MHz - ATIS	CLD - 127.90 MHz - CLEARANCE DELIVERY
GND - 121.75 MHz - LOVE GROUND	TWR - 123.70 MHz - LOVE TOWER
APP - 125.12 MHz - REGIONAL APPROACH SOUTH	DEP - 125.20 MHz - REGIONAL DEPARTURE SOUTH
DEP - 124.30 MHz - REGIONAL DEPARTURE NORTH	APP - 118.55 MHz - REGIONAL APPROACH NORTH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	151 ft	8,801 ft	135.76	CONCRETE	495 ft	200 ft
	46 m	2,683 m	133.14		151 m	61 m
31L	151 ft	8,801 ft	315.77	CONCRETE	0 ft	197 ft
	46 m	2,683 m	313.15		0 m	60 m
13L	151 ft	7,756 ft	135.77	CONCRETE	0 ft	184 ft
	46 m	2,364 m	133.16		0 m	56 m
31R	151 ft	7,756 ft	315.78	CONCRETE	0 ft	200 ft
	46 m	2,364 m	313.17		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	IDAL	111.50 MHz	18 nm	-	-	501 ft
				33 km	-		501 m
13R	DME	IDPX	111.10 MHz	18 nm	-	-	482 ft
				33 km	-		482 m
31L	DME	ILVF	111.10 MHz	18 nm	-	-	482 ft
				33 km	-		482 m
31R	DME	IOVW	111.50 MHz	18 nm	-	-	501 ft
				33 km	-		501 m
13L	LOC-ILS	IDAL	111.50 MHz	18 nm	135.78	-	487 ft
				33 km	133.16		487 m
13R	LOC-ILS	IDPX	111.10 MHz	18 nm	135.77	-	470 ft
				33 km	133.15		470 m
31L	LOC-ILS	ILVF	111.10 MHz	18 nm	315.75	-	448 ft
				33 km	313.14		448 m
31R	LOC-ILS	IOVW	111.50 MHz	18 nm	315.77	-	487 ft
				33 km	313.15		487 m
13L	GS	IDAL	111.50 MHz	10 nm	136.55	3.00	478 ft
				19 km	133.94		478 m
13R	GS	IDPX	111.10 MHz	10 nm	136.53	3.00	476 ft
				19 km	133.92		476 m
31L	GS	ILVF	111.10 MHz	10 nm	316.51	3.08	476 ft
				19 km	313.89		476 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31R	GS	IOVW	111.50 MHz	10 nm	316.54	3.00	480 ft
				19 km	313.92		480 m