

LGTS

Thessaloniki Makedonia Intl


LGIR

Iraklion - Nikos Kazantzakis

2024/05/28 0930Z

LGTS SKP **B1** ATV ATV **M749** MIL LGIR

331.14 nm / 613.27 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 24000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LGTS	-	40.52040	0 ft	-	Thessaloniki Makedonia Intl
APT	-	22.97190	0 m		
SKP	-	39.18060	24,000 ft	85	SKOPELOS
VOR	-	23.61590	7,315 m		
OMIRO	B1	38.75000	24,000 ft	25	-
FIX	AWY-LO	23.66720	7,315 m		
DILOP	B1	38.33330	24,000 ft	25	-
FIX	AWY-LO	23.71640	7,315 m		
ABLON	B1	38.16940	24,000 ft	9	-
FIX	AWY-LO	23.73560	7,315 m		
ATV	B1	37.88870	24,000 ft	17	ATHENS
VOR	AWY-LO	23.80450	7,315 m		
ATV	-	37.88860	24,000 ft	0	ATHINAI VOR-DME
DME	-	23.81440	7,315 m		
MIL	M749	36.74750	19,300 ft	76	MILOS
VOR	AWY-LO	24.51950	5,883 m		
LGIR	-	35.33990	0 ft	90	Iraklion - Nikos Kazantzakis
APT	-	25.17820	0 m		

LGTS

Region: GREECE
Timezone: EUROPE/ATHENS
Runways: 2

Elevation: 21 ft / 6 m
Location: 40.520100 22.969100
Magnetic Var: 5.273 E

METAR

LGTS 280850Z 20009KT 170V230 9999 FEW030 24/10 Q1015 NOSIG

TAF

TAF LGTS 280500Z 2806/2906 VRB03KT 9999 FEW025 BECMG 2812/2814 17013KT PROB30 TEMPO 2815/2820 5000 TSRA FEW015CB

Frequencies

REC - 127.55 MHz - THESSALONIKI ATIS	GND - 121.70 MHz - THESSALONIKI GROUND
TWR - 118.05 MHz - THESSALONIKI TOWER	TWR - 118.10 MHz - THESSALONIKI TOWER
APP - 118.27 MHz - THESSALONIKI DIRECTOR	APP - 120.80 MHz - THESSALONIKI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	164 ft	11,259 ft	103.98	ASPHALT	0 ft	0 ft
	50 m	3,432 m	98.71		0 m	0 m
28	164 ft	11,259 ft	284.01	ASPHALT	0 ft	0 ft
	50 m	3,432 m	278.74		0 m	0 m
16	200 ft	7,975 ft	166.43	ASPHALT	0 ft	0 ft
	61 m	2,431 m	161.16		0 m	0 m
34	200 ft	7,975 ft	346.44	ASPHALT	0 ft	0 ft
	61 m	2,431 m	341.16		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	ITSL	110.30 MHz	18 nm	-	-	16 ft
				33 km	-		16 m
10	LOC-ILS	IMAK	109.50 MHz	18 nm	104.00	-	21 ft
				33 km	98.73		21 m
16	LOC-ILS	ITSL	110.30 MHz	18 nm	166.44	-	21 ft
				33 km	161.17		21 m
10	GS	IMAK	109.50 MHz	10 nm	104.00	3.00	21 ft
				19 km	98.73		21 m
16	GS	ITSL	110.30 MHz	10 nm	166.44	3.00	21 ft
				19 km	161.17		21 m