


2024/05/13 0507Z

BIKF METIL **G3** MY **G11** SIDER 6100N0500W GONUT **UH70** WIK EGPD

781.71 nm / 1447.73 km



Notes

Basic altitude profile:

- Ascent Rate: 2000ft/min
- Ascent Speed: 160kts
- Cruise Altitude: 19000ft
- Cruise Speed: 200kts
- Descent Rate: 1000ft/min
- Descent Speed: 230kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
BIKF	-	63.98161	0 ft	-	Keflavik
APT	-	-22.61456	0 m		
METIL	-	63.97194	9,200 ft	28	-
FIX	-	-21.52611	2,804 m		
SKARD	G3	63.94278	21,700 ft	34	-
FIX	AWY-LO	-20.20500	6,614 m		
MIKLA	G3	63.84833	35,000 ft	69	-
FIX	AWY-HI	-17.57417	10,668 m		
ING	G3	63.80306	35,000 ft	24	INGO VOR-DME
VOR	AWY-HI	-16.63806	10,668 m		
ROSTI	G3	63.40639	35,000 ft	71	-
FIX	AWY-HI	-14.11222	10,668 m		
LINDA	G3	62.62167	35,000 ft	121	-
FIX	AWY-HI	-10.00000	10,668 m		
MY	G3	62.10694	35,000 ft	73	MYGGENES NDB
NDB	AWY-HI	-7.58778	10,668 m		
AB	G11	61.39528	35,000 ft	49	AKRABERG NDB
NDB	AWY-HI	-6.68111	10,668 m		
SIDER	G11	61.00000	35,000 ft	50	-
FIX	AWY-HI	-5.14639	10,668 m		
6100N0500W	-	61.00000	35,000 ft	4	-
LATLON	-	-5.00000	10,668 m		
GONUT	-	61.00000	35,000 ft	12	-
FIX	-	-4.58333	10,668 m		
WIK	UH70	58.45889	23,500 ft	159	WICK VOR-DME
VOR	AWY-HI	-3.10028	7,163 m		
EGPD	-	57.20362	0 ft	80	Aberdeen Dyce
APT	-	-2.19902	0 m		

BIKF

Region: ICELAND
Timezone: ATLANTIC/REYKJAVIK
Runways: 2

Elevation: 168 ft / 51 m
Location: 63.981600 -22.614600
Magnetic Var: 12.368 W

METAR

BIKF 130430Z 02011KT 9999 FEW047 BKN097 06/04 Q1005

TAF

TAF BIKF 130101Z 1303/1403 36008KT 9999 SCT022 BKN035 TX09/1315Z TN02/1403Z BECMG 1306/1308 36018KT

Frequencies

REC - 128.30 MHz - KEFLAVIK INFORMATION	CLD - 121.00 MHz - KEFLAVIK CLEARANCE DELIVERY
GND - 121.90 MHz - KEFLAVIK GROUND	GND - 126.20 MHz - KEFLAVIK GROUND
TWR - 118.30 MHz - KEFLAVIK TOWER	APP - 119.30 MHz - KEFLAVIK APPROACH
APP - 119.15 MHz - KEFLAVIK FINAL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	197 ft	9,997 ft	0.01	ASPHALT	0 ft	479 ft
	60 m	3,047 m	12.38		0 m	146 m
19	197 ft	9,997 ft	180.01	ASPHALT	0 ft	85 ft
	60 m	3,047 m	192.38		0 m	26 m
10	200 ft	10,004 ft	89.95	ASPHALT	0 ft	259 ft
	61 m	3,049 m	102.32		0 m	79 m
28	200 ft	10,004 ft	270.01	ASPHALT	0 ft	220 ft
	61 m	3,049 m	282.38		0 m	67 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	IKN	111.30 MHz	18 nm	0.01	-	169 ft
				33 km	12.38		169 m
10	LOC-ILS	IKF	109.50 MHz	18 nm	89.98	-	169 ft
				33 km	102.35		169 m
19	LOC-ILS	IKO	110.30 MHz	18 nm	180.01	-	169 ft
				33 km	192.38		169 m
28	LOC-ILS	IKW	108.50 MHz	18 nm	269.98	-	169 ft
				33 km	282.35		169 m
01	GS	IKN	111.30 MHz	10 nm	0.01	3.00	169 ft
				19 km	12.38		169 m
10	GS	IKF	109.50 MHz	10 nm	89.98	3.00	169 ft
				19 km	102.35		169 m
19	GS	IKO	110.30 MHz	10 nm	180.01	3.00	169 ft
				19 km	192.38		169 m
28	GS	IKW	108.50 MHz	10 nm	269.98	3.00	169 ft
				19 km	282.35		169 m

EGPD

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 4

Elevation: 213 ft / 65 m
Location: 57.204100 -2.199110
Magnetic Var: 0.907 W

METAR

EGPD 130420Z AUTO 17004KT 2400 BR OVC002 10/10 Q1008 NOSIG

TAF

TAF AMD EGPD 130317Z 1303/1324 12007KT 2000 BR BKN003 TEMPO 1303/1307 0500 FG BKN000 BECMG 1307/1310 9999 NSW FEW0

Frequencies

REC - 121.85 MHz - ABERDEEN INFO
GND - 121.70 MHz - ABERDEEN GROUND
APP - 128.30 MHz - ABERDEEN DIRECTOR

TWR - 118.10 MHz - ABERDEEN TOWER
APP - 119.05 MHz - ABERDEEN APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	151 ft	6,414 ft	158.27	ASPHALT	0 ft	0 ft
	46 m	1,955 m	159.18		0 m	0 m
34	151 ft	6,414 ft	338.28	ASPHALT	0 ft	0 ft
	46 m	1,955 m	339.19		0 m	0 m
14	118 ft	1,908 ft	139.39	ASPHALT	0 ft	0 ft
	36 m	582 m	140.29		0 m	0 m
32	118 ft	1,908 ft	319.39	ASPHALT	0 ft	0 ft
	36 m	582 m	320.30		0 m	0 m
05	151 ft	1,563 ft	46.09	ASPHALT	0 ft	0 ft
	46 m	476 m	46.99		0 m	0 m
23	151 ft	1,563 ft	226.09	ASPHALT	0 ft	0 ft
	46 m	476 m	227.00		0 m	0 m
18	75 ft	1,868 ft	179.47	ASPHALT	0 ft	0 ft
	23 m	569 m	180.37		0 m	0 m
36	75 ft	1,868 ft	359.47	ASPHALT	0 ft	0 ft
	23 m	569 m	0.37		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	IAX	109.90 MHz	18 nm	-	-	215 ft
				33 km	-		215 m
34	DME	IABD	109.90 MHz	18 nm	-	-	215 ft
				33 km	-		215 m
16	LOC-ILS	IAX	109.90 MHz	18 nm	158.25	-	213 ft
				33 km	159.16		213 m
34	LOC-ILS	IABD	109.90 MHz	18 nm	338.25	-	213 ft
				33 km	339.16		213 m
16	GS	IAX	109.90 MHz	10 nm	158.25	3.00	213 ft
				19 km	159.16		213 m
34	GS	IABD	109.90 MHz	10 nm	338.25	3.00	213 ft
				19 km	339.16		213 m