

FIMP

SIR SEEWOSAGUR RAMGOOLAM INTL


FMEE

St Denis Gillot

2024/05/11 0036Z

FIMP PLS35 APLEM UVENA SD003 R1715 FMEE

389.25 nm / 720.89 km



Notes

Requested: FIMP PLS35 PLS552 NIBS APLEM UVENA SD003 R1715 FMEE

Unmatched points: PLS552 NIBS

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIMP APT	-	-20.43023 57.68360	0 ft 0 m	-	SIR SEEWOOSAGUR RAMGOOLAM INTL
PLS35 FIX	-	-20.48491 57.78663	0 ft 0 m	6	-
APLEM FIX	-	-18.48614 54.73125	0 ft 0 m	210	-
UVENA FIX	-	-18.60608 54.39964	0 ft 0 m	20	-
SD003 FIX	-	-20.86321 55.45959	0 ft 0 m	148	-
R1715 FIX	-	-20.88460 55.50501	0 ft 0 m	2	-
FMEE APT	-	-20.88931 55.51775	0 ft 0 m	0	St Denis Gillot

FIMP

Region: MAURITIUS
Timezone: INDIAN/MAURITIUS
Runways: 1

Elevation: 183 ft / 56 m
Location: -20.430200 57.683600
Magnetic Var: 18.071 W

METAR

FIMP 110000Z 13006KT 9999 FEW017 24/18 Q1017

TAF

TAF FIMP 102330Z 1100/1206 12012G22KT 9999 SCT016 TEMPO 1104/1115 5000 -SHRA FEW010 BKN015

Frequencies

REC - 126.20 MHz - MAURITIUS ATIS
APP - 119.10 MHz - MAURITIUS APPROACH
TWR - 118.10 MHz - MAURITIUS TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	11,073 ft	117.17	ASPHALT	1,086 ft	203 ft
	45 m	3,375 m	135.25		331 m	62 m
32	148 ft	11,073 ft	297.17	ASPHALT	0 ft	197 ft
	45 m	3,375 m	315.24		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	IPL	109.90 MHz	18 nm	-	-	186 ft
				33 km	-		186 m
14	LOC-ILS	IPL	109.90 MHz	18 nm	117.12	-	183 ft
				33 km	135.19		183 m
14	GS	IPL	109.90 MHz	10 nm	117.12	3.50	183 ft
				19 km	135.19		183 m

FMEE

Region: COMOROS, MAYOTTE, RÉUNION AND MADAGASCARElevation: 66 ft / 20 m
Timezone: INDIAN/REUNIONLocation: -20.889300 55.517700
Runways: 2Magnetic Var: 18.759 W

METAR

FMEE 110000Z AUTO 14012KT 9999 FEW036 SCT043 OVC056 24/19 Q1017 NOSIG

TAF

TAF FMEE 102300Z 1100/1206 12015KT 9999 SCT040 BECMG 1104/1106 10020G30KT BECMG 1114/1116 12015KT BECMG 1204/1206 12015KT

Frequencies

REC - 126.80 MHz - ATIS
TWR - 118.40 MHz -
APP - 127.20 MHz -
GND - 121.90 MHz -
APP - 119.40 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,492 ft	102.28	ASPHALT	397 ft	0 ft
	45 m	3,198 m	121.03		121 m	0 m
30	148 ft	10,492 ft	282.26	ASPHALT	0 ft	0 ft
	45 m	3,198 m	301.02		0 m	0 m
14	148 ft	8,768 ft	116.58	ASPHALT	328 ft	0 ft
	45 m	2,672 m	135.34		100 m	0 m
32	148 ft	8,768 ft	296.58	ASPHALT	1,175 ft	0 ft
	45 m	2,672 m	315.33		358 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	SD	110.30 MHz	18 nm	-	-	46 ft
				33 km	-		46 m
14	LOC-ILS	SD	110.30 MHz	18 nm	116.63	-	66 ft
				33 km	135.39		66 m
14	GS	SD	110.30 MHz	10 nm	117.09	3.00	46 ft
				19 km	135.85		46 m