


2024/05/15 0333Z

PTKK 600N15500E KRASY **B452** PONOK MANOT 800S16500E LEGOT **B452** INTID NFFN

2341.85 nm / 4337.11 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
PTKK	-	7.46189	0 ft	-	Chukk Intl
APT	-	151.84302	0 m		
600N15500E	-	6.00000	35,000 ft	207	-
LATLON	-	155.00000	10,668 m		
KRAS	-	5.00000	35,000 ft	65	-
FIX	-	155.45000	10,668 m		
DOHRT	B452	0.00000	35,000 ft	311	-
FIX	AWY-HI	156.83333	10,668 m		
PONOK	B452	-5.28500	35,000 ft	328	-
FIX	AWY-HI	158.26000	10,668 m		
MANOT	-	-6.71833	35,000 ft	251	-
FIX	-	162.21167	10,668 m		
800S16500E	-	-8.00000	35,000 ft	183	-
LATLON	-	165.00000	10,668 m		
LEGOT	-	-12.17667	35,000 ft	261	-
FIX	-	166.22167	10,668 m		
TAVER	B452	-15.00000	35,000 ft	392	-
FIX	AWY-HI	172.28667	10,668 m		
INTID	B452	-16.85833	21,500 ft	234	-
FIX	AWY-HI	175.86333	6,553 m		
NFFN	-	-17.75837	0 ft	105	Nadi Intl
APT	-	177.44215	0 m		

NFFN

Region: FIJI AND TONGA
Timezone: PACIFIC/FIJI
Runways: 2

Elevation: 59 ft / 18 m
Location: -17.758600 177.442000
Magnetic Var: 12.672 E

METAR

NFFN 150300Z 32008KT 9999 SCT026TCU SCT048 30/24 Q1012 NOSIG

TAF

TAF TAF AMD NFFN 150312Z 1504/1524 32010KT 9999 SCT026 SCT048 PROB30 TEMPO 1503/1506 5000 TSRA FEW018CB/ BECMG 150

Frequencies

REC - 127.90 MHz - NADI ATIS
TWR - 119.10 MHz - NADI TOWER

GND - 118.10 MHz - NADI GROUND
APP - 119.10 MHz - NADI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	10,816 ft	37.49	ASPHALT	279 ft	0 ft
	45 m	3,297 m	24.82		85 m	0 m
20	148 ft	10,816 ft	217.49	ASPHALT	0 ft	115 ft
	45 m	3,297 m	204.82		0 m	35 m
09	148 ft	6,996 ft	104.17	ASPHALT	0 ft	102 ft
	45 m	2,132 m	91.50		0 m	31 m
27	148 ft	6,996 ft	284.17	ASPHALT	0 ft	0 ft
	45 m	2,132 m	271.50		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	LOC-ILS	INN	109.90 MHz	18 nm	37.49	-	41 ft
				33 km	24.82		41 m
02	GS	INN	109.90 MHz	10 nm	38.00	3.00	59 ft
				19 km	25.33		59 m