


2024/05/07 0107Z

RJCH ORE IGROD **B451** IDBUR UHWW

425.92 nm / 788.80 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RJCH	-	41.77020	0 ft	-	HAKODATE
APT	-	140.82200	0 m		
ORE	-	42.07030	22,900 ft	64	OKUSHIRI
VOR	-	139.44300	6,980 m		
IGROD	-	41.65000	35,000 ft	121	-
FIX	-	136.78300	10,668 m		
LURED	B451	42.48330	34,700 ft	78	-
FIX	AWY-HI	135.43900	10,577 m		
LAKTA	B451	42.66330	31,000 ft	17	-
FIX	AWY-HI	135.13900	9,449 m		
ARLAS	B451	42.98530	24,400 ft	30	-
FIX	AWY-HI	134.59900	7,437 m		
IDBUR	B451	43.15560	4,200 ft	94	-
FIX	AWY-HI	132.45900	1,280 m		
UHWW	-	43.39690	0 ft	19	Vladivostok Knevichi Intl
APT	-	132.15000	0 m		

RJCH

Region: JAPAN
Timezone: ASIA/TOKYO
Runways: 1

Elevation: 149 ft / 45 m
Location: 41.770200 140.822000
Magnetic Var: 9.519 W

METAR

RJCH 070027Z 22012KT 4900 -SHRA BR FEW003 BKN006 BKN015 13/13 Q1005 RMK 1ST003 5ST006 6ST015 A2970

TAF

TAF RJCH 062310Z 0700/0806 22008KT 9999 -SHRA FEW003 BKN015 TEMPO 0700/0709 1500 SHRA BR FEW001 BKN003 BECMG 0702/

Frequencies

REC - 126.60 MHz - ATIS
TWR - 118.35 MHz -
APP - 121.00 MHz -
DEP - 127.90 MHz -
TWR - 126.20 MHz -
APP - 119.00 MHz -
DEP - 121.00 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	150 ft	9,814 ft	108.09	ASPHALT	0 ft	197 ft
	46 m	2,991 m	117.61		0 m	60 m
30	150 ft	9,814 ft	288.11	ASPHALT	0 ft	203 ft
	46 m	2,991 m	297.63		0 m	62 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	IHL	109.30 MHz	18 nm	-	-	111 ft
				33 km	-		111 m
12	LOC-ILS	IHL	109.30 MHz	18 nm	108.05	-	51 ft
				33 km	117.57		51 m
12	GS	IHL	109.30 MHz	10 nm	108.20	3.00	151 ft
				19 km	117.72		151 m

UHWW

Region: RUSSIA
Timezone: ASIA/VLADIVOSTOK
Runways: 1

Elevation: 41 ft / 12 m
Location: 43.396900 132.150000
Magnetic Var: 10.806 W

METAR

UHWW 070030Z 01007MPS 9999 BKN033 11/04 Q1014 R07R/0///70 NOSIG RMK QFE760

TAF

TAF UHWW 062300Z 0700/0724 02006G11MPS 9999 SCT025 TEMPO 0700/0710 01011G16MPS BECMG 0711/0713 08003MPS NSC

Frequencies

APP - 124.70 MHz - VLADIVOSTOK APPROACH
GND - 121.70 MHz - VLADIVOSTOK GROUND
TWR - 126.00 MHz - VLADIVOSTOK TOWER
REC - 127.80 MHz - VLADIVOSTOK ATIS
COM - 119.50 MHz - VLADIVOSTOK RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	197 ft	11,485 ft	60.92	CONCRETE	0 ft	243 ft
	60 m	3,501 m	71.72		0 m	74 m
25L	197 ft	11,485 ft	240.94	CONCRETE	0 ft	246 ft
	60 m	3,501 m	251.75		0 m	75 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25L	LOC-ILS	ILN	110.10 MHz	18 nm	240.93	-	41 ft
				33 km	251.74		41 m
07R	LOC-ILS	ILS	109.30 MHz	18 nm	60.93	-	41 ft
				33 km	71.74		41 m
25L	GS	ILN	110.10 MHz	10 nm	240.93	3.00	41 ft
				19 km	251.74		41 m
07R	GS	ILS	109.30 MHz	10 nm	60.93	3.01	41 ft
				19 km	71.74		41 m