

30TA

Tri-Modal Air Park


KCLL

Easterwood Field

2024/06/01 0645Z

30TA TOAMY KCLL

70.37 nm / 130.33 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
30TA	-	30.59190	0 ft	-	Tri-Modal Air Park
APT	-	-97.72250	0 m		
TOAMY	-	30.63010	7,000 ft	37	-
FIX	-	-97.00290	2,134 m		
KCLL	-	30.58880	0 ft	33	Easterwood Field
APT	-	-96.36420	0 m		

KCLL

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 3

Elevation: 321 ft / 98 m
Location: 30.588800 -96.364200
Magnetic Var: 2.325 E

METAR

KCLL 010553Z AUTO 10004KT 10SM CLR 24/21 A2993 RMK A02 SLP131 T02390206 10272 20239 402890189 53001

TAF

TAF KCLL 010520Z 0106/0206 VRB04KT P6SM SCT250 FM011400 16006KT P6SM FEW025 SCT100 FM012000 15007KT P6SM VCTS BKN

Frequencies

REC - 126.85 MHz - ATIS
COM - 122.95 MHz - UNICOM
TWR - 118.50 MHz -
COM - 118.50 MHz - CTAF
GND - 128.70 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	151 ft	7,021 ft	168.93	ASPHALT	0 ft	0 ft
	46 m	2,140 m	166.60		0 m	0 m
34	151 ft	7,021 ft	348.93	ASPHALT	0 ft	0 ft
	46 m	2,140 m	346.61		0 m	0 m
10	151 ft	5,152 ft	108.87	ASPHALT	0 ft	0 ft
	46 m	1,570 m	106.54		0 m	0 m
28	151 ft	5,152 ft	288.87	ASPHALT	0 ft	0 ft
	46 m	1,570 m	286.55		0 m	0 m
04	151 ft	5,152 ft	49.60	CONCRETE	0 ft	0 ft
	46 m	1,570 m	47.27		0 m	0 m
22	151 ft	5,152 ft	229.60	CONCRETE	0 ft	0 ft
	46 m	1,570 m	227.28		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34	DME	ICLL	111.70 MHz	18 nm	-	-	330 ft
				33 km	-		330 m
34	LOC-ILS	ICLL	111.70 MHz	18 nm	348.93	-	326 ft
				33 km	346.60		326 m
34	GS	ICLL	111.70 MHz	10 nm	349.86	2.90	303 ft
				19 km	347.53		303 m