

VHHH

Hong Kong Intl


UHWW

Vladivostok Knevichi Intl

2024/05/16 0156Z

VHHH SANIP NOLON **A599** NNX NNX **A599** OLGAP PK **V3** ODULO SOSMA **W113** IKADI **A326** DONVO TOMUK **B332** PONIL
W1 GK **R452** KICHA **B356** ADNUR UHWW

1716.11 nm / 3178.24 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 33000ft
- Cruise Speed: 300kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VHHH	-	22.30890	0 ft	-	Hong Kong Intl
APT	-	113.91500	0 m		
SANIP	-	24.02670	33,000 ft	103	-
FIX	-	114.01500	10,058 m		
NOLON	-	24.10830	33,000 ft	6	-
FIX	-	113.94700	10,058 m		
WYN	A599	24.35000	33,000 ft	17	WENGYUAN
VOR	AWY-HI	114.11200	10,058 m		
NNX	A599	25.09500	33,000 ft	45	NANXIONG
VOR	AWY-HI	114.27300	10,058 m		
NNX	-	25.10000	33,000 ft	0	NANXIONG VOR-DME
DME	-	114.27200	10,058 m		
PLT	A599	25.80830	33,000 ft	53	PANLONG
VOR	AWY-HI	114.87500	10,058 m		
SAGON	A599	26.50170	33,000 ft	61	-
FIX	AWY-HI	115.70800	10,058 m		
NF	A599	27.20830	33,000 ft	62	NANFENG
NDB	AWY-HI	116.55800	10,058 m		
XUVGI	A599	27.52000	33,000 ft	26	-
FIX	AWY-HI	116.92200	10,058 m		
SHR	A599	28.41670	33,000 ft	77	SHANGRAO
VOR	AWY-HI	117.97000	10,058 m		
ELNEX	A599	29.63170	33,000 ft	108	-
FIX	AWY-HI	119.49000	10,058 m		
TOL	A599	29.76330	33,000 ft	11	TONGLU
VOR	AWY-HI	119.66000	10,058 m		
KAKIS	A599	30.48330	33,000 ft	50	-
FIX	AWY-HI	120.14700	10,058 m		
NXD	A599	30.89670	33,000 ft	28	NANXUN
VOR	AWY-HI	120.43000	10,058 m		
OLGAP	A599	31.07330	33,000 ft	38	-
FIX	AWY-HI	121.15000	10,058 m		
PK	-	31.28330	33,000 ft	15	NANXIANG
NDB	-	121.33000	10,058 m		
BUNVA	V3	31.97330	33,000 ft	41	-
FIX	AWY-HI	121.43200	10,058 m		
ODULO	V3	33.25330	33,000 ft	77	-
FIX	AWY-HI	121.62000	10,058 m		
SOSMA	-	33.71830	33,000 ft	27	-
FIX	-	121.64800	10,058 m		
IKADI	W113	34.09170	33,000 ft	94	-
FIX	AWY-HI	123.48300	10,058 m		
DOPNO	A326	35.00000	33,000 ft	54	-
FIX	AWY-HI	123.40500	10,058 m		
MUDAL	A326	36.83170	33,000 ft	110	-
FIX	AWY-HI	123.35500	10,058 m		
DONVO	A326	37.56670	33,000 ft	44	-
FIX	AWY-HI	123.33300	10,058 m		
TOMUK	-	38.71500	33,000 ft	75	-
FIX	-	124.00000	10,058 m		
PONIL	B332	38.85000	33,000 ft	14	-
FIX	AWY-HI	124.24700	10,058 m		
SASRI	W1	39.02610	33,000 ft	54	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	125.39500	10,058 m		
GK	W1	39.21850	33,000 ft	17	PYONGYANG
VOR	AWY-HI	125.67600	10,058 m		
SOCHA	R452	39.25000	33,000 ft	25	-
FIX	AWY-HI	126.21700	10,058 m		
WASAN	R452	39.72830	33,000 ft	49	-
FIX	AWY-HI	127.08400	10,058 m		
HAMUN	R452	39.92170	33,000 ft	23	-
FIX	AWY-HI	127.51800	10,058 m		
KICHA	R452	40.68420	33,000 ft	89	-
FIX	AWY-HI	129.19200	10,058 m		
ANKOG	B356	41.72220	33,000 ft	79	-
FIX	AWY-HI	130.27800	10,058 m		
ADNUR	B356	42.20830	27,800 ft	37	-
FIX	AWY-HI	130.80300	8,473 m		
UHWW	-	43.39690	0 ft	92	Vladivostok Knevichi Intl
APT	-	132.15000	0 m		

VHHH

Region: HONG KONG
Timezone: UNKNOWN
Runways: 2

Elevation: 27 ft / 8 m
Location: 22.308900 113.915000
Magnetic Var: 3.238 W

METAR

VHHH 160130Z 08014KT CAVOK 29/09 Q1016 NOSIG

TAF

TAF VHHH 152300Z 1600/1706 09010KT CAVOK TX30/1606Z TX29/1706Z TN25/1622Z TEMPO 1604/1611 09015G25KT TEMPO 1703/

Frequencies

REC - 128.20 MHz - D-ATIS	REC - 127.05 MHz - D-ATIS
GND - 121.60 MHz - HONG KONG GROUND	GND - 122.55 MHz - HONG KONG GROUND
GND - 121.87 MHz - HONG KONG GROUND	TWR - 118.20 MHz - HONG KONG TOWER
TWR - 118.40 MHz - HONG KONG TOWER	TWR - 118.70 MHz - HONG KONG TOWER
CLD - 124.65 MHz - HONG KONG CLEARANCE DELIVERY	CLD - 129.90 MHz - HONG KONG CLEARANCE DELIVERY
DEP - 122.00 MHz - HONG KONG DEPARTURE	DEP - 123.80 MHz - HONG KONG DEPARTURE
DEP - 124.05 MHz - HONG KONG DEPARTURE	APP - 119.10 MHz - HONG KONG APPROACH
APP - 119.35 MHz - HONG KONG APPROACH	APP - 119.55 MHz - HONG KONG DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	197 ft	12,462 ft	70.77	ASPHALT	554 ft	974 ft
	60 m	3,799 m	74.01		169 m	297 m
25R	197 ft	12,462 ft	250.79	ASPHALT	571 ft	978 ft
	60 m	3,799 m	254.03		174 m	298 m
07R	197 ft	12,463 ft	70.79	ASPHALT	518 ft	886 ft
	60 m	3,799 m	74.03		158 m	270 m
25L	197 ft	12,463 ft	250.80	ASPHALT	0 ft	981 ft
	60 m	3,799 m	254.04		0 m	299 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IZSL	111.10 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
07R	DME	ISR	109.30 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25L	DME	IFL	108.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25R	DME	ITFR	110.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
07L	LOC-ILS	IZSL	111.10 MHz	18 nm	70.78	-	27 ft
				33 km	74.02		27 m
07R	LOC-ILS	ISR	109.30 MHz	18 nm	70.79	-	27 ft
				33 km	74.03		27 m
25L	LOC-ILS	IFL	108.90 MHz	18 nm	250.79	-	27 ft
				33 km	254.03		27 m
25R	LOC-ILS	ITFR	110.90 MHz	18 nm	250.78	-	27 ft
				33 km	254.02		27 m
07L	GS	IZSL	111.10 MHz	10 nm	70.78	3.00	27 ft
				19 km	74.02		27 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	ISR	109.30 MHz	10 nm	70.79	3.00	27 ft
				19 km	74.03		27 m
25L	GS	IFL	108.90 MHz	10 nm	250.79	3.00	27 ft
				19 km	254.03		27 m
25R	GS	ITFR	110.90 MHz	10 nm	250.78	3.00	27 ft
				19 km	254.02		27 m

UHWW

Region: RUSSIA
Timezone: ASIA/VLADIVOSTOK
Runways: 1

Elevation: 41 ft / 12 m
Location: 43.396900 132.150000
Magnetic Var: 10.807 W

METAR

UHWW 160130Z 01006MPS 9999 NSC 17/06 Q1007 R07R/0///70 TEMPO 01008G13MPS RMK QFE754

TAF

TAF UHWW 152256Z 1600/1624 36005G10MPS 9999 -SHRA BKN020CB TEMPO 1600/1610 36008G13MPS BECMG 1614/1617 35003G08M

Frequencies

APP - 124.70 MHz - VLADIVOSTOK APPROACH
GND - 121.70 MHz - VLADIVOSTOK GROUND
TWR - 126.00 MHz - VLADIVOSTOK TOWER
REC - 127.80 MHz - VLADIVOSTOK ATIS
COM - 119.50 MHz - VLADIVOSTOK RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	197 ft	11,485 ft	60.92	CONCRETE	0 ft	243 ft
	60 m	3,501 m	71.73		0 m	74 m
25L	197 ft	11,485 ft	240.94	CONCRETE	0 ft	246 ft
	60 m	3,501 m	251.75		0 m	75 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25L	LOC-ILS	ILN	110.10 MHz	18 nm	240.93	-	41 ft
				33 km	251.74		41 m
07R	LOC-ILS	ILS	109.30 MHz	18 nm	60.93	-	41 ft
				33 km	71.74		41 m
25L	GS	ILN	110.10 MHz	10 nm	240.93	3.00	41 ft
				19 km	251.74		41 m
07R	GS	ILS	109.30 MHz	10 nm	60.93	3.01	41 ft
				19 km	71.74		41 m