

OPKC

Karachi Jinnah Intl


VTBD

Bangkok Don Mueang Intl

2024/05/07 0044Z

OPKC TELEM **G210** VASLA **G472** AAE **W40** BODAR **G472** NNP NNP **L524** MIGAR VTBD

2005.99 nm / 3715.09 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OPKC	-	24.90660	0 ft	-	Karachi Jinnah Intl
APT	-	67.16080	0 m		
TELEM	-	24.11720	35,000 ft	99	-
FIX	-	68.76670	10,668 m		
VASLA	G210	23.52140	35,000 ft	127	-
FIX	AWY-HI	70.99970	10,668 m		
AAE	G472	23.06820	35,000 ft	93	AHMEDABAD
VOR	AWY-HI	72.62910	10,668 m		
BODAR	W40	22.60530	35,000 ft	92	-
FIX	AWY-HI	74.22140	10,668 m		
MONPI	G472	22.07060	35,000 ft	103	-
FIX	AWY-HI	75.99890	10,668 m		
LIPDU	G472	21.89190	35,000 ft	31	-
FIX	AWY-HI	76.53830	10,668 m		
DULAR	G472	21.60810	35,000 ft	50	-
FIX	AWY-HI	77.38220	10,668 m		
UPTAR	G472	21.51170	35,000 ft	17	-
FIX	AWY-HI	77.68190	10,668 m		
ATMUV	G472	21.18310	35,000 ft	62	-
FIX	AWY-HI	78.73560	10,668 m		
NNP	G472	21.11160	35,000 ft	16	NAGPUR VOR-DME
DME	AWY-HI	79.01990	10,668 m		
NNP	-	21.08130	35,000 ft	2	NAGPUR
VOR	-	79.05610	10,668 m		
ELBAB	L524	20.22580	35,000 ft	173	-
FIX	AWY-HI	81.99830	10,668 m		
NIPUX	L524	19.89890	35,000 ft	54	-
FIX	AWY-HI	82.90420	10,668 m		
DORIL	L524	19.42580	35,000 ft	79	-
FIX	AWY-HI	84.21470	10,668 m		
ISMON	L524	19.11780	35,000 ft	62	-
FIX	AWY-HI	85.26440	10,668 m		
SANUG	L524	18.92640	35,000 ft	35	-
FIX	AWY-HI	85.85530	10,668 m		
LAMBU	L524	18.28560	35,000 ft	119	-
FIX	AWY-HI	87.83390	10,668 m		
AVDOS	L524	17.82360	35,000 ft	85	-
FIX	AWY-HI	89.25920	10,668 m		
DABEN	L524	17.40690	35,000 ft	77	-
FIX	AWY-HI	90.54580	10,668 m		
BORBU	L524	16.89610	35,000 ft	88	-
FIX	AWY-HI	92.00000	10,668 m		
KAMKO	L524	16.11060	35,000 ft	135	-
FIX	AWY-HI	94.21060	10,668 m		
KAKIP	L524	14.67610	35,000 ft	230	-
FIX	AWY-HI	97.90410	10,668 m		
NURDA	L524	14.41410	26,300 ft	41	-
FIX	AWY-HI	98.55620	8,016 m		
MIGAR	L524	14.30630	20,800 ft	25	-
FIX	AWY-HI	98.98520	6,340 m		
VTBD	-	13.91260	0 ft	97	Bangkok Don Mueang Intl
APT	-	100.60700	0 m		

OPKC

Region: PAKISTAN
Timezone: ASIA/KARACHI
Runways: 2

Elevation: 100 ft / 30 m
Location: 24.906600 67.160800
Magnetic Var: 1.467 E

METAR

OPKC 070030Z 26005KT 5000 FU NSC 27/23 Q1005 NOSIG

TAF

TAF OPKC 062300Z 0700/0806 24012G22KT 6000 NSC TEMPO 0700/0705 26005KT 4000 FU FEW020 FM071600 26008KT 5000 FU FEW

Frequencies

REC - 126.70 MHz - ATIS
TWR - 118.80 MHz - KARACHI TOWER
APP - 125.50 MHz - KARACHI APPROACH
GND - 121.60 MHz - KARACHI GROUND
COM - 119.22 MHz - KARACHI UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	151 ft	11,140 ft	74.39	CONCRETE	0 ft	991 ft
	46 m	3,396 m	72.93		0 m	302 m
25L	151 ft	11,140 ft	254.41	CONCRETE	0 ft	627 ft
	46 m	3,396 m	252.94		0 m	191 m
07L	151 ft	10,494 ft	74.39	CONCRETE	0 ft	1,001 ft
	46 m	3,199 m	72.92		0 m	305 m
25R	151 ft	10,494 ft	254.40	CONCRETE	0 ft	994 ft
	46 m	3,199 m	252.94		0 m	303 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	DME	IKC	109.70 MHz	18 nm	-	-	156 ft
				33 km	-		156 m
25L	LOC-ILS	IQA	109.70 MHz	18 nm	254.40	-	100 ft
				33 km	252.93		100 m
25R	LOC-ILS	IKC	110.10 MHz	18 nm	254.40	-	100 ft
				33 km	252.93		100 m
25L	GS	IQA	109.70 MHz	10 nm	254.40	3.00	100 ft
				19 km	252.93		100 m
25R	GS	IKC	110.10 MHz	10 nm	254.40	3.00	100 ft
				19 km	252.93		100 m

VTBD

Region: THAILAND
Timezone: ASIA/BANGKOK
Runways: 2

Elevation: 8 ft / 2 m
Location: 13.912500 100.607000
Magnetic Var: 0.541 W

METAR

VTBD 070030Z 16006KT 9999 FEW020 29/23 Q1011 NOSIG

TAF

TAF AMD VTBD 062347Z 0700/0806 17008KT 9999 SCT020 TEMPO 0704/0708 VRB15G30KT 3000 TSRA FEW018CB SCT030 BKN080 BE

Frequencies

REC - 118.55 MHz - ATIS	REC - 126.40 MHz - ATIS
GND - 122.50 MHz - DON MUEANG GROUND	GND - 121.90 MHz - DON MUEANG GROUND
TWR - 118.10 MHz - DON MUEANG TOWER	CLD - 127.70 MHz - DON MUEANG DELIVERY
APP - 118.40 MHz - DON MUEANG APPROACH	APP - 119.10 MHz - DON MUEANG APPROACH
APP - 121.70 MHz - BANGKOK APPROACH	APP - 124.35 MHz - BANGKOK APPROACH
APP - 125.20 MHz - BANGKOK APPROACH	APP - 125.50 MHz - DON MUEANG ARRIVAL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03L	197 ft	12,191 ft	28.56	ASPHALT	0 ft	492 ft
	60 m	3,716 m	29.10		0 m	150 m
21R	197 ft	12,191 ft	208.56	ASPHALT	0 ft	492 ft
	60 m	3,716 m	209.10		0 m	150 m
03R	148 ft	11,543 ft	28.57	ASPHALT	0 ft	325 ft
	45 m	3,518 m	29.11		0 m	99 m
21L	148 ft	11,543 ft	208.57	ASPHALT	1,145 ft	0 ft
	45 m	3,518 m	209.11		349 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	IBKD	109.70 MHz	18 nm	-	-	3 ft
				33 km	-		3 m
21L	DME	IDMG	110.30 MHz	18 nm	-	-	9 ft
				33 km	-		9 m
03L	LOC-ILS	IBKD	109.70 MHz	18 nm	28.56	-	9 ft
				33 km	29.10		9 m
21L	LOC-ILS	IDMG	110.30 MHz	18 nm	208.57	-	9 ft
				33 km	209.11		9 m
21R	LOC-ILS	IBKK	109.30 MHz	18 nm	208.56	-	9 ft
				33 km	209.10		9 m
03L	GS	IBKD	109.70 MHz	10 nm	28.56	3.00	9 ft
				19 km	29.10		9 m
21L	GS	IDMG	110.30 MHz	10 nm	208.57	3.00	9 ft
				19 km	209.11		9 m
21R	GS	IBKK	109.30 MHz	10 nm	208.56	3.00	9 ft
				19 km	209.10		9 m