

MTCH

Cap Haitien Intl


MKJS

Sangster Intl

2024/05/20 1426Z

MTCH LODMA **UB882** BENET **UT6** PILBI MKJS

355.65 nm / 658.67 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MTCH	-	19.72730	0 ft	-	Cap Haitien Intl
APT	-	-72.19950	0 m	-	
LODMA	-	19.30940	28,000 ft	78	-
FIX	-	-73.51670	8,534 m	-	
GABUN	UB882	18.80000	35,000 ft	43	-
FIX	AWY-HI	-74.06980	10,668 m	-	
BENET	UB882	18.25000	35,000 ft	47	-
FIX	AWY-HI	-74.66170	10,668 m	-	
PILBI	UT6	18.42420	13,000 ft	124	-
FIX	AWY-HI	-76.84470	3,962 m	-	
MKJS	-	18.50370	0 ft	61	Sangster Intl
APT	-	-77.91340	0 m	-	

MKJS

Region: JAMAICA
Timezone: AMERICA/JAMAICA
Runways: 1

Elevation: 3 ft / 1 m
Location: 18.503700 -77.913400
Magnetic Var: 7.695 W

METAR

MKJS 201400Z 01004KT 9999 FEW024 30/23 Q1012

TAF

TAF MKJS 201115Z 2012/2112 VRB02KT 9999 FEW024 BECMG 2014/2016 06015KT PROB30 TEMPO 2018/2023 8000 TSRA SCT018CB 9

Frequencies

REC - 127.90 MHz - ATIS
TWR - 118.75 MHz - SANGTER TOWER
GND - 121.70 MHz - SANGTER GROUND
APP - 120.80 MHz - SANGTER APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	151 ft	8,742 ft	65.36	ASPHALT	213 ft	75 ft
	46 m	2,664 m	73.05		65 m	23 m
25	151 ft	8,742 ft	245.37	ASPHALT	577 ft	180 ft
	46 m	2,664 m	253.06		176 m	55 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-ILS	ISIA	109.50 MHz	18 nm	65.41	-	4 ft
				33 km	73.10		4 m
07	GS	ISIA	109.50 MHz	10 nm	65.74	3.00	4 ft
				19 km	73.44		4 m