

# EHRD

Rotterdam The Hague


# LPFR

Faro

2024/05/06 0815Z

EHRD MEDIL **UN872** LESDO **UM728** RESMI **UN857** LMG **UN10** SAU **UN857** PPN **UN10** VASUM **UN857** HIJ **UM30** OXACA  
**UN858** OSLEP LPFR

1086.45 nm / 2012.10 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no

- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EHRD APT	-	51.95750 4.44169	0 ft 0 m	-	Rotterdam The Hague
MEDIL FIX	-	50.34210 3.67497	35,000 ft 10,668 m	101	-
LESDO FIX	UN872 AWY-HI	49.80830 3.31806	35,000 ft 10,668 m	34	-
KOVIN FIX	UM728 AWY-HI	49.48580 3.10639	35,000 ft 10,668 m	21	-
RESMI FIX	UM728 AWY-HI	48.56860 2.19194	35,000 ft 10,668 m	65	-
DEKOD FIX	UN857 AWY-HI	48.28330 2.10000	35,000 ft 10,668 m	17	-
DISAK FIX	UN857 AWY-HI	48.13330 2.13167	35,000 ft 10,668 m	9	-
DEPOM FIX	UN857 AWY-HI	47.31780 2.17917	35,000 ft 10,668 m	49	-
DIRMO FIX	UN857 AWY-HI	47.08920 2.19222	35,000 ft 10,668 m	13	-
LMG VOR	UN857 AWY-HI	45.81590 1.02558	35,000 ft 10,668 m	90	LIMOGES
VELIN FIX	UN10 AWY-HI	44.98000 0.15556	35,000 ft 10,668 m	62	-
SAU VOR	UN10 AWY-HI	44.67680 -0.15292	35,000 ft 10,668 m	22	SAUVETERRE DE GUYENNE
BEGUY FIX	UN857 AWY-HI	43.05830 -1.45083	35,000 ft 10,668 m	112	-
PPN VOR	UN857 AWY-HI	42.73370 -1.70200	35,000 ft 10,668 m	22	PAMPLONA
VASUM FIX	UN10 AWY-HI	42.27190 -2.01100	35,000 ft 10,668 m	30	-
BAN VOR	UN857 AWY-HI	41.32360 -2.62978	35,000 ft 10,668 m	63	BARAHONA
MITUM FIX	UN857 AWY-HI	40.64560 -3.24781	35,000 ft 10,668 m	49	-
BOSIO FIX	UN857 AWY-HI	40.34090 -3.52058	35,000 ft 10,668 m	22	-
GOTOR FIX	UN857 AWY-HI	40.11080 -3.72450	35,000 ft 10,668 m	16	-
KAMPO FIX	UN857 AWY-HI	39.73330 -4.05539	35,000 ft 10,668 m	27	-
MONTO FIX	UN857 AWY-HI	39.22180 -4.49683	35,000 ft 10,668 m	36	-
MOLIN FIX	UN857 AWY-HI	39.00000 -4.68575	35,000 ft 10,668 m	15	-
HIJ VOR	UN857 AWY-HI	38.50810 -5.09969	35,000 ft 10,668 m	35	HINOJOSA DEL DUQUE
OXACA FIX	UM30 AWY-HI	37.95000 -6.00000	24,000 ft 7,315 m	54	-
OSLEP FIX	UN858 AWY-HI	37.16540 -7.19183	8,200 ft 2,499 m	73	-
LPFR APT	-	37.01530 -7.97232	0 ft 0 m	38	Faro

## EHRD

Region: NETHERLANDS  
Timezone: EUROPE/AMSTERDAM  
Runways: 1

Elevation: -15 ft / -5 m  
Location: 51.957500 4.441690  
Magnetic Var: 1.950 E

## METAR

EHRD 060755Z AUTO 09007KT 040V130 9999 NSC 16/10 Q1007 NOSIG

## TAF

TAF EHRD 060500Z 0606/0712 09007KT 9999 FEW049 PROB30 TEMPO 0615/0703 6000 RA -SHRA FEW020 FEW030TCU OVC040 PROB30

## Frequencies

TWR - 118.20 MHz - ROTTERDAM TOWER  
REC - 110.40 MHz - ROTTERDAM ATIS  
GND - 122.17 MHz - ROTTERDAM GROUND

APP - 127.02 MHz - ROTTERDAM APPROACH  
CLD - 128.80 MHz - ROTTERDAM DELIVERY

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	7,198 ft	57.03	ASPHALT	643 ft	0 ft
	45 m	2,194 m	55.08		196 m	0 m
24	148 ft	7,198 ft	237.05	ASPHALT	646 ft	0 ft
	45 m	2,194 m	235.10		197 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ROS	110.90 MHz	18 nm	-	-	-15 ft
				33 km	-		-15 m
24	DME	RSV	110.90 MHz	18 nm	-	-	-15 ft
				33 km	-		-15 m
06	LOC-ILS	ROS	109.10 MHz	18 nm	56.94	-	-15 ft
				33 km	54.99		-15 m
24	LOC-ILS	RSV	110.90 MHz	18 nm	236.94	-	-15 ft
				33 km	234.99		-15 m

## LPFR

Region: PORTUGAL  
Timezone: EUROPE/LISBON  
Runways: 1

Elevation: 22 ft / 7 m  
Location: 37.015300 -7.972320  
Magnetic Var: 1.176 W

## METAR

LPFR 060800Z 30007KT 9999 FEW018 BKN030 17/13 Q1016

## TAF

TAF LPFR 060500Z 0606/0706 30005KT CAVOK TEMPO 0606/0612 9999 BKN020 BECMG 0610/0612 24017KT BECMG 0617/0619 3101

## Frequencies

REC - 124.20 MHz - ATIS  
TWR - 120.75 MHz -

GND - 118.57 MHz -  
APP - 119.40 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	8,179 ft	100.08	ASPHALT	148 ft	0 ft
	45 m	2,493 m	101.25		45 m	0 m
28	148 ft	8,179 ft	280.09	ASPHALT	144 ft	0 ft
	45 m	2,493 m	281.27		44 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	IIF	109.50 MHz	18 nm	-	-	24 ft
				33 km	-		24 m
28	LOC-ILS	IIF	109.50 MHz	18 nm	280.08	-	22 ft
				33 km	281.26		22 m
28	GS	IIF	109.50 MHz	10 nm	280.17	3.00	24 ft
				19 km	281.35		24 m