


2024/06/07 1015Z

SAEZ NEGIR A314 PAMUG ISOGU UM671 RONUT UM548 ANISE UW21 SAT UZ36 SVD UZ17 ARU W33 REC UB623
UTRAM UN857 LZR UN871 KORAL UG5 ESS UN871 OSDAM UB28 BARPA UM985 PIMOS UM445 SOPET B28 TORDU LEBL

5716.20 nm / 10586.40 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SAEZ	-	-34.82200	0 ft	-	Ministro Pistarini Intl
APT	-	-58.53260	0 m		
NEGIR	-	-33.68170	35,000 ft	104	-
FIX	-	-56.95060	10,668 m		
DUR	A314	-33.35630	35,000 ft	29	DURAZNO
VOR	AWY-LO	-56.49610	10,668 m		
MUMET	A314	-33.01060	35,000 ft	30	-
FIX	AWY-LO	-56.06470	10,668 m		
ISALA	A314	-31.67620	35,000 ft	114	-
FIX	AWY-LO	-54.44640	10,668 m		
BGE	A314	-31.39070	35,000 ft	24	BAGE
VOR	AWY-LO	-54.10970	10,668 m		
PAMUG	A314	-30.38640	35,000 ft	125	-
FIX	AWY-LO	-51.96710	10,668 m		
ISOGU	-	-30.12600	35,000 ft	16	-
FIX	-	-52.05720	10,668 m		
COVER	UM671	-29.55170	35,000 ft	44	-
FIX	AWY-HI	-51.51700	10,668 m		
CXS	UM671	-29.19810	35,000 ft	27	DO SUL
VOR	AWY-HI	-51.18860	10,668 m		
NADAR	UM671	-28.19950	35,000 ft	79	-
FIX	AWY-HI	-50.19350	10,668 m		
GLOVE	UM671	-26.75120	35,000 ft	114	-
FIX	AWY-HI	-48.79500	10,668 m		
OSAMU	UM671	-25.94680	35,000 ft	63	-
FIX	AWY-HI	-48.02130	10,668 m		
RONUT	UM671	-25.20950	35,000 ft	60	-
FIX	AWY-HI	-47.25100	10,668 m		
ANISE	UM548	-24.60220	35,000 ft	49	-
FIX	AWY-HI	-46.62530	10,668 m		
SAT	UW21	-23.98320	35,000 ft	42	SANTOS
NDB	AWY-HI	-46.26330	10,668 m		
SCP	UZ36	-23.23320	35,000 ft	50	SAO JOSE (SAO JOSE DOS CAMPOS)
VOR	AWY-HI	-45.86000	10,668 m		
DAGUB	UZ36	-22.97130	35,000 ft	19	-
FIX	AWY-HI	-45.63680	10,668 m		
MOLDU	UZ36	-22.29530	35,000 ft	50	-
FIX	AWY-HI	-45.10950	10,668 m		
PUPET	UZ36	-21.48820	35,000 ft	59	-
FIX	AWY-HI	-44.48320	10,668 m		
LOGIB	UZ36	-21.39130	35,000 ft	7	-
FIX	AWY-HI	-44.40870	10,668 m		
KOLTU	UZ36	-21.23720	35,000 ft	11	-
FIX	AWY-HI	-44.29070	10,668 m		
VUMDO	UZ36	-20.99800	35,000 ft	17	-
FIX	AWY-HI	-44.10820	10,668 m		
OPRIS	UZ36	-20.87980	35,000 ft	8	-
FIX	AWY-HI	-44.01830	10,668 m		
KODPA	UZ36	-20.62130	35,000 ft	19	-
FIX	AWY-HI	-43.81450	10,668 m		
TOGON	UZ36	-20.48030	35,000 ft	10	-
FIX	AWY-HI	-43.70700	10,668 m		
SIGAM	UZ36	-20.26270	35,000 ft	15	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-43.55650	10,668 m		
ISUTA	UZ36	-19.92130	35,000 ft	24	-
FIX	AWY-HI	-43.31330	10,668 m		
NIPDA	UZ36	-19.65630	35,000 ft	19	-
FIX	AWY-HI	-43.11700	10,668 m		
MOLTO	UZ36	-19.00530	35,000 ft	47	-
FIX	AWY-HI	-42.63180	10,668 m		
POSMU	UZ36	-18.75800	35,000 ft	18	-
FIX	AWY-HI	-42.44820	10,668 m		
FERMA	UZ36	-17.64670	35,000 ft	81	-
FIX	AWY-HI	-41.62780	10,668 m		
BUXER	UZ36	-17.15620	35,000 ft	33	-
FIX	AWY-HI	-41.34650	10,668 m		
MULSO	UZ36	-15.51750	35,000 ft	116	-
FIX	AWY-HI	-40.26020	10,668 m		
MARSU	UZ36	-14.53620	35,000 ft	69	-
FIX	AWY-HI	-39.61380	10,668 m		
MUMAS	UZ36	-14.45330	35,000 ft	6	-
FIX	AWY-HI	-39.55480	10,668 m		
PABOG	UZ36	-13.70100	35,000 ft	53	-
FIX	AWY-HI	-39.05650	10,668 m		
MAPVU	UZ36	-13.40570	35,000 ft	21	-
FIX	AWY-HI	-38.86280	10,668 m		
SVD	UZ36	-12.90640	35,000 ft	43	SALVADOR
VOR	AWY-HI	-38.32140	10,668 m		
CONDE	UZ17	-11.94150	35,000 ft	68	-
FIX	AWY-HI	-37.69200	10,668 m		
ARU	UZ17	-10.98190	35,000 ft	68	CAJU (ARACAJU)
VOR	AWY-HI	-37.07740	10,668 m		
DENDO	W33	-10.24680	35,000 ft	58	-
FIX	AWY-LO	-36.42950	10,668 m		
MCE	W33	-9.50989	35,000 ft	58	ZUMBI (MACEIO)
VOR	AWY-LO	-35.78690	10,668 m		
UKARI	W33	-8.83133	35,000 ft	47	-
FIX	AWY-LO	-35.36300	10,668 m		
REC	W33	-8.13658	35,000 ft	49	RECIFE
VOR	AWY-LO	-34.92730	10,668 m		
ESGUM	UB623	-6.62583	35,000 ft	105	-
FIX	AWY-HI	-34.03730	10,668 m		
UBRUT	UB623	-5.39850	35,000 ft	85	-
FIX	AWY-HI	-33.31900	10,668 m		
FNR	UB623	-3.85674	35,000 ft	106	NORONHA (FERNANDO DE NORONHA)
VOR	AWY-HI	-32.42990	10,668 m		
UTRAM	UB623	-3.27167	35,000 ft	39	-
FIX	AWY-HI	-32.12120	10,668 m		
NEURA	UN857	-0.93633	35,000 ft	157	-
FIX	AWY-HI	-30.91420	10,668 m		
PUGUN	UN857	0.22900	35,000 ft	78	-
FIX	AWY-HI	-30.31170	10,668 m		
NOISE	UN857	1.39450	35,000 ft	78	-
FIX	AWY-HI	-29.70920	10,668 m		
ERETU	UN857	3.12833	35,000 ft	117	-
FIX	AWY-HI	-28.80000	10,668 m		
MAROA	UN857	6.43556	35,000 ft	224	-
FIX	AWY-HI	-27.06220	10,668 m		
DELAX	UN857	8.33667	35,000 ft	129	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-26.05170	10,668 m		
BOTNO	UN857	13.50000	35,000 ft	351	-
FIX	AWY-HI	-23.24170	10,668 m		
ORABI	UN857	15.93830	35,000 ft	166	-
FIX	AWY-HI	-21.87000	10,668 m		
GUNET	UN857	19.59500	35,000 ft	251	-
FIX	AWY-HI	-19.73500	10,668 m		
ETIBA	UN857	21.33830	35,000 ft	120	-
FIX	AWY-HI	-18.67880	10,668 m		
BIPET	UN857	25.00000	35,000 ft	254	-
FIX	AWY-HI	-16.35880	10,668 m		
DEREV	UN857	26.72320	35,000 ft	120	-
FIX	AWY-HI	-15.21110	10,668 m		
LZR	UN857	29.16600	35,000 ft	172	LANZAROTE
VOR	AWY-HI	-13.51070	10,668 m		
KORAL	UN871	29.73140	35,000 ft	59	-
FIX	AWY-HI	-12.57830	10,668 m		
SONSO	UG5	30.01220	35,000 ft	29	-
FIX	AWY-HI	-12.10190	10,668 m		
ESS	UG5	31.40130	35,000 ft	150	ESSAOUIRA
VOR	AWY-HI	-9.68692	10,668 m		
NIRAL	UN871	33.19470	35,000 ft	126	-
FIX	AWY-HI	-8.36667	10,668 m		
OSDAM	UN871	35.34580	35,000 ft	153	-
FIX	AWY-HI	-6.70111	10,668 m		
ROMSO	UB28	35.44530	35,000 ft	11	-
FIX	AWY-HI	-6.49250	10,668 m		
TNG	UB28	35.72880	35,000 ft	33	TANGER
VOR	AWY-HI	-5.89078	10,668 m		
BARPA	UB28	35.83330	35,000 ft	12	-
FIX	AWY-HI	-5.66667	10,668 m		
XAVIR	UM985	36.00410	35,000 ft	23	-
FIX	AWY-HI	-5.24303	10,668 m		
PIMOS	UM985	36.15040	35,000 ft	19	-
FIX	AWY-HI	-4.89347	10,668 m		
RAKOR	UM445	36.72000	35,000 ft	50	-
FIX	AWY-HI	-4.13414	10,668 m		
RIXUR	UM445	37.10890	35,000 ft	33	-
FIX	AWY-HI	-3.63650	10,668 m		
PEPAS	UM445	37.15970	35,000 ft	4	-
FIX	AWY-HI	-3.57083	10,668 m		
ARPEX	UM445	37.57980	35,000 ft	36	-
FIX	AWY-HI	-3.02419	10,668 m		
KOSEL	UM445	37.75470	35,000 ft	15	-
FIX	AWY-HI	-2.79369	10,668 m		
BUDIT	UM445	37.97250	35,000 ft	18	-
FIX	AWY-HI	-2.50444	10,668 m		
ETURA	UM445	38.20810	35,000 ft	20	-
FIX	AWY-HI	-2.18861	10,668 m		
TOSTO	UM445	38.36430	35,000 ft	15	-
FIX	AWY-HI	-1.93614	10,668 m		
OLPOS	UM445	38.72690	35,000 ft	35	-
FIX	AWY-HI	-1.34222	10,668 m		
BEGOX	UM445	39.06920	35,000 ft	33	-
FIX	AWY-HI	-0.77194	10,668 m		
LASPO	UM445	39.28260	35,000 ft	16	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-0.54439	10,668 m		
SOPET	UM445	39.83380	27,700 ft	41	-
FIX	AWY-HI	-0.00469	8,443 m		
TORDU	B28	40.25790	19,700 ft	37	-
FIX	AWY-LO	0.58819	6,005 m		
LEBL	-	41.29510	0 ft	92	Barcelona - El Prat
APT	-	2.08803	0 m		

SAEZ

Region: ARGENTINA

Timezone: AMERICA/ARGENTINA/BUENOS_AIRES

Runways: 2

Elevation: 66 ft / 20 m

Location: -34.822000 -58.532600

Magnetic Var: 9.823 W

METAR

SAEZ 071000Z 12003KT 6000 BKN040 15/13 Q1018 NOSIG

TAF

TAF SAEZ 070500Z 0706/0806 VRB03KT 5000 BR BKN040 TX19/0718Z TN13/0709Z PROB30 TEMPO 0708/0712 0900 FG SCT010 BKN

Frequencies

REC - 127.80 MHz - ATIS

GND - 121.75 MHz - EZEIZA GROUND

APP - 119.90 MHz - EZEIZA APPROACH

CLD - 127.10 MHz - EZEIZA CLEARANCE

TWR - 118.60 MHz - EZEIZA TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	10,801 ft	102.32	ASPHALT	0 ft	85 ft
	60 m	3,292 m	112.14		0 m	26 m
29	197 ft	10,801 ft	282.30	ASPHALT	0 ft	102 ft
	60 m	3,292 m	292.12		0 m	31 m
17	148 ft	10,226 ft	164.07	ASPHALT	0 ft	105 ft
	45 m	3,117 m	173.90		0 m	32 m
35	148 ft	10,226 ft	344.07	ASPHALT	991 ft	92 ft
	45 m	3,117 m	353.89		302 m	28 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	PC	110.10 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
35	DME	EZ	108.70 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
11	LOC-ILS	PC	110.10 MHz	18 nm	102.31	-	66 ft
				33 km	112.13		66 m
35	LOC-ILS	EZ	108.70 MHz	18 nm	344.07	-	66 ft
				33 km	353.89		66 m
11	GS	PC	110.10 MHz	10 nm	102.31	3.00	66 ft
				19 km	112.13		66 m
35	GS	EZ	108.70 MHz	10 nm	344.07	3.00	66 ft
				19 km	353.89		66 m

LEBL

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 3

Elevation: 14 ft / 4 m
Location: 41.295100 2.088030
Magnetic Var: 1.550 E

METAR

LEBL 071000Z 13008KT 100V160 CAVOK 25/18 Q1018 NOSIG

TAF

TAF LEBL 070500Z 0706/0806 33005KT CAVOK TX27/0712Z TN19/0706Z BECMG 0707/0709 10008KT BECMG 0715/0717 04010KT

Frequencies

REC - 121.97 MHz - ATIS	REC - 118.65 MHz - ATIS
TWR - 118.32 MHz - BARCELONA TOWER	TWR - 118.10 MHz - BARCELONA TOWER
TWR - 122.82 MHz - BARCELONA TOWER	TWR - 122.10 MHz - BARCELONA TOWER
GND - 122.22 MHz - BARCELONA GROUND	GND - 121.70 MHz - BARCELONA GROUND
GND - 121.65 MHz - BARCELONA GROUND	CLD - 121.80 MHz - CLEARANCE DELIVERY
APP - 121.15 MHz - BARCELONA APPROACH	APP - 119.10 MHz - BARCELONA APPROACH
APP - 135.27 MHz - BARCELONA APPROACH	APP - 133.97 MHz - BARCELONA APPROACH
APP - 131.12 MHz - BARCELONA APPROACH	APP - 127.70 MHz - BARCELONA APPROACH
APP - 126.50 MHz - BARCELONA APPROACH	APP - 124.70 MHz - BARCELONA APPROACH
APP - 125.25 MHz - BARCELONA APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	8,307 ft	18.91	ASPHALT	0 ft	0 ft
	45 m	2,532 m	17.36		0 m	0 m
20	148 ft	8,307 ft	198.92	ASPHALT	0 ft	226 ft
	45 m	2,532 m	197.37		0 m	69 m
07R	197 ft	8,722 ft	65.48	ASPHALT	0 ft	0 ft
	60 m	2,658 m	63.93		0 m	0 m
25L	197 ft	8,722 ft	245.50	ASPHALT	0 ft	0 ft
	60 m	2,658 m	243.95		0 m	0 m
07L	197 ft	10,984 ft	65.48	ASPHALT	1,401 ft	0 ft
	60 m	3,348 m	63.93		427 m	0 m
25R	197 ft	10,984 ft	245.50	ASPHALT	0 ft	0 ft
	60 m	3,348 m	243.96		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	DME	BLT	108.75 MHz	25 nm	-	-	12 ft
				46 km	-		12 m
07L	DME	QAA	110.30 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
07R	DME	BLE	110.75 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
25L	DME	BLW	111.50 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
25R	DME	BCA	109.50 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
02	LOC-ILS	BLT	108.75 MHz	18 nm	18.92	-	14 ft
				33 km	17.37		14 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	QAA	110.30 MHz	18 nm	65.50	-	14 ft
				33 km	63.95		14 m
07R	LOC-ILS	BLE	110.75 MHz	18 nm	65.50	-	14 ft
				33 km	63.95		14 m
25L	LOC-ILS	BLW	111.50 MHz	18 nm	245.50	-	14 ft
				33 km	243.95		14 m
25R	LOC-ILS	BCA	109.50 MHz	18 nm	245.50	-	14 ft
				33 km	243.95		14 m
02	GS	BLT	108.75 MHz	10 nm	18.92	3.00	14 ft
				19 km	17.37		14 m
07L	GS	QAA	110.30 MHz	10 nm	65.50	3.00	14 ft
				19 km	63.95		14 m
07R	GS	BLE	110.75 MHz	10 nm	65.50	3.00	14 ft
				19 km	63.95		14 m
25L	GS	BLW	111.50 MHz	10 nm	245.50	3.00	14 ft
				19 km	243.95		14 m
25R	GS	BCA	109.50 MHz	10 nm	245.50	3.00	14 ft
				19 km	243.95		14 m