

SACO

AMBROSIO L V TARAVELLA


KAUS

Austin Bergstrom Intl

2024/05/08 0139Z

SACO SIBOL LOA **UL550** LIM TAL ATENO LIXAS BZE **B753** MID DUTNA SBI **V194** HUB KAUS

4276.00 nm / 7919.16 km



Notes

Requested: SACO SIBOL UM543 LOA UL550 LIM UM674 ATATU UV1 TAL UM542 ATENO UL203 LIXAS UZ512 BZE B753 DUSLO UB753 MI
Unmatched points: UM543 UM674 ATATU UV1 UM542 UL203 UZ512 UL208 L208

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SACO	-	-31.31350	0 ft	-	AMBROSIO L V TARAVELLA
APT	-	-64.20412	0 m		
SIBOL	-	-30.49194	0 ft	55	-
FIX	-	-64.67833	0 m		
LOA	-	-22.50028	0 ft	530	CALAMA VOR-DME
VOR	-	-68.87694	0 m		
SAREG	UL550	-21.28833	0 ft	105	-
FIX	AWY-HI	-70.25250	0 m		
GELIS	UL550	-18.35000	0 ft	252	-
FIX	AWY-HI	-73.45000	0 m		
ILMAR	UL550	-14.27472	0 ft	301	-
FIX	AWY-HI	-76.51333	0 m		
ARPON	UL550	-12.89917	0 ft	85	-
FIX	AWY-HI	-76.88472	0 m		
LIM	UL550	-12.00861	0 ft	55	LIMA VOR-DME
VOR	AWY-HI	-77.12278	0 m		
TAL	-	-4.58056	0 ft	509	TALARA VOR
VOR	-	-81.25250	0 m		
ATENO	-	-2.05028	0 ft	156	-
FIX	-	-81.86944	0 m		
LIXAS	-	1.41667	0 ft	217	-
FIX	-	-82.93667	0 m		
BZE	-	17.53389	0 ft	1018	BELIZE NDB
NDB	-	-88.31056	0 m		
PIKRO	B753	17.93000	0 ft	25	-
FIX	AWY-LO	-88.46667	0 m		
BZE46	B753	18.25442	0 ft	20	-
FIX	AWY-LO	-88.59677	0 m		
PENSO	B753	18.39889	0 ft	9	-
FIX	AWY-LO	-88.64889	0 m		
DUSLO	B753	20.46659	0 ft	132	-
FIX	AWY-LO	-89.46654	0 m		
MID	B753	20.93806	0 ft	30	MERIDA VOR-DME
VOR	AWY-LO	-89.65622	0 m		
DUTNA	-	24.50000	0 ft	233	-
FIX	-	-91.33472	0 m		
SBI	-	29.68672	0 ft	343	SABINE PASS VOR-DME
VOR	-	-94.03797	0 m		
DIRKR	V194	29.67932	0 ft	14	-
FIX	AWY-LO	-94.32486	0 m		
STROS	V194	29.67118	0 ft	15	-
FIX	AWY-LO	-94.61600	0 m		
HUB	V194	29.65561	0 ft	34	HOBBY VOR-DME
VOR	AWY-LO	-95.27661	0 m		
KAUS	-	30.19412	0 ft	128	Austin Bergstrom Intl
APT	-	-97.66824	0 m		

SACO

Region: ARGENTINA
Timezone: AMERICA/ARGENTINA/CORDOBA
Runways: 2

Elevation: 1,604 ft / 489 m
Location: -31.313500 -64.204400
Magnetic Var: 6.740 W

METAR

SACO 080100Z VRB01KT 7000 OVC023 16/15 Q1004 NOSIG

TAF

TAF TAF SACO 072300Z 0800/0824 VRB03KT 2000 DZ OVC010 TX16/0818Z TN08/0811Z TEMPO 0802/0805 0700 FG OVC003 BECMG 0

Frequencies

REC - 127.50 MHz - ATIS

GND - 121.75 MHz - CORDOBA GROUND

TWR - 118.30 MHz - CORDOBA TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	148 ft	10,535 ft	359.20	CONCRETE	0 ft	430 ft
	45 m	3,211 m	5.94		0 m	131 m
19	148 ft	10,535 ft	179.20	CONCRETE	0 ft	0 ft
	45 m	3,211 m	185.94		0 m	0 m
05	148 ft	8,085 ft	44.00	ASPHALT	860 ft	190 ft
	45 m	2,464 m	50.74		262 m	58 m
23	148 ft	8,085 ft	223.99	ASPHALT	0 ft	0 ft
	45 m	2,464 m	230.73		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19	LOC-ILS	CB	110.30 MHz	18 nm	179.20	-	1,604 ft
				33 km	185.94		1,604 m
19	GS	CB	110.30 MHz	10 nm	179.20	3.00	1,604 ft
				19 km	185.94		1,604 m

KAUS

Region: UNITED STATES

Timezone: AMERICA/CHICAGO

Runways: 2

Elevation: 542 ft / 165 m

Location: 30.194100 -97.668300

Magnetic Var: 3.089 E

METAR

KAUS 080053Z 16006KT 10SM BKN043 BKN220 29/23 A2962 RMK A02 SLP019 T02940233 \$

TAF

KAUS 072325Z 0800/0906 16009KT P6SM SCT050 FM080500 18008KT P6SM OVC015 TEMPO 0811/0814 6SM BR OVC008 FM081800 19008KT

Frequencies

REC - 124.40 MHz - AUSTIN ATIS

GND - 121.90 MHz - AUSTIN GROUND

APP - 119.00 MHz - AUSTIN APPROACH EAST

APP - 127.22 MHz - AUSTIN APPROACH SOUTH

DEP - 119.00 MHz - AUSTIN DEPARTURE WEST

CLD - 125.50 MHz - AUSTIN CLEARANCE DELIVERY

TWR - 121.00 MHz - AUSTIN TOWER

APP - 120.87 MHz - AUSTIN APPROACH WEST

DEP - 127.22 MHz - AUSTIN DEPARTURE EAST

DEP - 120.87 MHz - AUSTIN DEPARTURE SOUTH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17L	150 ft	9,026 ft	178.72	CONCRETE	0 ft	400 ft
	46 m	2,751 m	175.63		0 m	122 m
35R	150 ft	9,026 ft	358.72	CONCRETE	0 ft	404 ft
	46 m	2,751 m	355.63		0 m	123 m
17R	148 ft	12,288 ft	178.69	CONCRETE	0 ft	1,004 ft
	45 m	3,745 m	175.60		0 m	306 m
35L	148 ft	12,288 ft	358.69	CONCRETE	0 ft	1,004 ft
	45 m	3,745 m	355.60		0 m	306 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	IVNK	110.50 MHz	18 nm	-	-	476 ft
				33 km	-		476 m
35R	DME	IHCE	110.50 MHz	18 nm	-	-	476 ft
				33 km	-		476 m
17L	LOC-ILS	IVNK	110.50 MHz	18 nm	178.72	-	542 ft
				33 km	175.63		542 m
17R	LOC-ILS	IGFQ	110.95 MHz	18 nm	178.69	-	542 ft
				33 km	175.60		542 m
35L	LOC-ILS	IBSM	110.95 MHz	18 nm	358.69	-	542 ft
				33 km	355.60		542 m
35R	LOC-ILS	IHCE	110.50 MHz	18 nm	358.72	-	542 ft
				33 km	355.63		542 m
17L	GS	IVNK	110.50 MHz	10 nm	178.72	3.00	542 ft
				19 km	175.63		542 m
17R	GS	IGFQ	110.95 MHz	10 nm	178.69	3.00	542 ft
				19 km	175.60		542 m
35L	GS	IBSM	110.95 MHz	10 nm	358.69	3.00	542 ft
				19 km	355.60		542 m
35R	GS	IHCE	110.50 MHz	10 nm	358.72	3.00	542 ft
				19 km	355.63		542 m