

# LGSK

Skiathos Alexandros Papadiamantis Int'l


# EDDF

Frankfurt

2024/05/16 0215Z

LGSK KOZ **W58** KAS **UM603** PINDO **UN79** RODON **UL611** UVODI **UL862** SPL **UL607** ZDA **UN606** BABAG **N606** BADOP  
**P66** SOTOV **UP66** NESES **P66** DITBA EDDF

939.27 nm / 1739.52 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

## Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
LGSK	-	39.17690	0 ft	-		Skiathos Alexandros Papadiamantis Int'l
APT	-	23.50370	0 m			
KOZ	-	40.28510	35,000 ft	101		KOZANI
VOR	-	21.84040	10,668 m			
GOVOK	W58	40.36330	35,000 ft	12	-	
FIX	AWY-LO	21.57580	10,668 m			
KAS	W58	40.45100	35,000 ft	14		KASTORIA
VOR	AWY-LO	21.27530	10,668 m			
PINDO	UM603	40.48080	35,000 ft	14	-	
FIX	AWY-HI	20.95580	10,668 m			
RODON	UN79	41.45830	35,000 ft	102	-	
FIX	AWY-HI	19.10000	10,668 m			
KOFER	UL611	41.92720	35,000 ft	34	-	
FIX	AWY-HI	18.66360	10,668 m			
VAKSU	UL611	42.01420	35,000 ft	8	-	
FIX	AWY-HI	18.52690	10,668 m			
AMUGO	UL611	42.54420	35,000 ft	52	-	
FIX	AWY-HI	17.58390	10,668 m			
UVODI	UL611	43.11080	35,000 ft	57	-	
FIX	AWY-HI	16.54190	10,668 m			
SPL	UL862	43.49660	35,000 ft	25		SPLIT
VOR	AWY-HI	16.30470	10,668 m			
ZDA	UL607	44.09530	35,000 ft	54		ZADAR
VOR	AWY-HI	15.36420	10,668 m			
PUL	UN606	44.89240	35,000 ft	78		PULA
VOR	AWY-HI	13.91810	10,668 m			
NAKIT	UN606	45.18810	35,000 ft	26	-	
FIX	AWY-HI	13.44780	10,668 m			
PEVAL	UN606	45.31140	35,000 ft	11	-	
FIX	AWY-HI	13.24750	10,668 m			
BABAG	UN606	45.38690	35,000 ft	6	-	
FIX	AWY-HI	13.12690	10,668 m			
BADOP	N606	45.46220	35,000 ft	6	-	
FIX	AWY-HI	13.00420	10,668 m			
MOBDO	P66	46.42440	35,000 ft	76	-	
FIX	AWY-HI	11.81170	10,668 m			
EKPEB	P66	46.69030	35,000 ft	21	-	
FIX	AWY-HI	11.47190	10,668 m			
ATRIG	P66	46.88530	35,000 ft	14	-	
FIX	AWY-HI	11.26560	10,668 m			
SOTOV	P66	46.94390	35,000 ft	4	-	
FIX	AWY-LO	11.21040	10,668 m			
NIGEB	UP66	47.08910	35,000 ft	10	-	
FIX	AWY-HI	11.07690	10,668 m			
MOGTI	UP66	47.38900	35,000 ft	23	-	
FIX	AWY-HI	10.71680	10,668 m			
NESES	UP66	47.54810	35,000 ft	11	-	
FIX	AWY-HI	10.55470	10,668 m			
KPT	P66	47.74580	33,200 ft	14		KEMPTEN
VOR	AWY-HI	10.34980	10,119 m			
LUPOL	P66	48.21800	26,000 ft	33	-	
FIX	AWY-LO	9.91087	7,925 m			
DITBA	P66	48.51940	21,500 ft	20	-	

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
FIX	AWY-LO	9.64556	6,553 m			
EDDF	-	50.03260	0 ft	100		Frankfurt
APT	-	8.54067	0 m			

## EDDF

Region: GERMANY - CIVIL  
Timezone: EUROPE/BERLIN  
Runways: 4

Elevation: 362 ft / 110 m  
Location: 50.032600 8.540670  
Magnetic Var: 3.175 E

## METAR

EDDF 160150Z AUTO 27003KT 230V290 9999 -RA FEW007 14/14 Q1005 TEMPO BKN007

## TAF

TAF EDDF 152300Z 1600/1706 17005KT 9999 SCT045 PROB30 TEMPO 1600/1602 SHRA BKN040CB TEMPO 1602/1609 4000 -DZ BR BK

## Frequencies

REC - 118.02 MHz - ATIS ARRIVAL  
GND - 121.80 MHz - GROUND  
GND - 121.70 MHz - APRON RAMP/TAXI  
GND - 121.85 MHz - APRON RAMP/TAXI  
TWR - 118.77 MHz - TOWER  
TWR - 124.85 MHz - TOWER  
TWR - 136.50 MHz - TOWER  
APP - 127.27 MHz - FRANKFURT DIRECT  
APP - 125.35 MHz - LANGEN RADAR  
APP - 120.80 MHz - LANGEN RADAR  
APP - 136.12 MHz - LANGEN RADAR

REC - 118.72 MHz - ATIS DEPARTURE  
GND - 121.65 MHz - APRON RAMP/TAXI  
GND - 121.95 MHz - APRON RAMP/TAXI  
GND - 121.75 MHz - APRON RAMP/TAXI  
TWR - 119.90 MHz - TOWER  
TWR - 127.32 MHz - TOWER  
CLD - 121.90 MHz - CLEARANCE DELIVERY  
APP - 118.50 MHz - FRANKFURT DIRECT  
APP - 126.55 MHz - LANGEN RADAR  
APP - 120.15 MHz - LANGEN RADAR  
APP - 119.02 MHz - LANGEN RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	148 ft	9,194 ft	69.56	CONCRETE	0 ft	0 ft
	45 m	2,802 m	66.39		0 m	0 m
25R	148 ft	9,194 ft	249.59	CONCRETE	0 ft	0 ft
	45 m	2,802 m	246.42		0 m	0 m
07C	197 ft	13,134 ft	69.57	ASPHALT	0 ft	203 ft
	60 m	4,003 m	66.39		0 m	62 m
25C	197 ft	13,134 ft	249.61	ASPHALT	0 ft	935 ft
	60 m	4,003 m	246.43		0 m	285 m
07R	148 ft	13,134 ft	69.59	ASPHALT	0 ft	213 ft
	45 m	4,003 m	66.41		0 m	65 m
25L	148 ft	13,134 ft	249.63	ASPHALT	0 ft	1,775 ft
	45 m	4,003 m	246.45		0 m	541 m
18	148 ft	13,083 ft	179.64	ASPHALT	0 ft	0 ft
	45 m	3,988 m	176.46		0 m	0 m
36	148 ft	13,083 ft	359.64	ASPHALT	0 ft	121 ft
	45 m	3,988 m	356.46		0 m	37 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IFNE	111.75 MHz	18 nm	-	-	357 ft
				33 km	-		357 m
25C	DME	IFCW	111.55 MHz	18 nm	-	-	364 ft
				33 km	-		364 m
25R	DME	IFNW	111.35 MHz	18 nm	-	-	357 ft
				33 km	-		357 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07C	LOC-ILS	IFCE	110.55 MHz	18 nm	69.59	-	362 ft
				33 km	66.41		362 m
07L	LOC-ILS	IFNE	111.75 MHz	18 nm	69.58	-	362 ft
				33 km	66.40		362 m
07R	LOC-ILS	IFSE	110.95 MHz	18 nm	69.61	-	362 ft
				33 km	66.43		362 m
25C	LOC-ILS	IFCW	111.55 MHz	18 nm	249.59	-	362 ft
				33 km	246.41		362 m
25L	LOC-ILS	IFSW	111.15 MHz	18 nm	249.61	-	362 ft
				33 km	246.43		362 m
25R	LOC-ILS	IFNW	111.35 MHz	18 nm	249.58	-	362 ft
				33 km	246.40		362 m
07C	GS	IFCE	110.55 MHz	10 nm	69.59	3.00	362 ft
				19 km	66.41		362 m
07L	GS	IFNE	111.75 MHz	10 nm	69.58	3.00	362 ft
				19 km	66.40		362 m
07R	GS	IFSE	110.95 MHz	10 nm	69.61	3.00	362 ft
				19 km	66.43		362 m
25C	GS	IFCW	111.55 MHz	10 nm	249.59	3.00	362 ft
				19 km	246.41		362 m
25L	GS	IFSW	111.15 MHz	10 nm	249.61	3.00	362 ft
				19 km	246.43		362 m
25R	GS	IFNW	111.35 MHz	10 nm	249.58	3.00	362 ft
				19 km	246.40		362 m