

KEWR

Newark Liberty Intl


KIAH

Houston George Bush Int

2024/05/12 0508Z

KEWR PENSY **J48** MOL **J22** VUZ BESOM **Q38** ROKIT KIAH

1233.47 nm / 2284.39 km



Notes

Basic altitude profile:

- Ascent Rate: 1800ft/min
- Ascent Speed: 320kts
- Cruise Altitude: 32000ft
- Cruise Speed: 480kts
- Descent Rate: 1800ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KEWR APT	-	40.69363 -74.16856	0 ft 0 m	-	Newark Liberty Intl
PENSY FIX	-	39.90721 -76.18254	34,000 ft 10,363 m	103	-
EMI VOR	J48 AWY-HI	39.49500 -76.97858	34,000 ft 10,363 m	44	WESTMINSTER VORTAC
CSN VOR	J48 AWY-HI	38.64119 -77.86550	34,000 ft 10,363 m	65	CASANOVA VORTAC
MOL VOR	J48 AWY-HI	37.90053 -79.10689	34,000 ft 10,363 m	73	MONTEBELLO VOR-DME
PSK VOR	J22 AWY-HI	37.08769 -80.71289	34,000 ft 10,363 m	90	PULASKI VORTAC
VXV VOR	J22 AWY-HI	35.90483 -83.89472	34,000 ft 10,363 m	169	VOLUNTEER VORTAC
CALCO FIX	J22 AWY-HI	34.34525 -86.01937	34,000 ft 10,363 m	140	-
VUZ VOR	J22 AWY-HI	33.67014 -86.89983	34,000 ft 10,363 m	59	VULCAN VORTAC
BESOM FIX	-	33.58631 -87.65653	34,000 ft 10,363 m	38	-
LAREY FIX	Q38 AWY-HI	32.00333 -91.37278	34,000 ft 10,363 m	210	-
INCIN FIX	Q38 AWY-HI	31.35250 -92.75500	32,600 ft 9,936 m	80	-
ROKIT FIX	Q38 AWY-HI	30.49724 -94.51376	18,000 ft 5,486 m	104	-
KIAH APT	-	29.98544 -95.34119	0 ft 0 m	52	Houston George Bush Int

KEWR

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 3

Elevation: 17 ft / 5 m
Location: 40.693600 -74.168600
Magnetic Var: 12.651 W

METAR

KEWR 120351Z 18007KT 10SM FEW026 BKN050 OVC110 11/05 A2988 RMK A02 SLP117 T01110050

TAF

KEWR 120237Z 1203/1306 17008KT P6SM SCT040 BKN120 FM120600 16005KT P6SM BKN050 PROB30 1206/1210 -SHRA FM121000 13

Frequencies

REC - 115.70 MHz - D-ATIS	REC - 134.82 MHz - D-ATIS
COM - 122.95 MHz - UNICOM	CLD - 118.85 MHz - CLEARANCE DELIVERY
GND - 121.80 MHz - NEWARK GROUND	GND - 126.15 MHz - NEWARK GROUND
GND - 132.45 MHz - RAMP CONTROL	TWR - 118.30 MHz - NEWARK TOWER
TWR - 134.05 MHz - NEWARK TOWER	APP - 127.60 MHz - NEW YORK APPROACH
APP - 128.55 MHz - NEW YORK APPROACH	APP - 132.70 MHz - NEW YORK APPROACH
APP - 132.80 MHz - NEW YORK APPROACH	DEP - 119.20 MHz - NEW YORK DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04L	150 ft	11,011 ft	25.75	ASPHALT	2,539 ft	610 ft
	46 m	3,356 m	38.40		774 m	186 m
22R	150 ft	11,011 ft	205.76	ASPHALT	1,440 ft	0 ft
	46 m	3,356 m	218.41		439 m	0 m
04R	150 ft	10,009 ft	25.74	ASPHALT	1,191 ft	299 ft
	46 m	3,051 m	38.39		363 m	91 m
22L	150 ft	10,009 ft	205.75	ASPHALT	1,791 ft	0 ft
	46 m	3,051 m	218.40		546 m	0 m
11	150 ft	6,732 ft	95.00	ASPHALT	0 ft	505 ft
	46 m	2,052 m	107.65		0 m	154 m
29	150 ft	6,732 ft	275.02	ASPHALT	223 ft	0 ft
	46 m	2,052 m	287.67		68 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IEWR	110.75 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
04R	DME	IEZA	108.70 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
22L	DME	ILSQ	108.70 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
22R	DME	IJNN	110.75 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
04L	LOC-ILS	IEWR	110.75 MHz	18 nm	25.76	-	17 ft
				33 km	38.41		17 m
04R	LOC-ILS	IEZA	108.70 MHz	18 nm	25.75	-	17 ft
				33 km	38.40		17 m
11	LOC-ILS	IGPR	109.15 MHz	18 nm	95.01	-	17 ft
				33 km	107.66		17 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22L	LOC-ILS	ILSQ	108.70 MHz	18 nm	205.75	-	17 ft
				33 km	218.40		17 m
22R	LOC-ILS	IJNN	110.75 MHz	18 nm	205.76	-	17 ft
				33 km	218.41		17 m
04L	GS	IEWR	110.75 MHz	10 nm	25.76	3.00	17 ft
				19 km	38.41		17 m
04R	GS	IEZA	108.70 MHz	10 nm	25.75	3.00	17 ft
				19 km	38.40		17 m
11	GS	IGPR	109.15 MHz	10 nm	95.01	3.00	17 ft
				19 km	107.66		17 m
22L	GS	ILSQ	108.70 MHz	10 nm	205.75	3.00	17 ft
				19 km	218.40		17 m
22R	GS	IJNN	110.75 MHz	10 nm	205.76	3.00	17 ft
				19 km	218.41		17 m

KIAH

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 5

Elevation: 98 ft / 30 m
Location: 29.985400 -95.341200
Magnetic Var: 1.729 E

METAR

KIAH 120353Z 05010KT 10SM OVC039 22/18 A2991 RMK AO2 SLP128 T02220178

TAF

KIAH 120235Z 1203/1306 08008KT P6SM VCSH OVC050 FM120600 10006KT P6SM VCSH SCT015 OVC025 FM121200 10008KT P6SM VC

Frequencies

REC - 124.05 MHz - D-ATIS	REC - 122.95 MHz - UNICOM
CLD - 128.10 MHz - CLEARANCE DELIVERY	GND - 119.95 MHz - HOUSTON GROUND
GND - 121.70 MHz - HOUSTON GROUND	GND - 118.57 MHz - HOUSTON GROUND
TWR - 120.72 MHz - HOUSTON TOWER	TWR - 125.35 MHz - HOUSTON TOWER
TWR - 135.15 MHz - HOUSTON TOWER	TWR - 127.30 MHz - HOUSTON TOWER
APP - 120.05 MHz - HOUSTON APPROACH	APP - 124.35 MHz - HOUSTON APPROACH
DEP - 126.67 MHz - HOUSTON DEPARTURE	DEP - 132.25 MHz - HOUSTON DEPARTURE
DEP - 133.60 MHz - HOUSTON DEPARTURE	DEP - 127.12 MHz - HOUSTON DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15R	151 ft	10,010 ft	152.07	CONCRETE	0 ft	407 ft
	46 m	3,051 m	150.34		0 m	124 m
33L	151 ft	10,010 ft	332.08	CONCRETE	0 ft	407 ft
	46 m	3,051 m	330.35		0 m	124 m
15L	151 ft	12,013 ft	152.08	CONCRETE	0 ft	413 ft
	46 m	3,662 m	150.35		0 m	126 m
33R	151 ft	12,013 ft	332.09	CONCRETE	0 ft	413 ft
	46 m	3,662 m	330.36		0 m	126 m
08L	151 ft	9,008 ft	89.94	CONCRETE	0 ft	387 ft
	46 m	2,746 m	88.22		0 m	118 m
26R	151 ft	9,008 ft	269.96	CONCRETE	0 ft	387 ft
	46 m	2,746 m	268.23		0 m	118 m
08R	151 ft	9,412 ft	89.96	CONCRETE	0 ft	384 ft
	46 m	2,869 m	88.23		0 m	117 m
26L	151 ft	9,412 ft	269.97	CONCRETE	0 ft	384 ft
	46 m	2,869 m	268.24		0 m	117 m
09	151 ft	10,009 ft	89.95	CONCRETE	0 ft	387 ft
	46 m	3,051 m	88.22		0 m	118 m
27	151 ft	10,009 ft	269.97	CONCRETE	0 ft	387 ft
	46 m	3,051 m	268.24		0 m	118 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	IBZU	111.55 MHz	18 nm	-	-	90 ft
				33 km	-		90 m
08R	DME	IIAH	109.70 MHz	18 nm	-	-	109 ft
				33 km	-		109 m
09	DME	IUYO	110.90 MHz	18 nm	-	-	100 ft
				33 km	-		100 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	IJYV	109.70 MHz	18 nm 33 km	- -	-	109 ft 109 m
26R	DME	IOND	111.55 MHz	18 nm 33 km	- -	-	84 ft 84 m
27	DME	IGHI	110.90 MHz	18 nm 33 km	- -	-	100 ft 100 m
08L	LOC-ILS	IBZU	111.55 MHz	18 nm 33 km	89.95 88.22	-	98 ft 98 m
08R	LOC-ILS	IIAH	109.70 MHz	18 nm 33 km	89.96 88.23	-	98 ft 98 m
09	LOC-ILS	IUYO	110.90 MHz	18 nm 33 km	89.96 88.23	-	98 ft 98 m
15R	LOC-ILS	ILKM	111.15 MHz	18 nm 33 km	152.08 150.35	-	98 ft 98 m
26L	LOC-ILS	IJYV	109.70 MHz	18 nm 33 km	269.96 268.23	-	98 ft 98 m
26R	LOC-ILS	IOND	111.55 MHz	18 nm 33 km	269.95 268.22	-	98 ft 98 m
27	LOC-ILS	IGHI	110.90 MHz	18 nm 33 km	269.96 268.23	-	98 ft 98 m
33R	LOC-ILS	ICDG	111.90 MHz	18 nm 33 km	332.09 330.36	-	98 ft 98 m
08L	GS	IBZU	111.55 MHz	10 nm 19 km	89.95 88.22	3.00	98 ft 98 m
08R	GS	IIAH	109.70 MHz	10 nm 19 km	89.96 88.23	3.00	98 ft 98 m
09	GS	IUYO	110.90 MHz	10 nm 19 km	89.96 88.23	3.00	98 ft 98 m
15R	GS	ILKM	111.15 MHz	10 nm 19 km	152.08 150.35	3.00	98 ft 98 m
26L	GS	IJYV	109.70 MHz	10 nm 19 km	269.96 268.23	3.00	98 ft 98 m
26R	GS	IOND	111.55 MHz	10 nm 19 km	269.95 268.22	3.00	98 ft 98 m
27	GS	IGHI	110.90 MHz	10 nm 19 km	269.96 268.23	3.00	98 ft 98 m
33R	GS	ICDG	111.90 MHz	10 nm 19 km	332.09 330.36	3.00	98 ft 98 m