

EDDK

Koeln-Bonn Airport Konrad Adenauer


LKPR

Václav Havel Airport Prague

2024/06/16 0904Z

EDDK ETOLU **Z719** OSBIT **UL984** KULOK LKPR

284.39 nm / 526.69 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 29000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
EDDK	-	50.86580	0 ft	-	Koeln-Bonn Airport Konrad Adenauer	
APT	-	7.13891	0 m			
ETOLU	-	50.18110	29,000 ft	91	-	
FIX	-	9.28861	8,839 m			
OSBIT	Z719	50.07010	29,000 ft	20	-	
FIX	AWY-LO	9.78307	8,839 m			
RASPU	UL984	50.07280	29,000 ft	12	-	
FIX	AWY-HI	10.09860	8,839 m			
KOMIB	UL984	50.07340	29,000 ft	5	-	
FIX	AWY-HI	10.24270	8,839 m			
SULUS	UL984	50.07520	29,000 ft	18	-	
FIX	AWY-HI	10.72880	8,839 m			
LONLI	UL984	50.07470	25,000 ft	19	-	
FIX	AWY-HI	11.22640	7,620 m			
KULOK	UL984	50.07280	21,600 ft	15	-	
FIX	AWY-HI	11.63050	6,584 m			
LKPR	-	50.10410	0 ft	101	Václav Havel Airport Prague	
APT	-	14.25670	0 m			

EDDK

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 3

Elevation: 296 ft / 90 m
Location: 50.865800 7.138910
Magnetic Var: 2.801 E

METAR

EDDK 160820Z AUTO 20013KT 170V230 9999 SCT039 18/10 Q1008 NOSIG

TAF

TAF EDDK 160500Z 1606/1712 19010KT 9999 SCT040 TEMPO 1610/1615 20015G25KT SHRA BKN030TCU PROB30 TEMPO 1615/1620 S

Frequencies

REC - 112.15 MHz - ATIS	CLD - 121.85 MHz - KOELN BONN DELIVERY
GND - 121.72 MHz - KOELN BONN GROUND	GND - 121.95 MHz - KOELN BONN APRON
TWR - 124.97 MHz - KOELN BONN TOWER	TWR - 136.25 MHz - KOELN BONN MILITARY
APP - 118.75 MHz - LANGEN RADAR	APP - 135.35 MHz - LANGEN RADAR
APP - 121.05 MHz - KOELN BONN DIRECTOR	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14L	197 ft	12,495 ft	137.55	ASPHALT	0 ft	0 ft
	60 m	3,808 m	134.75		0 m	0 m
32R	197 ft	12,495 ft	317.58	ASPHALT	0 ft	0 ft
	60 m	3,808 m	314.78		0 m	0 m
06	148 ft	8,045 ft	64.33	ASPHALT	0 ft	0 ft
	45 m	2,452 m	61.53		0 m	0 m
24	148 ft	8,045 ft	244.36	ASPHALT	0 ft	0 ft
	45 m	2,452 m	241.56		0 m	0 m
14R	148 ft	6,104 ft	137.56	ASPHALT	0 ft	0 ft
	45 m	1,860 m	134.76		0 m	0 m
32L	148 ft	6,104 ft	317.58	ASPHALT	0 ft	0 ft
	45 m	1,860 m	314.78		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14L	LOC-ILS	IKES	110.90 MHz	18 nm	137.57	-	296 ft
				33 km	134.77		296 m
24	LOC-ILS	IKOW	109.10 MHz	18 nm	244.35	-	296 ft
				33 km	241.55		296 m
32R	LOC-ILS	IKEN	111.10 MHz	18 nm	317.57	-	296 ft
				33 km	314.77		296 m
14L	GS	IKES	110.90 MHz	10 nm	137.57	3.00	296 ft
				19 km	134.77		296 m
24	GS	IKOW	109.10 MHz	10 nm	244.35	3.00	296 ft
				19 km	241.55		296 m
32R	GS	IKEN	111.10 MHz	10 nm	317.57	3.00	296 ft
				19 km	314.77		296 m

LKPR

Region: CZECH REPUBLIC
Timezone: EUROPE/PRAGUE
Runways: 2

Elevation: 1,247 ft / 380 m
Location: 50.104100 14.256700
Magnetic Var: 4.677 E

METAR

LKPR 160830Z 22005KT 140V280 9999 FEW032 19/11 Q1012 NOSIG

TAF

TAF LKPR 160800Z 1609/1715 24006KT CAVOK TEMPO 1710/1715 9999 SCT035TCU

Frequencies

REC - 122.15 MHz - ATIS	TWR - 118.10 MHz - RUZYNE TOWER
TWR - 134.55 MHz - RUZYNE TOWER	GND - 121.90 MHz - RUZYNE GROUND
GND - 131.95 MHz - RUZYNE GROUND	CLD - 120.05 MHz - CLEARANCE DELIVERY
APP - 136.07 MHz - PRAGUE APPROACH	APP - 127.57 MHz - PRAGUE APPROACH
APP - 120.52 MHz - PRAGUE APPROACH	APP - 119.00 MHz - PRAGUE APPROACH
REC - 118.30 MHz - RUZYNE INFORMATION	REC - 127.57 MHz - RUZYNE INFORMATION
REC - 136.07 MHz - RUZYNE INFORMATION	REC - 136.17 MHz - RUZYNE INFORMATION
APP - 120.52 MHz - PRAGUE RADAR	APP - 127.57 MHz - PRAGUE RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,674 ft	126.99	CONCRETE	0 ft	0 ft
	45 m	3,253 m	122.31		0 m	0 m
30	148 ft	10,674 ft	307.02	CONCRETE	0 ft	0 ft
	45 m	3,253 m	302.34		0 m	0 m
06	148 ft	12,198 ft	64.93	CONCRETE	0 ft	0 ft
	45 m	3,718 m	60.25		0 m	0 m
24	148 ft	12,198 ft	244.96	CONCRETE	0 ft	0 ft
	45 m	3,718 m	240.29		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	PH	111.15 MHz	18 nm	-	-	1,250 ft
				33 km	-		1,250 m
12	DME	PA	109.95 MHz	18 nm	-	-	1,246 ft
				33 km	-		1,246 m
24	DME	PR	109.10 MHz	18 nm	-	-	1,175 ft
				33 km	-		1,175 m
30	DME	PG	109.50 MHz	18 nm	-	-	1,250 ft
				33 km	-		1,250 m
06	LOC-ILS	PH	111.15 MHz	18 nm	64.94	-	1,202 ft
				33 km	60.26		1,202 m
12	LOC-ILS	PA	109.95 MHz	18 nm	127.00	-	1,246 ft
				33 km	122.32		1,246 m
24	LOC-ILS	PR	109.10 MHz	18 nm	244.95	-	1,156 ft
				33 km	240.27		1,156 m
30	LOC-ILS	PG	109.50 MHz	18 nm	307.08	-	1,234 ft
				33 km	302.41		1,234 m
06	GS	PH	111.15 MHz	10 nm	65.88	3.00	1,202 ft
				19 km	61.20		1,202 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	GS	PA	109.95 MHz	10 nm	127.00	3.00	1,246 ft
				19 km	122.32		1,246 m
24	GS	PR	109.10 MHz	10 nm	245.88	3.00	1,156 ft
				19 km	241.20		1,156 m
30	GS	PG	109.50 MHz	10 nm	307.00	3.00	1,234 ft
				19 km	302.32		1,234 m