


2024/06/01 1045Z

EGLL ING **UL15** BEGAR **UQ341** RESIA **Q333** BABAG **UN606** ZDA LDSP

835.87 nm / 1548.04 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGLL APT	-	51.47120 -0.46088	0 ft 0 m	-	London Heathrow
ING NDB	-	50.88320 1.74181	32,100 ft 9,784 m	90	SAINT INGLEVERT
LESDO FIX	UL15 AWY-HI	49.80830 3.31806	35,000 ft 10,668 m	88	-
RANUX FIX	UL15 AWY-HI	49.13890 4.36167	35,000 ft 10,668 m	57	-
NEBAX FIX	UL15 AWY-HI	48.45690 6.19444	35,000 ft 10,668 m	83	-
OBAKI FIX	UL15 AWY-HI	48.36580 6.43056	35,000 ft 10,668 m	10	-
BEGAR FIX	UL15 AWY-HI	47.90830 7.58333	35,000 ft 10,668 m	53	-
ELMUR FIX	UQ341 AWY-HI	47.15680 8.90761	35,000 ft 10,668 m	70	-
RESIA FIX	UQ341 AWY-HI	46.47830 10.04330	35,000 ft 10,668 m	61	-
UNTAD FIX	Q333 AWY-HI	46.22000 10.84280	35,000 ft 10,668 m	36	-
DIKEM FIX	Q333 AWY-HI	46.03970 11.39940	35,000 ft 10,668 m	25	-
ROKIB FIX	Q333 AWY-HI	45.93560 11.69220	35,000 ft 10,668 m	13	-
BABAG FIX	Q333 AWY-HI	45.38690 13.12690	35,000 ft 10,668 m	68	-
PEVAL FIX	UN606 AWY-HI	45.31140 13.24750	35,000 ft 10,668 m	6	-
NAKIT FIX	UN606 AWY-HI	45.18810 13.44780	33,700 ft 10,272 m	11	-
PUL VOR	UN606 AWY-HI	44.89240 13.91810	28,000 ft 8,534 m	26	PULA
ZDA VOR	UN606 AWY-HI	44.09530 15.36420	11,200 ft 3,414 m	78	ZADAR
LDSP APT	-	43.53900 16.29810	0 ft 0 m	52	Split

EGLL

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 83 ft / 25 m
Location: 51.471200 -0.460881
Magnetic Var: 0.386 E

METAR

EGLL 011020Z AUTO 36009KT 320V040 9999 OVC023 14/08 Q1026 NOSIG

TAF

TAF EGLL 010455Z 0106/0212 36012KT 9999 SCT020 PROB40 0106/0108 9000 BKN012 PROB40 0202/0208 9000 BKN012

Frequencies

REC - 128.07 MHz - HEATHROW INFORMATION	REC - 121.92 MHz - HEATHROW INFORMATION
CLD - 121.97 MHz - HEATHROW DELIVERY	GND - 121.70 MHz - HEATHROW GROUND
GND - 121.85 MHz - HEATHROW GROUND	GND - 121.90 MHz - HEATHROW GROUND
TWR - 118.50 MHz - HEATHROW TOWER	TWR - 118.70 MHz - HEATHROW TOWER
TWR - 124.47 MHz - HEATHROW TOWER	APP - 119.72 MHz - HEATHROW DIRECTOR
APP - 120.40 MHz - HEATHROW DIRECTOR	APP - 134.97 MHz - HEATHROW DIRECTOR
APP - 125.62 MHz - HEATHROW RADAR	APP - 127.52 MHz - HEATHROW RADAR
DEP - 120.52 MHz - HEATHROW DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	164 ft	12,770 ft	89.66	ASPHALT	1,007 ft	0 ft
	50 m	3,892 m	89.28		307 m	0 m
27R	164 ft	12,770 ft	269.70	ASPHALT	0 ft	177 ft
	50 m	3,892 m	269.32		0 m	54 m
09R	164 ft	11,975 ft	89.68	ASPHALT	1,004 ft	0 ft
	50 m	3,650 m	89.29		306 m	0 m
27L	164 ft	11,975 ft	269.72	ASPHALT	0 ft	95 ft
	50 m	3,650 m	269.34		0 m	29 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IAA	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09R	DME	IBB	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27L	DME	ILL	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27R	DME	IRR	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09L	LOC-ILS	IAA	110.30 MHz	18 nm	89.68	-	83 ft
				33 km	89.29		83 m
09R	LOC-ILS	IBB	109.50 MHz	18 nm	89.70	-	83 ft
				33 km	89.31		83 m
27L	LOC-ILS	ILL	109.50 MHz	18 nm	269.70	-	83 ft
				33 km	269.31		83 m
27R	LOC-ILS	IRR	110.30 MHz	18 nm	269.68	-	83 ft
				33 km	269.29		83 m
09L	GS	IAA	110.30 MHz	10 nm	89.68	3.00	83 ft
				19 km	89.29		83 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09R	GS	IBB	109.50 MHz	10 nm	89.70	3.00	83 ft
				19 km	89.31		83 m
27L	GS	ILL	109.50 MHz	10 nm	269.70	3.00	83 ft
				19 km	269.31		83 m
27R	GS	IRR	110.30 MHz	10 nm	269.68	3.00	83 ft
				19 km	269.29		83 m

LDSP

Region: CROATIA
Timezone: EUROPE/ZAGREB
Runways: 1

Elevation: 79 ft / 24 m
Location: 43.539000 16.298100
Magnetic Var: 4.529 E

METAR

LDSP 011030Z 12008KT 090V150 9999 FEW040 24/12 Q1014 BECMG FM1200 23008KT

TAF

TAF LDSP 010525Z 0106/0206 02005KT 9999 FEW050 TX25/0112Z TN18/0204Z BECMG 0110/0112 11010KT PROB30 TEMPO 0202/0204 11010KT

Frequencies

REC - 128.68 MHz - INFO
APP - 120.88 MHz -

TWR - 124.68 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	148 ft	8,357 ft	52.48	ASPHALT	0 ft	98 ft
	45 m	2,547 m	47.95		0 m	30 m
23	148 ft	8,357 ft	232.50	ASPHALT	538 ft	820 ft
	45 m	2,547 m	227.97		164 m	250 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	LOC-ILS	IST	110.50 MHz	18 nm	52.57	-	69 ft
				33 km	48.04		69 m
05	GS	IST	110.50 MHz	10 nm	53.14	3.00	52 ft
				19 km	48.61		52 m