


2024/05/23 1150Z

EDDS SULUS EDDP

201.08 nm / 372.39 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDDS	-	48.68988	0 ft	-	Stuttgart
APT	-	9.22196	0 m		
SULUS	-	50.07528	21,200 ft	101	-
FIX	-	10.72889	6,462 m		
EDDP	-	51.42263	0 ft	99	Leipzig-Halle
APT	-	12.23604	0 m		

EDDS

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 1

Elevation: 1,271 ft / 387 m
Location: 48.689800 9.221970
Magnetic Var: 3.327 E

METAR

EDDS 231120Z AUTO 32009KT 300V360 9999 SHRA SCT032 BKN047 SCT///TCU 17/11 Q1016 BECMG VRB03KT NSW

TAF

TAF TAF EDDS 230500Z 2306/2406 VRB03KT CAVOK TEMPO 2312/2318 34005KT SHRA BKN025CB PROB30 TEMPO 2312/2318 2500 +TS

Frequencies

REC - 126.13 MHz - STUTTGART ATIS	COM - 122.80 MHz - STUTTGART UNICOM
CLD - 121.90 MHz - STUTTGART DELIVERY	GND - 118.60 MHz - STUTTGART GROUND
TWR - 118.80 MHz - STUTTGART TOWER	TWR - 119.05 MHz - STUTTGART TOWER
APP - 119.85 MHz - STUTTGART DIRECTOR	APP - 119.20 MHz - LANGEN RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,985 ft	74.04	CONCRETE	997 ft	138 ft
	45 m	3,348 m	70.71		304 m	42 m
25	148 ft	10,985 ft	254.07	CONCRETE	0 ft	144 ft
	45 m	3,348 m	250.74		0 m	44 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	ISTE	115.45 MHz	18 nm	-	-	1,332 ft
				33 km	-		1,332 m
25	DME	ISTW	115.45 MHz	18 nm	-	-	1,332 ft
				33 km	-		1,332 m
07	LOC-ILS	ISTE	109.50 MHz	18 nm	74.05	-	1,271 ft
				33 km	70.72		1,271 m
25	LOC-ILS	ISTW	109.90 MHz	18 nm	254.05	-	1,271 ft
				33 km	250.72		1,271 m
07	GS	ISTE	109.50 MHz	10 nm	74.05	3.00	1,271 ft
				19 km	70.72		1,271 m
25	GS	ISTW	109.90 MHz	10 nm	254.05	3.00	1,271 ft
				19 km	250.72		1,271 m

EDDP

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 2

Elevation: 470 ft / 143 m
Location: 51.422600 12.236000
Magnetic Var: 4.240 E

METAR

EDDP 231120Z AUTO 27008KT 240V320 9999 FEW034 21/11 Q1015 NOSIG

TAF

TAF EDDP 230500Z 2306/2406 24006KT CAVOK BECMG 2310/2312 30005KT BECMG 2317/2319 VRB02KT BECMG 2404/2406 06005KT

Frequencies

REC - 123.95 MHz - LEIPZIG ATIS	GND - 121.67 MHz - LEIPZIG GROUND
TWR - 125.95 MHz - LEIPZIG TOWER	TWR - 121.10 MHz - LEIPZIG TOWER
COM - 121.10 MHz - LEIPZIG UNICOM	APP - 126.17 MHz - MUNCHEN RADAR
APP - 379.92 MHz - MUNCHEN RADAR	APP - 128.47 MHz - LEIPZIG DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	11,769 ft	85.69	CONCRETE	0 ft	331 ft
	45 m	3,587 m	81.45		0 m	101 m
26R	148 ft	11,769 ft	265.73	CONCRETE	0 ft	335 ft
	45 m	3,587 m	261.49		0 m	102 m
08R	197 ft	11,778 ft	85.69	CONCRETE	0 ft	325 ft
	60 m	3,590 m	81.45		0 m	99 m
26L	197 ft	11,778 ft	265.73	CONCRETE	0 ft	341 ft
	60 m	3,590 m	261.49		0 m	104 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	LOC-ILS	ILNE	108.55 MHz	18 nm	85.71	-	470 ft
				33 km	81.47		470 m
08R	LOC-ILS	ILSR	111.75 MHz	18 nm	85.71	-	470 ft
				33 km	81.47		470 m
26L	LOC-ILS	ILSL	110.30 MHz	18 nm	265.71	-	470 ft
				33 km	261.47		470 m
26R	LOC-ILS	ILNW	108.35 MHz	18 nm	265.71	-	470 ft
				33 km	261.47		470 m
08L	GS	ILNE	108.55 MHz	10 nm	85.71	3.00	470 ft
				19 km	81.47		470 m
08R	GS	ILSR	111.75 MHz	10 nm	85.71	3.00	470 ft
				19 km	81.47		470 m
26L	GS	ILSL	110.30 MHz	10 nm	265.71	3.00	470 ft
				19 km	261.47		470 m
26R	GS	ILNW	108.35 MHz	10 nm	265.71	3.00	470 ft
				19 km	261.47		470 m