

# LFPO

Paris Orly


# LIRF

Roma Fiumicino Leonardo Da Vinci

2024/06/04 0113Z

LFPO OBURO **UH10** SPR **A1** BANKO **UL50** ELB LIRF

594.76 nm / 1101.50 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 300ft
- Cruise Speed: 350kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPO	-	48.72636	0 ft	-	Paris Orly
APT	-	2.36703	0 m		
OBURO	-	47.65167	35,000 ft	99	-
FIX	-	4.26472	10,668 m		
DJL	UH10	47.27078	35,000 ft	40	DIJON-LONGVIC VOR-DME
VOR	AWY-HI	5.09733	10,668 m		
SIROD	UH10	46.72694	35,000 ft	49	-
FIX	AWY-HI	6.01944	10,668 m		
SPR14	UH10	46.62222	35,000 ft	9	-
FIX	AWY-HI	6.19167	10,668 m		
SPR	UH10	46.46869	35,000 ft	14	ST. PREX VOR-DME
VOR	AWY-HI	6.44806	10,668 m		
SPR15	A1	46.27218	19,500 ft	13	-
FIX	AWY-LO	6.62959	5,944 m		
SPR20	A1	46.18944	19,500 ft	6	-
FIX	AWY-LO	6.71083	5,944 m		
SPR29	A1	46.06361	19,500 ft	8	-
FIX	AWY-LO	6.82806	5,944 m		
BANKO	A1	45.82000	19,500 ft	17	-
FIX	AWY-LO	7.05500	5,944 m		
ADISO	UL50	45.55917	35,000 ft	18	-
FIX	AWY-HI	7.29333	10,668 m		
KERES	UL50	45.22139	35,000 ft	24	-
FIX	AWY-HI	7.59778	10,668 m		
TOP	UL50	44.92525	35,000 ft	21	TORINO VOR-DME
VOR	AWY-HI	7.86166	10,668 m		
NEDED	UL50	44.69389	35,000 ft	18	-
FIX	AWY-HI	8.14056	10,668 m		
LAGEN	UL50	44.39417	35,000 ft	23	-
FIX	AWY-HI	8.49806	10,668 m		
ANAKI	UL50	44.20111	35,000 ft	15	-
FIX	AWY-HI	8.72556	10,668 m		
IXITO	UL50	44.13472	35,000 ft	5	-
FIX	AWY-HI	8.80361	10,668 m		
UNITA	UL50	43.94444	35,000 ft	14	-
FIX	AWY-HI	9.02500	10,668 m		
KAFEE	UL50	43.80000	35,000 ft	11	-
FIX	AWY-HI	9.19194	10,668 m		
KONER	UL50	43.50472	33,100 ft	23	-
FIX	AWY-HI	9.53000	10,089 m		
MAURO	UL50	43.18806	27,800 ft	24	-
FIX	AWY-HI	9.88750	8,473 m		
ELB	UL50	42.73069	21,200 ft	35	ELBA VORTAC
VOR	AWY-HI	10.39572	6,462 m		
LIRF	-	41.81081	0 ft	99	Roma Fiumicino Leonardo Da Vinci
APT	-	12.25090	0 m		

## LFPO

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 3

Elevation: 291 ft / 89 m  
Location: 48.726300 2.366980  
Magnetic Var: 1.459 E

## METAR

LFPO 040100Z AUTO 00000KT 9999 FEW039 BKN048 BKN170 15/13 Q1017 NOSIG

## TAF

TAF LFPO 032300Z 0400/0506 VRB03KT 9999 SCT045 BECMG 0410/0412 23010KT TEMPO 0420/0506 29005KT

## Frequencies

REC - 126.50 MHz - ORLY ATIS	REC - 131.35 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT	GND - 121.70 MHz - ORLY GROUND
GND - 121.82 MHz - ORLY GROUND	TWR - 118.70 MHz - ORLY TOWER
TWR - 120.50 MHz - ORLY TOWER	APP - 118.85 MHz - PARIS APPROACH
APP - 123.87 MHz - PARIS APPROACH	APP - 124.45 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE	DEP - 127.75 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.33		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.36		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.88		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.92		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.84		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.85		0 m	150 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.85		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.34		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.90		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.34		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.90		291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm 33 km	74.37 72.91	-	291 ft 291 m
02	GS	OLN	110.30 MHz	10 nm 19 km	18.31 16.85	3.00	291 ft 291 m
06	GS	ORE	108.50 MHz	10 nm 19 km	61.80 60.34	3.00	291 ft 291 m
07	GS	OLE	108.15 MHz	10 nm 19 km	74.36 72.90	3.00	291 ft 291 m
24	GS	OLO	110.90 MHz	10 nm 19 km	241.80 240.34	3.00	291 ft 291 m
25	GS	OLW	111.75 MHz	10 nm 19 km	254.36 252.90	3.00	291 ft 291 m

## LIRF

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 3

Elevation: 13 ft / 4 m  
Location: 41.810800 12.250900  
Magnetic Var: 3.672 E

## METAR

LIRF 040050Z 30003KT CAVOK 14/13 Q1015 NOSIG

## TAF

TAF LIRF 032300Z 0400/0506 VRB05KT CAVOK BECMG 0410/0412 28012KT BECMG 0418/0420 VRB05KT

## Frequencies

REC - 120.17 MHz - ATIS ARRIVAL  
REC - 121.85 MHz - ATIS DEPARTURE  
GND - 121.72 MHz - FIUME APRON  
GND - 121.90 MHz - FIUME GROUND  
TWR - 127.62 MHz - FIUME TOWER  
TWR - 118.70 MHz - FIUME TOWER  
DEP - 131.10 MHz - ROMA DEPARTURE  
APP - 125.50 MHz - ROMA ARRIVAL  
APP - 131.25 MHz - ROMA DIRECT

REC - 126.12 MHz - ATIS ARRIVAL  
CLD - 121.80 MHz - CLEARANCE DELIVERY  
GND - 121.67 MHz - FIUME GROUND  
GND - 122.12 MHz - FIUME GROUND  
TWR - 123.72 MHz - FIUME TOWER  
DEP - 130.90 MHz - ROMA DEPARTURE  
APP - 127.95 MHz - ROMA ARRIVAL  
APP - 119.20 MHz - ROMA DIRECT

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,859 ft	69.68	ASPHALT	1,348 ft	0 ft
	45 m	3,310 m	66.01		411 m	0 m
25	148 ft	10,859 ft	249.71	ASPHALT	0 ft	0 ft
	45 m	3,310 m	246.03		0 m	0 m
16R	197 ft	12,814 ft	162.66	ASPHALT	0 ft	0 ft
	60 m	3,906 m	158.99		0 m	0 m
34L	197 ft	12,814 ft	342.67	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.00		0 m	0 m
16L	197 ft	12,814 ft	162.68	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.01		0 m	0 m
34R	197 ft	12,814 ft	342.69	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.02		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	FEE	110.15 MHz	25 nm	-	-	25 ft
				46 km	-		25 m
34L	DME	ISW	108.90 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
34R	DME	FSS	111.55 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
16L	LOC-ILS	IFLL	108.10 MHz	18 nm	162.69	-	13 ft
				33 km	159.02		13 m
16R	LOC-ILS	IFRR	109.75 MHz	18 nm	162.67	-	13 ft
				33 km	159.00		13 m
25	LOC-ILS	FEE	110.15 MHz	18 nm	249.69	-	13 ft
				33 km	246.02		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34L	LOC-ILS	IFSW	108.90 MHz	18 nm	342.67	-	13 ft
				33 km	339.00		13 m
34R	LOC-ILS	FSS	111.55 MHz	18 nm	342.69	-	13 ft
				33 km	339.02		13 m
16L	GS	IFLL	108.10 MHz	10 nm	162.69	3.00	13 ft
				19 km	159.02		13 m
16R	GS	IFRR	109.75 MHz	10 nm	162.67	3.00	13 ft
				19 km	159.00		13 m
25	GS	FEE	110.15 MHz	10 nm	249.69	3.00	13 ft
				19 km	246.02		13 m
34L	GS	IFSW	108.90 MHz	10 nm	342.67	3.00	13 ft
				19 km	339.00		13 m
34R	GS	FSS	111.55 MHz	10 nm	342.69	3.00	13 ft
				19 km	339.02		13 m