


2024/06/09 0653Z

OEAB ABH **V48** KAROD OESL

216.93 nm / 401.75 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: yes
- Use high airways: no

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OEAB	-	18.24038	0 ft	-	ABHA
APT	-	42.65663	0 m		
ABH	-	18.24192	0 ft	0	ABHA VORTAC
VOR	-	42.65694	0 m		
ELIVI	V48	18.81556	17,900 ft	50	-
FIX	AWY-LO	43.29556	5,456 m		
KAROD	V48	20.12917	15,000 ft	115	-
FIX	AWY-LO	44.77500	4,572 m		
OESL	-	20.46473	0 ft	51	SULAYEL
APT	-	45.61966	0 m		

## OEAB

Region: SAUDI ARABIA  
Timezone: ASIA/RIYADH  
Runways: 1

Elevation: 6,857 ft / 2,090 m  
Location: 18.240400 42.656500  
Magnetic Var: 3.069 E

## METAR

OEAB 090600Z 35010KT CAVOK 28/03 Q1022 NOSIG

## TAF

UNKNOWN

## Frequencies

GND - 121.70 MHz - ABHA GROUND  
APP - 124.50 MHz - ABHA APPROACH  
APP - 130.50 MHz - ABHA APPROACH

TWR - 118.10 MHz - ABHA TOWER  
APP - 125.80 MHz - ABHA APPROACH  
REC - 128.65 MHz - ABHA ATIS

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	150 ft	11,001 ft	129.19	ASPHALT	0 ft	397 ft
	46 m	3,353 m	126.12		0 m	121 m
31	150 ft	11,001 ft	309.20	ASPHALT	0 ft	463 ft
	46 m	3,353 m	306.13		0 m	141 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	DME	IABH	109.90 MHz	18 nm	-	-	6,858 ft
				33 km	-		6,858 m
13	LOC-ILS	IABH	109.90 MHz	18 nm	129.20	-	6,857 ft
				33 km	126.13		6,857 m
13	GS	IABH	109.90 MHz	10 nm	129.20	3.00	6,857 ft
				19 km	126.13		6,857 m