

SABE

Aeroparque Jorge Newbery


SAZM

Mar Del Plata Brig Gen D Bartolome

2024/06/06 1945Z

SABE TENIL **UW31** PULPA **W31** MDP SAZM

209.82 nm / 388.59 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 20000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SABE APT	-	-34.55941 -58.41575	0 ft 0 m	-	Aeroparque Jorge Newbery
TENIL FIX	-	-35.54111 -57.83389	23,400 ft 7,132 m	65	-
PULPA FIX	UW31 AWY-HI	-37.01667 -57.67861	23,500 ft 7,163 m	88	-
MDP VOR	W31 AWY-LO	-37.92972 -57.57639	4,500 ft 1,372 m	55	MAR DEL PLATA VOR-DME
SAZM APT	-	-37.93419 -57.57340	0 ft 0 m	0	Mar Del Plata Brig Gen D Bartolome

SABE

Region: ARGENTINA
Timezone: UNKNOWN
Runways: 1

Elevation: 18 ft / 5 m
Location: -34.559200 -58.415700
Magnetic Var: 10.086 W

METAR

SABE 061900Z 04003KT 010V110 2000 BR NSC 15/13 Q1016 NOSIG

TAF

TAF SABE 061700Z 0618/0718 VRB03KT 4000 BR FEW015 SCT200 TX16/0618Z TN14/0710Z BECMG 0619/0620 07005KT 9999 FEW02

Frequencies

REC - 127.60 MHz - AEROPARQUE ATIS
TWR - 118.85 MHz - AEROPARQUE TWR

GND - 121.90 MHz - AEROPARQUE GRD
APP - 120.60 MHz - AEROPARQUE APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	131 ft	6,881 ft	124.10	CONCRETE	0 ft	791 ft
	40 m	2,097 m	134.19		0 m	241 m
31	131 ft	6,881 ft	304.09	CONCRETE	430 ft	505 ft
	40 m	2,097 m	314.18		131 m	154 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	DME	AE	109.50 MHz	18 nm	-	-	17 ft
				33 km	-		17 m
13	LOC-ILS	AE	109.50 MHz	18 nm	124.09	-	18 ft
				33 km	134.18		18 m
13	GS	AE	109.50 MHz	10 nm	124.09	3.00	18 ft
				19 km	134.18		18 m

SAZM

Region: ARGENTINA
Timezone: AMERICA/ARGENTINA/BUENOS_AIRES
Runways: 1

Elevation: 71 ft / 22 m
Location: -37.934200 -57.573300
Magnetic Var: 8.577 W

METAR

SAZM 061900Z 32006KT CAVOK 19/08 Q1014

TAF

TAF SAZM 061700Z 0618/0718 29005KT CAVOK TX18/0718Z TN09/0710Z BECMG 0621/0623 VRB03KT 5000 BR SCT010 TEMPO 0706/

Frequencies

GND - 121.70 MHz -
APP - 118.20 MHz -

TWR - 118.75 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	148 ft	7,208 ft	122.80	ASPHALT	0 ft	164 ft
	45 m	2,197 m	131.37		0 m	50 m
31	148 ft	7,208 ft	302.78	ASPHALT	0 ft	0 ft
	45 m	2,197 m	311.36		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	DME	MP	109.50 MHz	18 nm	-	-	70 ft
				33 km	-		70 m
13	LOC-ILS	MP	109.50 MHz	18 nm	122.49	-	71 ft
				33 km	131.07		71 m
13	GS	MP	109.50 MHz	10 nm	123.31	3.00	71 ft
				19 km	131.89		71 m